

Lighting – Product Catalog 09/2023

EMEA1 V1.1

LED

Daylight

Ballasts

Tungsten

Professional Lighting Accessories



TABLE OF CONTENTS - QUICK NAVIGATION

SETS & KITS



LED Sets & Kits



Tungsten Kits



M-Series Sets



Daylight Sets

LED



SkyPanel X



Orbiter



SkyPanel



L-Series



Stellar

TED



M-Series



True Blue D



ARRI Daylight
18/12



Compact
Theater



Electronic
Ballasts



ARRILITE Plus



ARRI Junior



True Blue T



True Blue ST



True Blue ST
Theater



Studio T

PLA



PLA



LED SETS & KITS

SkyPanel X Packages	8
S360-C Kits	12
L5 LED Kit III	13

TUNGSTEN KITS

ARRILITE 750 Plus Kits	14
ARRILITE 2000 Plus Kits	16
Softbank I Plus Kit	17
Softbank IV Plus Kit	18
ARRI 650 Plus Kit	18
ARRI 300/650 Plus Combo Kit	19

DAYLIGHT SETS

M-Series Sets	20
True Blue D Sets	23

LED

SkyPanel X	30
Orbiter	34
SkyPanel S30-C	40
SkyPanel S30-RP	41
SkyPanel S60-C	46
SkyPanel S60-RP	47
SkyPanel S120-C	54
SkyPanel S360-C	60



LED

SkyPanel Remote Control	63
L-Series L5-C	66
L-Series L7-C	70
L-Series L10-C	74
Stellar 2.5	76

DAYLIGHT

M-Series M8	80
M-Series M18	82
M-Series M40	84
M-Series M90	86
M-Series ARRIMAX 18/12	88
True Blue D5	92
True Blue D12	94
True Blue D25	96
True Blue D40	98
ARRI Daylight 18/12	102
COMPACT 2500 Theater	106
COMPACT 4000 Theater	107



BALLASTS

Electronic Ballasts - Max Range	112
Electronic Ballasts - High Speed	112
Electronic Ballasts - Basic	113

TUNGSTEN

ARRILITE 750 Plus	116
ARRILITE 2000 Plus	118
ARRI 150	120
ARRI 300 Plus	122
ARRI 650 Plus	124
True Blue T1	126
True Blue T2	128
True Blue T5	130
True Blue ST1	132
True Blue ST2/3	134
True Blue ST5	136
True Blue ST1/2 Theater	138
True Blue ST5 Theater	139
STUDIO T12	140
STUDIO T24	142




PLA - PROFESSIONAL LIGHTING ACCESSORIES

Optics	146
Lamphead Control	147
Diffusion, Spill Rings, Snoots & Louvers	148
Conversion Filters, Phosphor Panels & Protective Glasses	151
Barndoors	153
Scrim & Scrim Bags	155
Filter Frames	160
Softboxes, Accessory Holders & Speed Rings	161
Grip	166
Cables	169
Stands, Wheels & Operating Poles	172
Cases (empty)	174
Lamps	176
Lenses	178
Other Accessories	180




SETS & KITS



LED Sets & Kits



Tungsten Kits



M-Series Sets



Daylight Sets



LED SETS & KITS



SKYPANEL X PACKAGES

Ident.-No. Description

L0.0049592 X21 Soft Light Package (Schuko)

NEW

- 1x L1.0048487 SkyPanel X, incl. X21 Dome
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0048577 X21 Manual Yoke incl. Spigot
- 1x L2.0007516 Mains cable, 3m, powerCON TRUE1 TOP Schuko

L0.0049591 X21 Soft Light Package (Edison)

NEW

- 1x L1.0048487 SkyPanel X, incl. X21 Dome
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0048577 X21 Manual Yoke incl. Spigot
- 1x L2.0007515 Mains cable, 3m, powerCON TRUE1 TOP Edison

L0.0049804 X21 Soft Light Package (Chinese)

NEW

- 1x L1.0048487 SkyPanel X, incl. X21 Dome
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0048577 X21 Manual Yoke incl. Spigot
- 1x L2.0049581 Mains cable, 3m, powerCON TRUE1 TOP for China 10A

L0.0049590 X21 Soft Light Package (Japanese)

NEW

- 1x L1.0048487 SkyPanel X, incl. X21 Dome
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0048577 X21 Manual Yoke incl. Spigot
- 1x L2.0010231 Mains cable, 3m, powerCON TRUE1 TOP Japanese

L0.0049803 X21 Soft Light Package (Australia)

NEW

- 1x L1.0048487 SkyPanel X, incl. X21 Dome
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0048577 X21 Manual Yoke incl. Spigot
- 1x L2.0049579 Mains cable, 3m, powerCON TRUE1 TOP Australia



SKYPANEL X PACKAGES

Ident.-No. Description

L0.0049589 **X21 Soft & Hard Light Package (Schuko)** **NEW**

1x L1.0048487 SkyPanel X, incl. X21 Dome
 1x L2.0048580 X21 HyPer Optic
 1x L2.0048844 ALL-WEATHER Control Panel
 1x L2.0048577 X21 Manual Yoke incl. Spigot
 1x L2.0007516 Mains cable, 3m, powerCON TRUE1 TOP
 Schuko

L0.0049599 **X21 Soft & Hard Light Package (Edison)** **NEW**

1x L1.0048487 SkyPanel X, incl. X21 Dome
 1x L2.0048580 X21 HyPer Optic
 1x L2.0048844 ALL-WEATHER Control Panel
 1x L2.0048577 X21 Manual Yoke incl. Spigot
 1x L2.0007515 Mains cable, 3m, powerCON TRUE1 TOP
 Edison

L0.0049597 **X21 Soft & Hard Light Package (Chinese)** **NEW**

1x L1.0048487 SkyPanel X incl. X21 Dome
 1x L2.0048580 X21 HyPer Optic
 1x L2.0048844 ALL-WEATHER Control Panel
 1x L2.0048577 X21 Manual Yoke incl. Spigot
 1x L2.0049581 Mains cable, 3m, powerCON TRUE1 TOP
 for China 10A

L0.0049598 **X21 Soft & Hard Light Package (Japanese)** **NEW**

1x L1.0048487 SkyPanel X, incl. X21 Dome
 1x L2.0048580 X21 HyPer Optic
 1x L2.0048844 ALL-WEATHER Control Panel
 1x L2.0048577 X21 Manual Yoke incl. Spigot
 1x L2.0010231 Mains cable, 3m, powerCON TRUE1 TOP
 Japanese

L0.0049805 **X21 Soft & Hard Light Package (Australia)** **NEW**

1x L1.0048487 SkyPanel X, incl. X21 Dome
 1x L2.0048580 X21 HyPer Optic
 1x L2.0048844 ALL-WEATHER Control Panel
 1x L2.0048577 X21 Manual Yoke incl. Spigot
 1x L2.0049579 Mains cable, 3m, powerCON TRUE1 TOP
 Australia



SKYPANEL X PACKAGES

Ident.-No. Description

L0.0049826 X22 Soft & Hard Light Package (Schuko)

NEW

- 2x L1.0048487 SkyPanel X, incl. X21 Dome
- 2x L2.0048580 X21 HyPer Optic
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0049573 X Modular Yoke, incl. Spigot
- 1x L2.0049577 X22 Modular Frame, incl. Daisy Chain Cabling
Ethernet & Power
- 1x L2.0007516 Mains cable, 3m, powerCON TRUE1 TOP
Schuko

L0.0049825 X22 Soft & Hard Light Package (Bare Ends CE)

NEW

- 2x L1.0048487 SkyPanel X, incl. X21 Dome
- 2x L2.0048580 X21 HyPer Optic
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0049573 X Modular Yoke, incl. Spigot
- 1x L2.0049577 X22 Modular Frame, incl. Daisy Chain Cabling
Ethernet & Power
- 1x L2.0005974 Mains cable, 3m, powerCON TRUE1 TOP
Bare Ends / CE

L0.0049827 X22 Soft & Hard Light Package (Bare Ends UL)

NEW

- 2x L1.0048487 SkyPanel X, incl. X21 Dome
- 2x L2.0048580 X21 HyPer Optic
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0049573 X Modular Yoke, incl. Spigot
- 1x L2.0049577 X22 Modular Frame, incl. Daisy Chain Cabling
Ethernet & Power
- 1x L2.0049452 Mains cable, 3m, powerCON TRUE1 TOP
Bare Ends / UL



SKYPANEL X PACKAGES

Ident.-No. Description**L0.0049595 X23 Soft & Hard Light Package (Schuko)**

NEW

- 3x L1.0048487 SkyPanel X, incl. X21 Dome
- 3x L2.0048580 X21 HyPer Optic
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0049573 X Modular Yoke, incl. Spigot
- 1x L2.0049570 X23 Modular Frame, incl. Daisy Chain Cabling
Ethernet & Power
- 1x L2.0007516 Mains cable, 3m, powerCON TRUE1 TOP
Schuko

L0.0049594 X23 Soft & Hard Light Package (Bare Ends CE)

NEW

- 3x L1.0048487 SkyPanel X, incl. X21 Dome
- 3x L2.0048580 X21 HyPer Optic
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0049573 X Modular Yoke, incl. Spigot
- 1x L2.0049570 X23 Modular Frame, incl. Daisy Chain Cabling
Ethernet & Power
- 1x L2.0005974 Mains cable, 3m, powerCON TRUE1 TOP
Bare Ends / CE

L0.0049593 X23 Soft & Hard Light Package (Bare Ends UL)

NEW

- 3x L1.0048487 SkyPanel X, incl. X21 Dome
- 3x L2.0048580 X21 HyPer Optic
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0049573 X Modular Yoke, incl. Spigot
- 1x L2.0049570 X23 Modular Frame, incl. Daisy Chain Cabling
Ethernet & Power
- 1x L2.0049452 Mains cable, 3m, powerCON TRUE1 TOP
Bare Ends / UL



S360-C KITS

Ident.-No. Description

L0.0016335 S360-C Kit (Schuko / Edison)

1x L1.0015122	S360-C, blue/silver
1x L2.0016078	Carbon Fiber Yoke for S360-C (incl. Pin)
1x L2.0015929	Short Yoke for S360-C (incl. Pin)
1x L2.0015014	Standard Diffusion for S360-C
1x L2.0015013	Heavy Diffusion for S360-C
1x L2.0015016	Lite Diffusion for S360-C
1x L2.0015022	Intensifier for S360-C
1x L2.0014979	Honeycomb 60° for S360-C
1x L2.0014978	Honeycomb 30° for S360-C
1x L2.0015249	Power Supply Unit for S360-C
1x L2.0006921	Super Clamp Adapter for SkyPanel PSU
1x L2.0015784	Mains cable powerCON 32A, 3 m (Schuko)
1x L2.0015785	Mains cable powerCON 32A, 3 m (Edison)
1x L2.0016030	DC cable 5 m (4-Pin 30A) S360-C
1x L2.0016354	Transportation Case for SkyPanel S360-C
1x L2.0022690	SkyPanel Remote

L0.0019704 S360-C Kit (Schuko) - w/o Accessories

1x L1.0015122	S360-C, blue/silver
1x L2.0016078	Carbon Fiber Yoke for S360-C (incl. Pin)
1x L2.0015014	Standard Diffusion for S360-C
1x L2.0015249	Power Supply Unit for S360-C
1x L2.0006921	Super Clamp Adapter for SkyPanel PSU
1x L2.0015784	Mains cable powerCON 32A, 3 m (Schuko)
1x L2.0016030	DC cable 5 m (4-Pin 30A) S360-C
1x L2.0016354	Transportation Case for SkyPanel S360-C

**S360-C KITS**

Ident.-No.	Description
L0.0019705	S360-C Kit (Bare Ends) - w/o Accessories

1x L1.0015122	S360-C, blue/silver
1x L2.0016078	Carbon Fiber Yoke for S360-C (incl. Pin)
1x L2.0015014	Standard Diffusion for S360-C
1x L2.0015249	Power Supply Unit for S360-C
1x L2.0006921	Super Clamp Adapter for SkyPanel PSU
1x L2.0015788	Mains cable powerCON 32A, 3 m (Bare Ends)
1x L2.0016030	DC cable 5 m (4-Pin 30A) S360-C
1x L2.0016354	Transportation Case for SkyPanel S360-C

L5 LED KIT III

Ident.-No.	Description
L0.0003690	L5 LED Kit III (Schuko)

2x L1.0001764	L5-C
2x L2.0001486	Mains cable, 3 m, powerCON TRUE1 / Schuko, with line switch
2x L2.79470.0	4-leaf barndoor (168 mm / 6.6")
2x L2.79490.0	Filter frame (168 mm / 6.6")
2x L2.76965.0	Compact ARRI Kit Stand, LS.01 (050MKA)
1x L2.0005222	Heavy Duty Case L5/Caster Kit



TUNGSTEN KITS



ARRILITE 750 PLUS KITS

Ident.-No.	Description
------------	-------------

L0.36700.D	ARRILITE 750 Plus Lighting Kit with wheels (Schuko)
-------------------	--

3x L0.0034721	ARRILITE 750 Plus with line switch incl. 4-leaf barndoor and accessory holder
3x L2.36800.0	Lamp 750 W / 230 V G9,5 2-Pin HPL* (Osram)
3x L2.76965.0	Compact ARRI Kit Stand AS-01 (050MKA)
1x L2.79460.0	Set of 4 Scrim (168 mm / 6.6")
1x L2.77180.0	ARRI Filter Pack (each 2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201)
1x L2.36806.R	Case for 3 lampheads (81 x 36 x 34 cm / 31.9 x 14.2 x 13.4") with wheels

L0.36700.0	ARRILITE 750 Plus Lighting Kit (Schuko)
-------------------	--

3x L0.0034721	ARRILITE 750 Plus with line switch incl. 4-leaf barndoor and accessory holder
3x L2.36800.0	Lamp 750 W / 230 V G9,5 2-Pin HPL* (Osram)
3x L2.76965.0	Compact ARRI Kit Stand AS-01 (050MKA)
1x L2.79460.0	Set of 4 Scrim (168 mm / 6.6")
1x L2.77180.0	ARRI Filter Pack (each 2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201)
1x L2.36806.0	Case for 3 lampheads (81 x 36 x 34 cm / 31.9 x 14.2 x 13.4")



ARRILITE 750 PLUS KITS

Ident.-No. Description

L0.36700.B ARRILITE 750 Plus Lighting Kit with wheels (Bare Ends)

3x L0.0034720	ARRILITE 750 Plus with line switch incl. 4-leaf barndoor and accessory holder
3x L2.36800.0	Lamp 750 W / 230 V G9,5 2-Pin HPL* (Osram)
3x L2.76965.0	Compact ARRI Kit Stand AS-01 (050MKA)
1x L2.79460.0	Set of 4 Scrims (168 mm / 6.6")
1x L2.77180.0	ARRI Filter Pack (each 2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201)
1x L2.36806.R	Case for 3 lampheads (81 x 36 x 34 cm / 31.9 x 14.2 x 13.4") with wheels

L0.36700.E ARRILITE 750 Plus Lighting Kit (Bare Ends)

3x L0.0034720	ARRILITE 750 Plus with line switch incl. 4-leaf barndoor and accessory holder
3x L2.36800.0	Lamp 750 W / 230 V G9,5 2-Pin HPL* (Osram)
3x L2.76965.0	Compact ARRI Kit Stand AS-01 (050MKA)
1x L2.79460.0	Set of 4 Scrims (168 mm / 6.6")
1x L2.77180.0	ARRI Filter Pack (each 2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201)
1x L2.36806.0	Case for 3 lampheads (81 x 36 x 34 cm / 31.9 x 14.2 x 13.4")

**ARRILITE 2000 PLUS KITS****Ident.-No. Description****L0.36500.D ARRILITE 2000 Plus Lighting Kit (Schuko)**

2x L0.0034723	ARRILITE 2000 Plus with line switch incl. 4-leaf barndoor
2x L2.89212.0	Lamp 2000 W 230 V RX7s-21 FEX (Osram)
1x L2.76950.0	Set of 4 Scrims (254 mm / 10.0")
1x L2.77180.0	ARRI Filter Pack (each 2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201)
1x L2.76956.P	Case for 2 lampheads (70 x 39 x 37 cm / 27.6 x 15.4 x 14.6")

L0.36500.B ARRILITE 2000 Plus Lighting Kit (Bare Ends)

2x L0.0034722	ARRILITE 2000 Plus with line switch incl. 4-leaf barndoor
2x L2.89212.0	Lamp 2000 W 230 V RX7s-21 FEX (Osram)
1x L2.76950.0	Set of 4 Scrims (254 mm / 10.0")
1x L2.77180.0	ARRI Filter Pack (each 2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201)
1x L2.76956.P	Case for 2 lampheads (70 x 39 x 37 cm / 27.6 x 15.4 x 14.6")

**SOFTBANK I PLUS KIT****Ident.-No. Description****L0.76597.S Softbank I Plus Lighting Kit (Schuko)**

1x L0.79200.D	ARRI 300 Plus with line switch incl. 4-leaf barndoor, filter frame
2x L0.79400.D	ARRI 650 Plus with line switch incl. 4-leaf barndoor, filter frame
1x L0.0034721	ARRILITE 750 Plus with line switch incl. 4-leaf barndoor, accessory holder
1x	Lamp T 300 W / 240 V GY 9,5 CP/81 (Osram)
2x	Lamp T 650 W / 230 V GY 9,5 CP/89 (Osram)
1x	Lamp HPL* 750 W / 230 V G9,5 (Osram)
1x	Scrim, full single (130 mm / 5.1")
1x	Scrim, full double (130 mm / 5.1")
3x	Scrim, full single (168 mm / 6.6")
3x	Scrim, full double (168 mm / 6.6")
1x	Chimera Lightbank Video Pro Plus "S"
4x	Medium ARRI Kit Stand AS-2 (050A)
1x	Accessory Pack
1x	Heavy Duty Case with wheels (102 x 48 x 34 cm / 40.2 x 18.9 x 13.4")

**SOFTBANK IV PLUS KIT****Ident.-No. Description****L0.76599.S Softbank IV Plus Lighting Kit (Schuko)**

2x	L0.79360.D	ARRI 150 with line switch incl. 4-leaf barndoor, filter frame
1x	L0.79200.D	ARRI 300 Plus with line switch incl. 4-leaf barndoor, filter frame
1x	L0.79400.D	ARRI 650 Plus with line switch incl. 4-leaf barndoor, filter frame
1x	L0.0034721	ARRILITE 750 Plus with line switch incl. 4-leaf barndoor, accessory holder
2x		Lamp T 150 W / 240 V GX 6,35 (Osram)
1x		Lamp T 300 W / 240 V GY 9,5 CP/81 (Osram)
1x		Lamp T 650 W / 230 V GY 9,5 CP/89 (Osram)
1x		Lamp HPL* 750 W / 230 V G9,5 (Osram)
2x		Scrim, full single (78 mm / 3.1")
2x		Scrim, full double (78 mm / 3.1")
1x		Scrim, full single (130 mm / 5.1")
1x		Scrim, full double (130 mm / 5.1")
2x		Scrim, full single (168 mm / 6.6")
2x		Scrim, full double (168 mm / 6.6")
1x		Chimera Lightbank Video Pro Plus "S"
1x		Accessory Pack
1x		Super Clamp with 5/8" Stud
1x		Ceiling Scissor Clamp
4x		Medium ARRI Kit Stand AS-2 (050A)
1x		Heavy Duty Case with wheels (102 x 48 x 34 cm / 40,2 x 18,9 x 13,4")

ARRI 650 PLUS KIT**Ident.-No. Description****L0.79400.C ARRI 650 Plus Lighting Kit (Schuko)**

3x	L0.79400.D	ARRI 650 Plus with line switch incl. 4-leaf barndoor, filter frame
3x		Lamp T 650 W / 230 V GY 9,5 CP/89 (Osram)
3x		Scrim, full single (168 mm / 6.6")
3x		Scrim, full double (168 mm / 6.6")
3x		Compact ARRI Kit Stand AS-01 (050MKA)
1x		Compact 3-Light case with wheels (83 x 43 x 27 cm / 32.7 x 16.9 x 10.6")

**ARRI 300/650 PLUS COMBO KIT**

Ident.-No.	Description
L0.76598.F	ARRI 300/650 Plus Combo Lighting Kit (Schuko)
2x L0.79200.D	ARRI 300 Plus with line switch incl. 4-leaf barndoor, filter frame
2x L0.79400.D	ARRI 650 Plus with line switch incl. 4-leaf barndoor, filter frame
2x	Lamp T 650 W / 230 V GY 9,5 CP/89 (Osram)
2x	Lamp T 300 W / 240 V GY 9,5 CP/81 (Osram)
2x	Scrim, full single (130 mm / 5.1")
2x	Scrim, full double (130 mm / 5.1")
2x	Scrim, full single (168 mm / 6.6")
2x	Scrim, full double (168 mm / 6.6")
4x	Medium ARRI Kit Stand AS-2 (050A)
1x	Accessory Pack
1x	Heavy Duty Case with wheels (102 x 48 x 34 cm / 40,2 x 18,9 x 13,4")



M-SERIES SETS



M-SERIES SETS

Ident.-No. Description

L0.37200AS M-Series M8 EB MAX Set - Int. (VEAM)

1x L1.37200.B	M-Series M8 (VEAM)
1x L2.0014190	EB MAX 1.8 with ALF, CCL, DMX, AutoScan
1x L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7")
1x L2.37207.0	Spill Ring (230 mm / 9.1")
1x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.37600AS M-Series M18 EB MAX Set - Int. (VEAM)

1x L1.37600.B	M18, blue/silver
1x L2.0014190	EB MAX 1.8 with ALF, CCL, DMX, AutoScan
1x L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
1x L2.37670.0	Spill Ring (330 mm / 13.0")
1x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.0019656 M-Series M40 EB MAX Set - Int. (VEAM)

1x L1.37400.B	M40, blue/silver
1x L2.0016746	EB MAX 2.5/4 with ALF, CCL, DMX, AutoScan
1x L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")
1x L2.37305.0	Spill Ring (400 mm / 15.8")
1x L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m

L0.0019658 M-Series M90 EB MAX Set - Int. (VEAM)

1x L1.37489.B	M90, blue/silver
1x L2.0016747	EB MAX 6/9 with ALF, CCL, DMX, AutoScan
1x L2.37560.0	4-leaf barndoor (584 mm / 23.0")
1x L2.37561.0	Spill Ring (571 mm / 22.5")
1x L2.77940.A	Head-to-Ballast cable 6000/9000 W, 15 m

**M-SERIES SETS****Ident.-No. Description****L0.0019667 ARRIMAX 18/12 EB MAX Set - Int. (VEAM)**

1x L1.37950.B	ARRIMAX 18/12, blue/silver
1x L2.0016748	EB MAX 12/18 with ALF, DMX, AutoScan
1x L2.71100.0	4-leaf barndoor (740 mm / 29.1")
1x L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m

L0.37200HS M-Series M8 High Speed Set - Int. (VEAM)

1x L1.37200.B	M8, blue/silver
1x L2.76184KH	EB 575/800 HS with ALF, CCL, DMX, 1000 Hz
1x L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7")
1x L2.37207.0	Spill Ring (230 mm / 9.1")
1x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.37600.B M-Series M18 Basic Set - Int. (VEAM)

1x L1.37600.B	M18, blue/silver
1x L2.76625.0	EB 1200/1800 with ALF
1x L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
1x L2.37670.0	Spill Ring (330 mm / 13.0")
1x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.0019657 M-Series M40 Basic Set - Int. (VEAM)

1x L1.37400.B	M40, blue/silver
1x L2.76640.0	EB 2.5/4 with ALF
1x L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")
1x L2.37305.0	Spill Ring (400 mm / 15.8")
1x L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m

L0.0019659 M-Series M90 Basic Set - Int. (VEAM)

1x L1.37489.B	M90, blue/silver
1x L2.76180.0	EB 6/9 with ALF
1x L2.37560.0	4-leaf barndoor (584 mm / 23.0")
1x L2.37561.0	Spill Ring (571 mm / 22.5")
1x L2.77940.A	Head-to-Ballast cable 6000/9000 W, 15 m

**M-SERIES SETS****Ident.-No. Description****L0.0019665 ARRIMAX 18/12 Basic Set - Int. (VEAM)**

1x L1.37950.B ARRIMAX 18/12, blue/silver
1x L2.76290.0 EB 12/18 with ALF & trolley
1x L2.71100.0 4-leaf barndoor (740 mm / 29.1")
1x L2.82294.0 Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m

L0.0019664 ARRIMAX 18/12 Basic Set - „Spot“ - Int. (VEAM)

1x L1.37950.B ARRIMAX 18/12, blue/silver
1x L2.76290.0 EB 12/18 with ALF & trolley
1x L2.37941.0 Snoot (740 mm / 29.1") with variable frame
1x L2.37940.0 Spot reflector for ARRIMAX 18/12,
8° - 15° Half Peak Angle
1x L2.82294.0 Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m



DAYLIGHT FRESNEL SETS



TRUE BLUE D SETS

Ident.-No. Description

L0.0019660 True Blue D12 EB MAX Set - Int. (VEAM)

1x L1.33730.B True Blue D12, blue/silver
 1x L2.0014190 EB MAX 1.8 with ALF, CCL, DMX, AutoScan
 1x L2.39870.0 4-leaf barndoor, True Blue (245 mm / 9.7")
 1x L2.79890.0 Filter frame (230 mm / 9.1")
 1x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.0019662 True Blue D25 EB MAX Set - Int. (VEAM)

1x L1.33670.B True Blue D25, blue/silver
 1x L2.0016746 EB MAX 2.5/4 with ALF, CCL, DMX, AutoScan
 1x L2.40950.0 4-leaf barndoor, True Blue (344 mm / 13.5")
 1x L2.80970.0 Filter frame (330 mm / 13.0")
 1x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m

L0.0019663 True Blue D40 EB MAX Set - Int. (VEAM)

1x L1.34000.B True Blue D40, blue/silver
 1x L2.0016746 EB MAX 2.5/4 with ALF, CCL, DMX, AutoScan
 1x L2.41200.0 4-leaf barndoor, True Blue (413 mm / 16.3")
 1x L2.81220.0 Filter frame (400 mm / 15.8")
 1x L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m

L0.33770HS True Blue D5 High Speed Set - Int. (VEAM)

1x L1.33770.B True Blue D5, blue/silver
 1x L2.76184KH EB 575/800 HS with ALF, DMX, CCL, 1000 Hz
 1x L2.39670.0 4-leaf barndoor, True Blue (197 mm / 7.8")
 1x L2.79690.0 Filter frame (197 mm / 7.8")
 1x L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W, 7 m

**TRUE BLUE D SETS****Ident.-No. Description****L0.0001664 True Blue D5 Basic Set - Int. (VEAM)**

1x L1.33770.B	True Blue D5, blue/silver
1x L2.76425.0	EB 575/1200 with ALF
1x L2.39670.0	4-leaf barndoor, True Blue (197 mm / 7.8")
1x L2.79690.0	Filter frame (197 mm / 7.8")
1x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.0001659 True Blue D12 Basic Set - Int. (VEAM)

1x L1.33730.B	True Blue D12, blue/silver
1x L2.76425.0	EB 575/1200 with ALF
1x L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7")
1x L2.79890.0	Filter frame (230 mm / 9.1")
1x L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m

L0.33670XB True Blue D25 Basic Set - „Baby“ - Int. (VEAM)

1x L1.33670.B	True Blue D25, blue/silver
1x L2.76695.0	EB 2500 Baby with ALF
1x L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
1x L2.80970.0	Filter frame (330 mm / 13.0")
1x L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m

L0.0001662 True Blue D25 Basic Set - Int. (VEAM)

1x L1.33670.B	True Blue D25, blue/silver
1x L2.76640.0	EB 2.5/4 with ALF
1x L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
1x L2.80970.0	Filter frame (330 mm / 13.0")
1x L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m

L0.34000.X True Blue D40 Basic Set

1x L1.34000.B	True Blue D40, blue/silver
1x L2.76640.0	EB 2.5/4 with ALF
1x L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")
1x L2.81220.0	Filter frame (400 mm / 15.8")
1x L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m



TRUE BLUE D SETS

Ident.-No. **Description**

L0.71160.X **ARRI Daylight 18/12 Basic Set**

1x L1.71160.B	ARRI Daylight 18/12, blue/silver
1x L2.76290.0	EB 12/18 with ALF & trolley
1x L2.71100.0	4-leaf barndoor (740 mm / 29.1")
1x L2.71110.0	Filter frame (740 mm / 29.1")
1x L2.82294.0	Head-to-Ballast cable 12/18/24 kW, 15 m



This page is intentionally left blank.



LED



SkyPanel X



Orbiter



SkyPanel



L-Series















Stellar



This page is intentionally left blank.



SKYPANEL X

Package Components	SkyPanel X21 Soft Light Package	SkyPanel X21 Soft & Hard Light Package	SkyPanel X22 Soft & Hard Light Package	SkyPanel X23 Soft & Hard Light Package
SkyPanel X				
 SkyPanel X incl. X21 Dome	1	1	2	3
 X21 HyPer Optic	-	1	2	3
 X21 Manual Yoke incl. Spigot	1	1	-	-
 X Modular Yoke incl. Spigot	-	-	1	1
 X22 Modular Frame incl. Daisy Chain Cabling	-	-	1	-
 X23 Modular Frame incl. Daisy Chain Cabling	-	-	-	1
 ALL-WEATHER Control Panel	1	1	1	1
 3 m Mains Cable powerCON TRUE1 TOP	1	1	1	1



SkyPanel X



[Click here for more product related information | ARRI.com](#)

SkyPanel X | Packages

See LED Sets & Kits for more details

Ident.-No.	Description	
L0.0049592	X21 Soft Light Package (Schuko)	NEW
L0.0049591	X21 Soft Light Package (Edison)	NEW
L0.0049804	X21 Soft Light Package (Chinese)	NEW
L0.0049590	X21 Soft Light Package (Japanese)	NEW
L0.0049803	X21 Soft Light Package (Australia)	NEW
L0.0049589	X21 Soft & Hard Light Package (Schuko)	NEW
L0.0049599	X21 Soft & Hard Light Package (Edison)	NEW
L0.0049597	X21 Soft & Hard Light Package (Chinese)	NEW
L0.0049598	X21 Soft & Hard Light Package (Japanese)	NEW
L0.0049805	X21 Soft & Hard Light Package (Australia)	NEW
L0.0049826	X22 Soft & Hard Light Package (Schuko)	NEW
L0.0049825	X22 Soft & Hard Light Package (Bare Ends CE)	NEW
L0.0049827	X22 Soft & Hard Light Package (Bare Ends UL)	NEW
L0.0049595	X23 Soft & Hard Light Package (Schuko)	NEW
L0.0049594	X23 Soft & Hard Light Package (Bare Ends CE)	NEW
L0.0049593	X23 Soft & Hard Light Package (Bare Ends UL)	NEW

SkyPanel X | Basic Configuration

Ident.-No.	Description	
L1.0048487	SkyPanel X incl. X21 Dome	NEW

**OPTICS**

L2.0048580	X21 HyPer Optic	NEW
L2.0048643	X21 Dome	NEW
L2.0048578	S60 Adapter for X21	NEW

LAMPHEAD CONTROL

L2.0048844	ALL-WEATHER Control Panel (without cable, pouch, lanyard, D-ring, velcro)	NEW
L2.0033799	Cable for Control Panel, 5 m	
L2.0033800	Cable for Control Panel, 15 m	
L2.0033796	Control Panel Carrying Pouch	

LIGHT CONTROL

L2.0049578	Beam Enhancer Filter for X21 HyPer Optic	NEW
------------	--	------------

SOFTBOXES

L2.0049585	DoPchoice SNAPBOX®-SNOOT for X21	NEW
L2.0049580	DoPchoice SNAPBAG® for X21	NEW
L2.0049582	DoPchoice SNAPGRID® 30° for X21 & S60	NEW
L2.0008143	DoPchoice SNAPGRID® 40° for SNAPBAG® X21 & S60	
L2.0049583	Chimera Lightbank for X23	NEW

MOUNTING

L2.0048577	X21 Manual Yoke incl. Spigot	NEW
L2.0049573	X Modular Yoke, incl. Spigot	NEW
L2.0049570	X23 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power	NEW
L2.0049577	X22 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power	NEW
L0.0049837	X Modular System, incl. X Modular Yoke, X22 & X23 Modular Frames with Daisy Chain Cabling Ethernet & Power	NEW
L2.0049276	SkyPanel X Twin Quick-Lock, without Spigot/Clamp	NEW

**CABLES**

L2.0007516	Mains cable, 3m, powerCON TRUE1 TOP Schuko	
L2.0007515	Mains cable, 3m, powerCON TRUE1 TOP Edison	
L2.0049581	Mains cable, 3m, powerCON TRUE1 TOP for China 10A	NEW
L2.0010231	Mains cable, 3m, powerCON TRUE1 TOP Japanese	
L2.0049579	Mains cable, 3m, powerCON TRUE1 TOP Australia	NEW
L2.0005974	Mains cable, 3m, powerCON TRUE1 TOP Bare Ends / CE	
L2.0049452	Mains cable, 3m, powerCON TRUE1 TOP Bare Ends / UL	NEW
L2.0049353	Daisy Chain Cable, 0.8 m powerCON TRUE1 TOP / CE	NEW
L2.0049357	Daisy Chain Cable, 0.8 m Ethernet	NEW

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg



Orbiter®



Orbiter® Configuration Guide - How to set up your Orbiter before purchase

1 Fixture Color



Blue/Silver

Black

2 Yoke Type



MAN

P.O.

3 Power Cables



Mains Cables

Daisy Chain Cables

4 Control



Including Control Panel

Without Control Panel

5 Optics, Domes & Softboxes



Open Faces

Fresnel

Projections

Glass Cover

Domes

Bag-o-Light

Softboxes

6 Accessories for Optics



For Open Faces, Fresnel and Projections

For Softboxes

Docking Ring for third-party Optics

7 Transport



Case

Bags

8 Miscellaneous



Grip & Mounting

Protection & Safety

This ARRI Product Information (PO 0037622) is published by Arnold & Richter Cine Technik, September 2022 © ARRI/2022. Technical data and offerings are subject to change without notice. All rights reserved. Without any warranty. Not binding 09/2022. ARRI, Orbiter, Quick Lighting Mount, QLM, and LIOS as well as the blue/silver color combinations are registered trademarks of Arnold & Richter Cine Technik GmbH & Co. Betriebs KG.

Find a complete product overview on www.arri.com/orbiter-accessories



Orbiter

[Click here for more product related information | ARRI.com](#)



Orbiter | Basic Configuration

Contains Protective Cap and Antenna only

Ident.-No.	Description
L1.0033520	Orbiter blue/silver without Yoke, Optic, Control Panel, Control Panel Cable and Mains Cable
L1.0033521	Orbiter black without Yoke, Optic, Control Panel, Control Panel Cable and Mains Cable

OPTICS

L2.0033549	Orbiter Projection Optic 25° incl. gobo holder	NEW
L2.0033550	Orbiter Projection Optic 35° incl. gobo holder	NEW
L2.0039436	Orbiter Fresnel Lens 15 - 65°	NEW
L2.0039438	Orbiter Dome Mini	NEW
L2.0039439	Orbiter Glass Cover	NEW
L2.0033542	Orbiter Open Face Optic 60° / Carton Box	
L2.0033541	Orbiter Open Face Optic 30° / Carton Box	
L2.0033540	Orbiter Open Face Optic 15° / Carton Box	
L2.0041133	Orbiter Open Face Kit incl. Bag, 15°, 30° & 60° Open Face Optics	

LAMPHEAD CONTROL

L2.0048844	ALL-WEATHER Control Panel (without cable, pouch, lanyard, D-ring, velcro)	NEW
L2.0033732	Orbiter Control Panel (without Cable)	
L2.0033799	Cable for Control Panel, 5 m	
L2.0033800	Cable for Control Panel, 15 m	
L2.0033796	Control Panel Carrying Pouch	
-	Stellar	
	*Use up to 5 fixtures free of charge	



**LIGHT CONTROL**

L2.0033843	Orbiter Projection Optic - Goboholder	NEW
L2.0033841	Snoot for Orbiter Projection Optic 25°/35°	NEW
L2.79470.0	4-leaf barndoor (168 mm / 6.6") fits Open Face Optics 30° & 60°	
L2.79500.0	8-leaf barndoor (168 mm / 6.6") fits Open Face Optics 30° & 60°	
L2.79480.0	Snoot (168 mm / 6.6") fits Open Face Optics 30° & 60°	
L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7") fits Open Face Optic 15°	
L2.39900.0	8-leaf barndoor, True Blue (245 mm / 9.7") fits Open Face Optic 15°	
L2.79880.0	Snoot (245 mm / 9.7") with variable aperture fits Open Face Optic 15°	
L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5") fits Orbiter Fresnel Lens 15 - 65°	
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5") fits Orbiter Fresnel Lens 15 - 65°	

SOFTBOXES

L2.0033840	DoPchoice SnapBag S for Orbiter
L2.0034270	DoPchoice SnapBag M for Orbiter
L2.0038793	DoPchoice SnapGrid S 40° fits DoPchoice SnapBag S for Orbiter, Chimera Lightbank for S30, Chimera POP Bank for S60
L2.0038791	DoPchoice SnapGrid M 40° fits DoPchoice SnapBag M for Orbiter
L2.0034269	DoPchoice Octa 4 for Orbiter
L2.0020275	DoPchoice SnapGrid 40° for Octa 4
L2.0035809	DoPchoice Octa 4 Eyclight Baffle
L2.0035808	DoPchoice Octa 4 Eyclight Magic Cloth
L2.0035807	DoPchoice Octa 4 Eyclight 1/4 Grid
L2.0034266	DoPchoice Dome S for Orbiter
L2.0034267	DoPchoice Dome M for Orbiter
L2.0034268	DoPchoice Dome L for Orbiter

**SOFTBOXES**

L2.0033839	Chimera Lightbank S for Orbiter
L2.0036058	Chimera Lightbank M for Orbiter
L2.0034271	Chimera Octa 4 for Orbiter
L2.0041050	EZ POP Soft Egg Crate 50° for Chimera Octa 4
L2.0034621	Chimera Dome M for Orbiter
L2.0034622	Chimera Dome L for Orbiter
L2.0039437	Orbiter Bag-o-Light

NEW

MOUNTING

L2.0034025	Orbiter Manual Yoke with Spigot
L2.0036642	Orbiter P.O. Yoke with Spigot
L2.0038027	Mini Variable Friction Arm (Orbiter)
L2.8803652	ARRI Super Clamp (035)

CABLES

L2.0024627	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
L2.0001486	Mains cable, 3 m, powerCON TRUE1 TOP Schuko, with line switch
L2.0001487	Mains cable, 7 m, powerCON TRUE1 TOP Edison, with line switch
L2.0003678	Mains cable, 3 m, powerCON TRUE1 TOP Chinese, with line switch
L2.0008904	Mains cable, 3 m, powerCON TRUE1 TOP Japanese, with line switch
L2.0001485	Mains cable, 1.5 m, powerCON TRUE1 TOP Bare Ends
L2.0010633	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP/ CE
L2.0012548	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP/ UL
L2.0012663	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP/ Japan

**SAFETY**

L2.0008899	Safety cable (3 mm) 0,6 m, max. load 5 kg
L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg

TRANSPORT

L2.0034626	Orbiter Case (Offers space for Orbiter, Yoke, Antenna, Control Panel, Protective Cap, Cables, Barndoors, Rain Cover and Skid) / Hard, empty
L2.0034624	Bag for Orbiter Optics (Offers space for 15°, 30°, 60° Open Face Optics and Protective Cap) / Soft, empty

MISCELLANEOUS

L2.0039421	Orbiter Docking Ring
L2.0034272	Orbiter Skid silver
L2.0039329	Orbiter Skid black
L2.0037805	Orbiter Rain Cover


















This page is intentionally left blank.



SKYPANEL®

Kit Components		SkyPanel S30-C MAN	SkyPanel S30-C P.O.	SkyPanel S30-RP MAN	SkyPanel S30-RP P.O.
SkyPanel S30					
	Aluminum Yoke with 16 mm / 28 mm Combo Pin	✓	-	✓	-
	Steel Yoke with 28 mm Junior Pin P.O.	-	✓	-	✓
	S30 PSU	✓	✓	✓	✓
	Standard Diffusion	✓	✓	-	-
	RP Panel (3,200 or 5,600 K)	-	-	✓	✓
	3 m DC Cable (3-Pin XLR)	✓	-	✓	-
	1 m DC Cable (3-Pin XLR)	-	✓	-	✓
	3 m Mains Cable powerCON TRUE1 TOP	✓	✓	✓	✓
	Rail Mount Adapter for SkyPanel PSU	✓	✓	✓	✓



SKYPANEL S30-C

[Click here for more product related information | ARRI.com](#)

FW
43
Extended
Warranty

SKYPANEL S30-C

Ident.-No. Description

L0.0007712	S30-C MAN blue/silver Schuko
L0.0007714	S30-C P.O. blue/silver Bare Ends
L0.0007716	S30-C P.O. black Bare Ends

DIFFUSION AND INTENSIFIER (see the following pages for more S30 accessories)

L2.0007325	Standard Diffusion for SkyPanel S30 107° HPA
L2.0007326	Heavy Diffusion for SkyPanel for S30 114° HPA
L2.0007327	Lite Diffusion for SkyPanel for S30 105° HPA
L2.0007823	Intensifier for SkyPanel S30-C 73° HPA
L2.0008309	Accessory Bag for SkyPanel S30 (for max. 4 diffusion panels or honeycombs)
L0.0008468	Diffusion Kit S30 (Lite & Heavy Diffusion, Intensifier & Panel Carrying Bag)



SKYPANEL S30-RP

[Click here for more product related information | ARRI.com](#)



FW
4



SKYPANEL S30-RP

Ident.-No. Description

L0.0007718	S30-RP 3,200 K MAN blue/silver Schuko
L0.0007721	S30-RP 3,200 K P.O. blue/silver Bare Ends
L0.0007722	S30-RP 3,200 K P.O. black Bare Ends
L0.0007724	S30-RP 5,600 K MAN blue/silver Schuko
L0.0007726	S30-RP 5,600 K P.O. blue/silver Bare Ends
L0.0007727	S30-RP 5,600 K P.O. black Bare Ends

REMOTE PHOSPHOR (see the following pages for more S30 accessories)

L2.0007520	Remote Phosphor Panel for S30-RP 2,700 K
L2.0007521	Remote Phosphor Panel for S30-RP 3,200 K
L2.0007522	Remote Phosphor Panel for S30-RP 4,300 K
L2.0007523	Remote Phosphor Panel for S30-RP 5,600 K
L2.0007524	Remote Phosphor Panel for S30-RP 6,500 K
L2.0007789	Remote Phosphor Panel for S30-RP 10,000 K
L2.0007525	Remote Phosphor Panel for S30-RP Chroma Green
L2.0008309	Accessory Bag for SkyPanel S30 (for max. 4 diffusion panels or honeycombs)

**LAMPHEAD CONTROL**

-	Stellar *Use up to 5 fixtures free of charge
L2.0022690	SkyPanel Remote
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.0008187	4-leaf barndoor for SkyPanel S30
L2.0013877	FlexDoor for SkyPanel S30
L2.0008048	4-Chamber Eggcrate for SkyPanel S30
L2.0008064	Honeycomb 60° for SkyPanel S30
L2.0008065	Honeycomb 30° for SkyPanel S30
L2.0008019	Snoot for SkyPanel S30
L2.0008189	Extra Diffusion Slot for SkyPanel S30
L2.0010271	SkyBender for SkyPanel S30-C

SOFTBOXES

L2.0008142	DoPchoice SnapGrid 40° for SkyPanel S30
L2.0008140	DoPchoice SnapGrid 40° for SnapBag S30
L2.0008141	DoPchoice SnapBag for SkyPanel S30
L2.0020274	DoPchoice Octa 4 for SkyPanel S30
L2.0035809	DoPchoice Octa 4 Eyclight Baffle

**SOFTBOXES**

L2.0035808	DoPchoice Octa 4 Eyclight Magic Cloth
L2.0035807	DoPchoice Octa 4 Eyclight 1/4 Grid
L2.0020275	DoPchoice SnapGrid 40° for Octa 4
L2.0015899	Chimera Lantern with Skirt for SkyPanel S30
L2.0020498	Chimera POP Bank for SkyPanel S30
L2.0021388	Chimera Lightbank with Brackets for S30
L2.0038793	DoPchoice SnapGrid S 40° fits DoPchoice SnapBag S for Orbiter, Chimera Lightbank for S30, Chimera POP Bank for S60
L2.0015977	Chimera Universal Brackets for SkyPanel (suitable for S30 / S60 / S120)

MOUNTING

L2.0008078	Center Mount Yoke
L2.0008080	Fixed Center Mount Yoke
L2.0014136	SkyPanel Side Handles (2 pcs.)
L2.0015050	SkyPanel Center Mount Handling Kit (incl. Center Mount Yoke and SkyPanel Side Handles)
L2.0008184	Double Vertical Yoke for SkyPanel S30
L2.0008082	Rail Mount Adapter for SkyPanel PSU
L2.0006921	Super Clamp Adapter for SkyPanel PSU
L2.0016445	SkyPanel Adapter Kit for Motorization

CABLES

L2.0007492	DC cable 0.5 m (XLR3) SkyPanel
L2.0007491	DC cable 1 m (XLR3) SkyPanel
L2.0007493	DC cable 3 m (XLR3) SkyPanel
L2.0007494	DC cable 10 m (XLR3) SkyPanel
L2.0007860	DC cable 15 m (XLR3) SkyPanel
L2.0010633	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP/CE
L2.0012548	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP/UL

**CABLES**

L2.0012663	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP/ Japan
L2.0007516	Mains cable, 3 m, powerCON TRUE1 TOP Schuko
L2.0007515	Mains cable, 3 m, powerCON TRUE1 TOP Edison
L2.0007514	Mains cable, 3 m, powerCON TRUE1 TOP Chinese
L2.0005974	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends / CE
L2.0010231	Mains cable, 3 m, powerCON TRUE1 TOP Japanese
L2.0033530	DMX data cable, 2,5 m (XLR 5)
L2.0033531	DMX data cable, 5 m (XLR 5)
L2.0033532	DMX data cable, 10 m (XLR 5)

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--

TRANSPORT

L2.0010639	Case for SkyPanel S30 - Molded Single
L2.0010640	Case for SkyPanel S30 - Molded Double
L2.0008309	Accessory Bag for SkyPanel S30 (for max. 4 diffusion panels or honeycombs)

BATTERY ADAPTERS














L2.0033989	B-Mount Battery Adapter Plate
L2.0008070	V-Mount Battery Adapter Plate
L2.0008071	Battery Adapter Plate for Anton/Bauer

POWER SUPPLY

L2.0007735	Power Supply Unit for SkyPanel S30 - blue/silver
L2.0007886	Power Supply Unit for SkyPanel S30 - black



SKYPANEL®

Kit Components		SkyPanel S60-C MAN	SkyPanel S60-C P.O.	SkyPanel S60-RP MAN	SkyPanel S60-RP P.O.
SkyPanel S60					
	Aluminum Yoke with 28 mm Junior Pin	✓	-	✓	-
	Steel Yoke with 28 mm Junior Pin P.O.	-	✓	-	✓
	S60/S120 PSU	✓	✓	✓	✓
	Standard Diffusion	✓	✓	-	-
	RP Panel (3,200 or 5,600 K)	-	-	✓	✓
	3 m DC Cable (3-Pin XLR)	✓	-	✓	-
	1 m DC Cable (3-Pin XLR)	-	✓	-	✓
	3 m Mains Cable powerCON TRUE1 TOP	✓	✓	✓	✓
	Rail Mount Adapter for SkyPanel PSU	✓	✓	✓	✓



SKYPANEL S60-C

[Click here for more product related information | ARRI.com](#)

FW
4

SKYPANEL S60-C

Ident.-No. Description

L0.0007064	S60-C MAN blue/silver Schuko
L0.0007066	S60-C P.O. blue/silver Bare Ends
L0.0007067	S60-C P.O. black Bare Ends

DIFFUSION AND INTENSIFIER (see the following pages for more S60 accessories)

L2.0003345	Standard Diffusion for SkyPanel S60 107° HPA
L2.0003903	Heavy Diffusion for SkyPanel S60 114° HPA
L2.0003904	Lite Diffusion for SkyPanel S60 105° HPA
L2.0007818	Intensifier for SkyPanel S60-C 73° HPA
L2.0008306	Accessory Bag for SkyPanel S60 (for max. 4 diffusion panels or honeycombs)
L0.0008461	Diffusion Kit S60 (Lite & Heavy Diffusion, Intensifier & Panel Carrying Bag)



SKYPANEL S60-RP

[Click here for more product related information | ARRI.com](#)

FW
4

SKYPANEL S60-RP

Ident.-No. Description

L0.0007069	S60-RP 3,200 K MAN blue/silver Schuko
L0.0007071	S60-RP 3,200 K P.O. blue/silver Bare Ends
L0.0007072	S60-RP 3,200 K P.O. black Bare Ends
L0.0007074	S60-RP 5,600 K MAN blue/silver Bare Ends
L0.0007076	S60-RP 5,600 K P.O. blue/silver Bare Ends
L0.0007077	S60-RP 5,600 K P.O. black Bare Ends

REMOTE PHOSPHOR (see the following pages for more S60 accessories)

L2.0003347	Remote Phosphor Panel for S60-RP 2,700 K
L2.0003348	Remote Phosphor Panel for S60-RP 3,200 K
L2.0003349	Remote Phosphor Panel for S60-RP 4,300 K
L2.0003350	Remote Phosphor Panel for S60-RP 5,600 K
L2.0003346	Remote Phosphor Panel for S60-RP 6,500 K
L2.0007778	Remote Phosphor Panel for SS60-RP 10,000 K
L2.0003351	Remote Phosphor Panel for S60-RP Chroma Green
L2.0008306	Accessory Bag for SkyPanel S60 (for max. 4 diffusion panels or honeycombs)

**LAMPHEAD CONTROL**

-	Stellar *Use up to 5 fixtures free of charge
L2.0022690	SkyPanel Remote
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.0007530	4-leaf barndoor for SkyPanel S60
L2.0013878	FlexDoor for SkyPanel S60
L2.0007977	8-Chamber Eggcrate for SkyPanel S60
L2.0008058	Honeycomb 60° for SkyPanel S60
L2.0008059	Honeycomb 30° for SkyPanel S60
L2.0007999	Snoot for SkyPanel S60
L2.0008188	Extra Diffusion Slot for SkyPanel S60
L2.0009611	SkyBender for SkyPanel S60-C

SOFTBOXES

L2.0008144	DoPchoice SnapGrid 40° for SkyPanel S60
L2.0008143	DoPchoice SNAPGRID® 40° for SNAPBAG® X21 & S60
L2.0008145	DoPchoice SnapBag for SkyPanel S60
L2.0016163	DoPchoice Octa 5 for 2x SkyPanel S60 (incl. Bracket)

**SOFTBOXES**

L2.0020276	DoPchoice SnapGrid 40° for Octa 5
L2.0016160	DoPchoice Octa 7 for 2x SkyPanel S60 (incl. Bracket)
L2.0020277	DoPchoice SnapGrid 40° for Octa 7
L2.0015900	Chimera Lantern with Skirt for SkyPanel S60
L2.0020499	Chimera POP Bank for SkyPanel S60
L2.0038793	DoPchoice SnapGrid S 40° fits DoPchoice SnapBag S for Orbiter, Chimera Lightbank for S30, Chimera POP Bank for S60
L2.0021390	Chimera Shallow Lightbank with Brackets for S60
L2.0021389	Chimera Lightbank with Brackets for S60
L2.0015977	Chimera Universal Brackets for SkyPanel (suitable for S30 / S60 / S120)
L2.0033435	Chimera Octa 5 for SkyPanel S60

MOUNTING

L2.0008078	Center Mount Yoke
L2.0008080	Fixed Center Mount Yoke
L2.0014136	SkyPanel Side Handles (2 pcs.)
L2.0015050	SkyPanel Center Mount Handling Kit (incl. Center Mount Yoke and SkyPanel Side Handles)
L2.0008098	Double Vertical Yoke for SkyPanel S60
L2.0008082	Rail Mount Adapter for SkyPanel PSU
L2.0006921	Super Clamp Adapter for SkyPanel PSU
L2.0014566	Space Light Silk Mounting Adapter for S60
L2.0016445	SkyPanel Adapter Kit for Motorization
L2.0036395	DoPchoice Bracket for 2x S60

**CABLES**

L2.0007492	DC cable 0.5 m (XLR3) SkyPanel
L2.0007491	DC cable 1 m (XLR3) SkyPanel
L2.0007493	DC cable 3 m (XLR3) SkyPanel
L2.0007494	DC cable 10 m (XLR3) SkyPanel
L2.0007860	DC cable 15 m (XLR3) SkyPanel
L2.0010633	Daisy Chain Cable 3 m, powerCON TRUE1 TOP / CE
L2.0012548	Daisy Chain Cable 3 m, powerCON TRUE1 TOP / UL
L2.0012663	Daisy Chain Cable 3 m, powerCON TRUE1 TOP / Japan
L2.0007516	Mains cable, 3 m, powerCON TRUE1 TOP Schuko
L2.0007515	Mains cable, 3 m, powerCON TRUE1 TOP Edison
L2.0007514	Mains cable, 3 m, powerCON TRUE1 TOP Chinese
L2.0005974	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends / CE
L2.0010231	Mains cable, 3 m, powerCON TRUE1 TOP Japan
L2.0033530	DMX data cable, 2,5 m (XLR 5)
L2.0033531	DMX data cable, 5 m (XLR 5)
L2.0033532	DMX data cable, 10 m (XLR 5)

SAFETY

L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg
------------	--

TRANSPORT

L2.0023806	Case for SkyPanel S60 - Molded Single (EU)
L2.0008306	Accessory Bag for SkyPanel S60 (for max. 4 diffusion panels or honeycombs)

**BATTERY ADAPTERS**

L2.0033989 B-Mount Battery Adapter Plate

L2.0008070 V-Mount Battery Adapter Plate

L2.0008071 Battery Adapter Plate for Anton/Bauer

POWER SUPPLY

L2.0012491 Power Supply Unit for SkyPanel S60/S120-C
blue/silver

L2.0012492 Power Supply Unit for SkyPanel S60/S120-C
black

MISCELLANEOUS

L2.0042990 Rain Cover for S60

















This page is intentionally left blank.



SKYPANEL®

Kit Components		SkyPanel S120-C MAN	SkyPanel S120-C P.O.	SkyPanel S120-C Center Mount
SkyPanel S120-C				
	Aluminum Yoke with 28 mm Junior Pin	✓	-	-
	Steel Yoke with 28 mm Junior Pin P.O.	-	✓	-
	Center Mount Yoke & 2 Side Handles	-	-	✓
	S60/S120 PSU	✓	✓	✓
	Standard Diffusion	✓	✓	✓
	3 m DC Cable (3-Pin XLR)	✓	-	✓
	1 m DC Cable (3-Pin XLR)	-	✓	-
	3 m Mains Cable powerCON TRUE1 TOP	✓	✓	✓
	Rail Mount Adapter for SkyPanel PSU	✓	✓	-



SKYPANEL S120-C

[Click here for more product related information | ARRI.com](#)



FW
4



SKYPANEL S120-C

Ident.-No. Description

L0.0012954	S120-C MAN blue/silver Schuko
L0.0012948	S120-C Center Mount blue/silver Schuko
L0.0012953	S120-C P.O. blue/silver Bare Ends
L0.0012952	S120-C P.O. black Bare Ends

DIFFUSION AND INTENSIFIER

L2.0009501	Standard Diffusion for SkyPanel S120-C 107° HPA
L2.0009500	Heavy Diffusion for SkyPanel S120-C 114° HPA
L2.0009502	Lite Diffusion for SkyPanel S120-C 105° HPA
L2.0009503	Intensifier for SkyPanel S120-C 73° HPA
L2.0013780	Accessory Bag for SkyPanel S120-C (for max. 4 diffusion panels or honeycombs)
L0.0015070	Diffusion Kit S120-C (Lite & Heavy Diffusion, Intensifier & Panel Carrying Bag)

LAMPHEAD CONTROL

-	Stellar *Use up to 5 fixtures free of charge
---	---

**LAMPHEAD CONTROL**

L2.0022690	SkyPanel Remote
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.0010114	4-leaf barndoor for S120-C
L2.0012922	FlexDoor for S120-C
L2.0009690	16-Chamber Eggcrate for S120-C
L2.0009561	Honeycomb 60° for S120-C
L2.0009562	Honeycomb 30° for S120-C
L2.0009680	Snoot for S120-C
L2.0009681	Extra Diffusion Slot for S120-C
L2.0012833	Spill Frame for S120-C
L2.0010352	SkyBender for S120-C

SOFTBOXES

L2.0010382	DoPchoice SnapGrid 40x60° for S120-C
L2.0010383	DoPchoice SnapBag for S120-C
L2.0010381	DoPchoice SnapGrid 40° for SnapBag S120-C
L2.0013180	Chimera Lightbank with Brackets for S120-C
L2.0021309	Chimera POP Bank for S120-C
L2.0015977	Chimera Universal Brackets for SkyPanel (suitable for S30 / S60 / S120)

MOUNTING

L2.0008078	Center Mount Yoke
L2.0008080	Fixed Center Mount Yoke
L2.0014136	SkyPanel Side Handles (2 pcs.)
L2.0015050	SkyPanel Center Mount Handling Kit (incl. Center Mount Yoke and SkyPanel Side Handles)
L2.0010180	Double Vertical Yoke for SkyPanel S120-C
L2.0008082	Rail Mount Adapter for SkyPanel PSU

**MOUNTING**

L2.0006921	Super Clamp Adapter for SkyPanel PSU
L2.0016445	SkyPanel Adapter Kit for Motorization

CABLES

L2.0007492	DC cable 0.5 m (XLR3) SkyPanel
L2.0007491	DC cable 1 m (XLR3) SkyPanel
L2.0007493	DC cable 3 m (XLR3) SkyPanel
L2.0007494	DC cable 10 m (XLR3) SkyPanel
L2.0007860	DC cable 15 m (XLR3) SkyPanel
L2.0010633	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP/ CE
L2.0012548	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP/ UL
L2.0012663	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP/ Japanese
L2.0007515	Mains cable, 3 m, powerCON TRUE1 TOP Edison
L2.0007516	Mains cable, 3 m, powerCON TRUE1 TOP Schuko
L2.0007514	Mains cable, 3 m, powerCON TRUE1 TOP Chinese
L2.0005974	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends / CE
L2.0010231	Mains cable, 3 m, powerCON TRUE1 TOP Japanese
L2.0033530	DMX data cable, 2,5 m (XLR 5)
L2.0033531	DMX data cable, 5 m (XLR 5)
L2.0033532	DMX data cable, 10 m (XLR 5)

SAFETY

L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg
------------	--

**TRANSPORT**

L2.0013694	Case for SkyPanel S120-C - Molded Center Mount
L2.0013695	Case for SkyPanel S120-C - Molded Manual
L2.0013780	Accessory Bag for SkyPanel S120-C (for max. 4 diffusion panels or honeycombs)

BATTERY ADAPTERS

L2.0033989	B-Mount Battery Adapter Plate
L2.0008070	V-Mount Battery Adapter Plate
L2.0008071	Battery Adapter Plate for Anton/Bauer

POWER SUPPLY

L2.0012491	Power Supply Unit for SkyPanel S60/S120-C blue/silver
L2.0012492	Power Supply Unit for SkyPanel S60/S120-C black



This page is intentionally left blank.



SKYPANEL®

Kit Components		SkyPanel S360-C Standard Diffusion	SkyPanel S360-C Intensifier	SkyPanel S360-C Kit (Complete)	SkyPanel S360-C Kit w/o Accessories
SkyPanel S360-C					
	Carbon Fibre Yoke with 28 mm Junior Pin	✓	✓	✓	✓
	Steel Yoke with 28 mm Junior Pin (Short Yoke)	-	-	✓	-
	S360-C PSU	✓	✓	✓	✓
	Lite Diffusion	-	-	✓	-
	Standard Diffusion	✓	-	✓	✓
	Heavy Diffusion	-	-	✓	-
	Intensifier	-	✓	✓	-
	Honeycomb 30°	-	-	✓	-
	Honeycomb 60°	-	-	✓	-
	5 m DC Cable (4-Pin Metal Locking)	✓	✓	✓	✓
	3 m UL Mains Cable powerCON 32 A (Edison)	-	-	✓	-
	3 m Mains Cable powerCON 32 A (Schuko)	✓	✓	✓	✓
	Super Clamp Adapter for SkyPanel PSU	✓	✓	✓	✓
	SkyPanel Remote Control (incl. 5m cable)	-	-	✓	-
	Case with wheels	-	-	✓	✓



SKYPANEL S360-C

[Click here for more product related information | ARRI.com](#)

FW
4

SKYPANEL S360-C

Ident.-No. Description

L0.0016326	S360-C Standard Diffusion blue/silver Schuko
L0.0016329	S360-C Standard Diffusion blue/silver Bare Ends
L0.0016331	S360-C Intensifier blue/silver Schuko
L0.0016334	S360-C Intensifier blue/silver Bare Ends
L0.0016335	S360-C Kit (Complete) blue/silver Edison&Schuko
L0.0019704	S360-C Kit w/o Accessories blue/silver Schuko
L0.0019705	S360-C Kit w/o Accessories blue/silver Bare Ends

DIFFUSION AND INTENSIFIER

L2.0015014	Standard Diffusion for SkyPanel S360-C 107° HPA
L2.0015013	Heavy Diffusion for SkyPanel S360-C 114° HPA
L2.0015016	Lite Diffusion for SkyPanel S360-C 105° HPA
L2.0015022	Intensifier for SkyPanel S360-C 73° HPA

LAMPHEAD CONTROL

-	Stellar *Use up to 5 fixtures free of charge
L2.0022690	SkyPanel Remote
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

**LIGHT CONTROL**

L2.0014979	Honeycomb 60° for S360-C
L2.0014978	Honeycomb 30° for S360-C
L2.0016381	DoPchoice Snoot for S360-C
L2.0016383	DoPchoice SnapGrid 40° for S360-C
L2.0016382	DoPchoice SnapBox for S360-C

SOFTBOXES

L2.0020278	DoPchoice SnapBag 6'x6' for S360-C
L2.0020279	DoPchoice SnapGrid 40° for SnapBag S360-C
L2.0033951	Chimera Panel Lantern for S360-C
L2.0033950	Chimera POP Bank for S360-C

MOUNTING

L2.0006921	Super Clamp Adapter for SkyPanel PSU
L2.0015929	Short Yoke for SkyPanel S360-C (incl. Pin)

CABLES

L2.0016030	DC cable 5 m (4-Pin 30A) SkyPanel S360-C
L2.0016031	DC cable 10 m (4-Pin 30A) SkyPanel S360-C
L2.0015784	Mains cable S360-C, 3 m, powerCON 32A / Schuko
L2.0015785	Mains cable S360-C, 3 m, powerCON 32A / Edison
L2.0015786	Mains cable S360-C, 3 m, powerCON 32A / Chinese
L2.0015787	Mains cable S360-C, 3 m, powerCON 32A / Japanese
L2.0015788	Mains cable S360-C, 3 m, powerCON 32A / Bare Ends
L2.0033530	DMX data cable, 2,5m (XLR 5)
L2.0033531	DMX data cable, 5m (XLR 5)
L2.0033532	DMX data cable, 10m (XLR 5)



SAFETY

L2.0009000 Safety cable (8 mm) 1 m, max. load 64 kg

TRANSPORT

L2.0016354 Case for SkyPanel S360-C - Hard, Single

POWER SUPPLY

L2.0015249 Power Supply Unit for SkyPanel S360-C
blue/silver



SKYPANEL REMOTE CONTROL



[Click here for more product related information | ARRI.com](#)

SKYPANEL REMOTE CONTROL

Ident.-No.	Description
L2.0022690	SkyPanel Remote

ACCESSORIES FOR REMOTE CONTROL








L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch



This page is intentionally left blank.



L-SERIES ^{ARRI}

Kit Components		L5-C Stand-Mount	L5-C Hanging	L5-C P.O.
L-Series L5-C				
	Yoke with 16 mm / 28 mm Combo Pin	✓	✓	-
	Yoke with 16 mm / 28 mm Combo Pin P.O.	-	-	✓
	3 m Mains Cable powerCON TRUE1 TOP with line switch	✓	-	-
	1.5 m Mains Cable powerCON TRUE1 TOP	-	✓	✓



L-SERIES L5-C

[Click here for more product related information | ARRI.com](#)



FW
2.5



L-SERIES L5-C

Ident.-No. Description

L0.0001955 L5-C Stand-Mount blue/silver Schuko

L0.0001958 L5-C Hanging blue/silver Bare Ends

L0.0001954 L5-C Hanging black Bare Ends

L0.0001953 L5-C P.O. blue/silver Bare Ends

L0.0001952 L5-C P.O. black Bare Ends

LAMPHEAD CONTROL

- Stellar
*Use up to 5 fixtures free of charge

LIGHT CONTROL

L2.79470.0 4-leaf barndoor (168 mm / 6.6")

L2.79471.0 4-leaf barndoor, black/silver (168 mm / 6.6")

L2.79500.0 8-leaf barndoor (168 mm / 6.6")

L2.79490.0 Filter frame (168 mm / 6.6")

L2.79480.0 Snoot (168 mm / 6.6")



SOFTBOXES

L2.70844.0	Chimera Lightbank Video Pro Plus „S“, incl. 3 front screens (8125)
L2.89068.0	Speed ring circular (9670) (168 mm / 6,6“)

MOUNTING

L2.40701.3	Spigot 28 mm, long, with flange & allen screw, fits profile stirrups without sleeve cuff
------------	--

CABLES

L2.0001485	Mains cable, 1.5 m, powerCON TRUE1 TOP Bare Ends
L2.0001486	Mains cable, 3 m, powerCON TRUE1 TOP Schuko, with line switch
L2.0001487	Mains cable, 7 m, powerCON TRUE1 TOP Edison, with line switch
L2.0008904	Mains cable, 3 m, powerCON TRUE1 TOP Japanese, with line switch
L2.0003678	Mains cable, 3 m, powerCON TRUE1 TOP Chinese, with line switch
L2.0024627	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
L2.0033530	DMX data cable, 2,5 m (XLR 5)
L2.0033531	DMX data cable, 5 m (XLR 5)
L2.0033532	DMX data cable, 10 m (XLR 5)

STANDS

L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)
L2.76965.0	Compact ARRI Kit Stand LS.01 (050MKA)
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--



This page is intentionally left blank.



L-SERIES ^{ARRI}

Kit Components		L7-C Stand-Mount	L7-C Hanging	L7-C P.O.
L-Series L7-C				
	Yoke with 28 mm Junior Pin	✓	✓	-
	Yoke with 28 mm Junior Pin P.O.	-	-	✓
	3 m Mains Cable powerCON TRUE1 TOP with line switch	✓	-	-
	1.5 m Mains Cable powerCON TRUE1 TOP	-	✓	✓



L-SERIES L7-C

[Click here for more product related information | ARRI.com](#)



FW
2.5



L-SERIES L7-C

Ident.-No. Description

L0.0015233 L7-C LE2 Stand-Mount blue/silver Schuko

L0.0015232 L7-C LE2 Hanging blue/silver Bare Ends

L0.0015217 L7-C LE2 Hanging black Bare Ends

L0.0015234 L7-C LE2 P.O. blue/silver Bare Ends

L0.0015216 L7-C LE2 P.O. black Bare Ends

LAMPHEAD CONTROL

- Stellar
*Use up to 5 fixtures free of charge

LIGHT CONTROL

L2.39670.0 4-leaf barndoor, True Blue (197 mm / 7.8")

L2.39700.0 8-leaf barndoor, True Blue (197 mm / 7.8")

L2.79690.0 Filter frame (197 mm / 7.8")

L2.79680.0 Snoot (197 mm / 7.8")



SOFTBOXES

L2.89053.0	Chimera Lightbank Daylite Plus „S“, incl. 3 front screens (8225)
L2.70844.0	Chimera Lightbank Video Pro Plus „S“, incl. 3 front screens (8125)
L2.76246.0	Speed ring circular (9190) (197 mm / 7,8“)
L2.89060.0	Speed ring circular (9192) (197 mm / 7,8“)

MOUNTING

L2.40701.3	Spigot 28 mm, long, with flange & allen screw, fits profile stirrups w/o sleeve cuff
------------	--

CABLES

L2.0001485	Mains cable, 1.5 m, powerCON TRUE1 TOP Bare Ends
L2.0001486	Mains cable, 3 m, powerCON TRUE1 TOP Schuko, with line switch
L2.0001487	Mains cable, 7 m, powerCON TRUE1 TOP Edison, with line switch
L2.0008904	Mains cable, 3 m, powerCON TRUE1 TOP Japanese, with line switch
L2.0003678	Mains cable, 3 m, powerCON TRUE1 TOP Chinese, with line switch
L2.0024627	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
L2.0033530	DMX data cable, 2,5 m (XLR 5)
L2.0033531	DMX data cable, 5 m (XLR 5)
L2.0033532	DMX data cable, 10 m (XLR 5)

STANDS

L2.88717.0	Universal ARRI Cine Stand LS.4 (007BA)
L2.8803653	Master Stand (1004BAC)

SAFETY








L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--



This page is intentionally left blank.




L-SERIES ^{ARRI}

Kit Components		L10-C Stand-Mount	L10-C Hanging	L10-C P.O.
L-Series L10-C				
	Yoke with 28 mm Junior Pin	✓	✓	-
	Yoke with 28 mm Junior Pin P.O.	-	-	✓
	3 m Mains Cable powerCON TRUE1 TOP with line switch	✓	-	-
	1.5 m Mains Cable powerCON TRUE1 TOP	-	✓	✓



L-SERIES L10-C

[Click here for more product related information | ARRI.com](#)



FW
2.5



L-SERIES L10-C

Ident.-No.	Description
L0.0003382	L10-C Stand-Mount blue/silver Schuko
L0.0003383	L10-C Hanging blue/silver Bare Ends
L0.0003384	L10-C Hanging black Bare Ends
L0.0003385	L10-C P.O. blue/silver Bare Ends
L0.0003386	L10-C P.O. black Bare Ends

LAMPHEAD CONTROL

-	Stellar *Use up to 5 fixtures free of charge
---	---

LIGHT CONTROL

L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5")
L2.80970.0	Filter frame (330 mm / 13.0")
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture
L2.0008983	Spill Ring (329 mm / 12,9")



SOFTBOXES

L2.89054.0	Chimera Lightbank Quartz Plus „S“, incl. 3 front screens (8425)
L2.89055.0	Chimera Lightbank Quartz Plus „M“, incl. 3 front screens (8435)
L2.76247.0	Speed Ring circular (9305) (343 mm / 13.5")

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)
------------	-------------------------------

CABLES

L2.0001485	Mains cable, 1.5 m, powerCON TRUE1 TOP Bare Ends
L2.0001486	Mains cable, 3 m, powerCON TRUE1 TOP Schuko, with line switch
L2.0001487	Mains cable, 7 m, powerCON TRUE1 TOP Edison, with line switch
L2.0008904	Mains cable, 3 m, powerCON TRUE1 TOP Japanese, with line switch
L2.0003678	Mains cable, 3 m, powerCON TRUE1 TOP Chinese, with line switch
L2.0024627	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
L2.0033530	DMX data cable, 2,5 m (XLR 5)
L2.0033531	DMX data cable, 5 m (XLR 5)
L2.0033532	DMX data cable, 10 m (XLR 5)

STANDS

L2.76979.0	Universal ARRI Steel Stand LS.5 (126A)
L2.8800561	ARRI Wind-up Stand LS.6 (083NWA)

SAFETY

L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg
------------	--



STELLAR



[Click here for more product related information | ARRI.com](#)

STELLAR 2.5

Ident.-No.	Description
------------	-------------


-	Stellar *Use up to 5 fixtures free of charge
---	---

Download Stellar now:





DAYLIGHT



M-Series



ARRISUN Event



True Blue D



ARRI Daylight
18/12

















Compact Theater



This page is intentionally left blank.



M-SERIES

Ballast Compatibility		M-Series M8	M-Series M18	M-Series M40	M-Series M90	ARRIMAX 18/12
M-Series						
Fixture cable length (approx.)		0.5 m	0.5 m	0.5 m	0.6 m	0.6 m
	EB MAX	EB MAX 1.8	✓	✓	-	-
		EB MAX 2.5/4	-	-	✓	-
		EB MAX 6/9	-	-	-	✓
		EB MAX 12/18	-	-	-	-
	HS	EB 575/800 HS	✓	-	-	-
	Basic	EB 1200/1800	-	✓	-	-
		EB 2.5/4	-	-	✓	-
		EB 6/9	-	-	-	✓
		EB 12/18	-	-	-	-



M-SERIES M8



[Click here for more product related information | ARRI.com](#)

M-SERIES M8

Ident.-No. Description

L1.37200.B	M-Series M8 MAN blue/silver International (VEAM)
------------	--

ELECTRONIC BALLASTS - MAX RANGE

L2.0014190	EB MAX 1.8, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends
------------	--

ELECTRONIC BALLASTS - HIGH SPEED

L2.76184KH	EB 575/800 HS, ALF CCL DMX, 50/60/75/1000 Hz, International (VEAM), 120/230 V~ Schuko
L2.0001687	EB 575/800 HS, ALF CCL DMX, 50/60/75/1000 Hz, International (VEAM), 120/230 V~ Bare Ends

DIFFUSION

L2.37208.0	Frosted glass (242 mm / 9.5") for M8
------------	--------------------------------------

LIGHT CONTROL

L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7")
L2.39900.0	8-leaf barndoor, True Blue (245 mm / 9.7")
L2.79860.0	Set of 4 scrims (230 mm / 9.1")
L2.79860.A	Scrim, full single (230 mm / 9.1")
L2.79860.B	Scrim, full double (230 mm / 9.1")
L2.79860.C	Scrim, half single (230 mm / 9.1")
L2.79860.D	Scrim, half double (230 mm / 9.1")
L2.37207.0	Spill Ring (230 mm / 9.1")
L2.79890.0	Filter frame (230 mm / 9.1")
L2.79880.0	Snoot (245 mm / 9.7") with variable aperture



SOFTBOXES

- L2.89055.0 Chimera Lightbank Quartz Plus „M“
incl. 3 front screens (8435)
- L2.76248.0 Speed ring circular (9205) (245 mm / 9.7")

MOUNTING

- L2.76989.0 ARRI Swiveling C Clamp (C150)

CABLES

- L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W,
7 m, International connector (VEAM)
- L2.75600.C Head-to-Ballast cable 575/800/1200/1800 W,
15 m, International connector (VEAM)

STANDS

- L2.88717.0 Universal ARRI Cine Stand LS.4 (007BA)
- L2.88679.0 Wheel set with brakes, Ø 75 mm / 22 mm mount
(110)

SAFETY

- L2.0020919 Safety cable (4 mm) 1 m, max. load 16 kg

LAMPS

- L2.0003872 Lamp DIS 800 W/SE G22 UV-B (Koto)
- L2.37240.0 Lamp HMI Digital 800 W/SE G22 UVS (Osram)



M-SERIES M18

[Click here for more product related information | ARRI.com](#)



M-SERIES M18

Ident.-No.	Description
L1.37600.B	M-Series M18 MAN blue/silver International (VEAM)

ELECTRONIC BALLASTS - MAX RANGE

L2.0014190	EB MAX 1.8, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends
------------	--

ELECTRONIC BALLASTS - BASIC

L2.76625.0	EB 1200/1800, ALF, 50/60/75 Hz, International (VEAM), 120/230 V~ Schuko
------------	---

DIFFUSION

L2.0001006	Frosted glass (330 mm / 13.0") for M18
------------	--

LIGHT CONTROL

L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5")
L2.80980.0	Set of 4 scrims (330 mm / 13.0")
L2.80980.A	Scrim, full single (330 mm / 13.0")
L2.80980.B	Scrim, full double (330 mm / 13.0")
L2.80980.C	Scrim, half single (330 mm / 13.0")
L2.80980.D	Scrim, half double (330 mm / 13.0")
L2.37670.0	Spill Ring (330 mm / 13.0")
L2.80970.0	Filter frame (330 mm / 13.0")
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture



SOFTBOXES

L2.89054.0	Chimera Lightbank Quartz Plus „S“ incl. 3 front screens (8425)
L2.89055.0	Chimera Lightbank Quartz Plus „M“ incl. 3 front screens (8435)
L2.76247.0	Speed Ring circular (9305) (343 mm / 13.5")

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)
------------	-------------------------------

CABLES

L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m, International connector (VEAM)
L2.75600.C	Head-to-Ballast cable 575/800/1200/1800 W, 15 m, International connector (VEAM)

STANDS

L2.76979.0	Universal ARRI Steel Stand LS.5 (126A)
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)


SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--

LAMPS

L2.0003885	Lamp DIS 1200 W/SE G38 UV-B (Koto)
L2.89254L0	Lamp Digital HMI 1200 W/SE G38 UVS (Osram)
L2.0003884	Lamp DIS 1800 W/SE G38 (Koto)
L2.37590.0	Lamp HMI Digital 1800 W/SE G38 UVS (Osram)

MISCELLANEOUS

L2.77572.2	Conversion Kit from M18 to AS18: PAR Reflector, three brackets and one top latch 
L2.37682.2	Conversion Kit from AS18 to M18: MAX Reflector, three brackets and one top latch



M-SERIES M40

[Click here for more product related information | ARRI.com](#)

M-SERIES M40

Ident.-No.	Description
L1.37400.B	M-Series M40 MAN blue/silver International (VEAM)

ELECTRONIC BALLASTS - MAX RANGE

L2.0016746	EB MAX 2.5/4, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends
------------	--

ELECTRONIC BALLASTS - BASIC

L2.76640.0	EB 2.5/4, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends
------------	--

LIGHT CONTROL

L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")
L2.81210.0	8-leaf barndoor (413 mm / 16.3")
L2.81230.0	Set of 4 scrims (400 mm / 15.8")
L2.81230.A	Scrim, full single (400 mm / 15.8")
L2.81230.B	Scrim, full double (400 mm / 15.8")
L2.81230.C	Scrim, half single (400 mm / 15.8")
L2.81230.D	Scrim, half double (400 mm / 15.8")
L2.37305.0	Spill Ring (400 mm / 15.8")
L2.81220.0	Filter frame (400 mm / 15.8")
L2.81225.0	Snoot (413 mm / 16.3") with variable aperture

SOFTBOXES

L2.89055.0	Chimera Lightbank Quartz Plus „M“ incl. 3 front screens (8435)
L2.89062.0	Speed Ring circular (9365) (411 mm / 16.2")

**MOUNTING**

L2.76989.0 ARRI Swiveling C Clamp (C150)

CABLES

L2.75620.0 Head-to-Ballast cable 2500/4000 W,
7 m, International connector (VEAM)

L2.75620.C Head-to-Ballast cable 2500/4000 W,
15 m, International connector (VEAM)

STANDS

L2.8800561 ARRI Wind-up Stand LS.6 (083NWA)

L2.76959.0 Wheel set with brakes, Ø 75 mm / M10 mount
with brakes (104)

L2.88096.0 Wheel set with brakes, Ø 160 mm / M10 mount
with brakes (374)

SAFETY

L2.0007590 Safety cable (5 mm) 1 m, max. load 25 kg

LAMPS

L2.0003883 Lamp DIS 2500 W/SE G38 UV-B (Koto)

L2.0048682 Lamp HMI Digital 2500 W/SE G38 UVS (Osram)

L2.0003882 Lamp DIS 4000 W/SE G38 HR UV (Koto)

L2.0048683 Lamp HMI Digital 4000 W/SE G38 UVS (Osram)

MISCELLANEOUS

L2.37385.0 Conversion Kit from M40 to AS40: PAR Reflector,
three brackets and one top latch

L2.37388.0 Conversion Kit from AS40 to M40: MAX Reflector,
three brackets and one top latch



M-SERIES M90



[Click here for more product related information | ARRI.com](#)

M-SERIES M90

Ident.-No.	Description
L1.37489.B	M-Series M90 MAN blue/silver International (VEAM)

ELECTRONIC BALLASTS - MAX RANGE

L2.0016747	EB MAX 6/9, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 230 V~ Bare Ends
------------	--

ELECTRONIC BALLASTS - BASIC

L2.76180.0	EB 6/9, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends
------------	--

LIGHT CONTROL

L2.37560.0	4-leaf barndoor (584 mm / 23.0")
L2.0008688	Set of 4 scrims (571 mm / 22.5")
L2.0008690	Scrim, full single (571 mm / 22.5")
L2.0008689	Scrim, full double (571 mm / 22.5")
L2.0008692	Scrim, half single (571 mm / 22.5")
L2.0008691	Scrim, half double (571 mm / 22.5")
L2.37561.0	Spill Ring (571 mm / 22.5")

SOFTBOXES

L2.37475.0	Speed Ring circular (9465) (581 mm / 22.9")
------------	---



CABLES

L2.77940.0	Head-to-Ballast cable 6000/9000 W, 7 m, International connector (VEAM)
L2.77940.A	Head-to-Ballast cable 6000/9000 W, 15 m, International connector (VEAM)

SAFETY

L2.0009000	Safety cable (8 mm) 1 m, max. load 64 kg
------------	--

LAMPS

L2.0003881	Lamp DIS 6000 W/SE G38 UV-B (Koto)
L2.0048681	Lamp HMI Digital 6000 W/SE G38 UVS (Osram)
L2.0003879	Lamp DIS 9000 W/SE G38 HR (Koto)
L2.37482.0	Lamp HMI Digital 9000 W/SE GX38 UVS (Osram)



M-SERIES ARRIMAX 18/12



[Click here for more product related information | ARRI.com](#)

M-SERIES ARRIMAX 18/12

Ident.-No. Description

L1.37950.B M-Series ARRIMAX 18/12 MAN blue/silver International (VEAM)

ELECTRONIC BALLASTS - MAX RANGE

L2.0016748 EB MAX 12/18, ALF DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 230 V~ Bare Ends

ELECTRONIC BALLASTS - BASIC

L2.76290.0 EB 12/18, ALF with trolley, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends

LIGHT CONTROL

L2.71100.0 4-leaf barndoor (740 mm / 29.1")

L2.71115.0 Set of 4 scrims (740 mm / 29.1")

L2.71115.A Scrim, full single (740 mm / 29.1")

L2.71115.B Scrim, full double (740 mm / 29.1")

L2.71115.C Scrim, half single (740 mm / 29.1")

L2.71115.D Scrim, half double (740 mm / 29.1")

L2.37941.0 Snoot (740 mm / 29.1") with variable frame

L2.37940.0 Spot reflector for ARRIMAX 18/12, 8° - 15° Half Peak Angle

**CABLES**

L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m, International connector (VEAM)
L2.82294.A	Head-to-Ballast/Dimmer cable 12/18/24 kW, 20 m, International connector (VEAM)

SAFETY

L2.0015517	Safety cable (10 mm) 1 m, max. load 100 kg
------------	--

LAMPS










L2.0003880	Lamp DIS 12000 W/SE G38 UV-B (Koto)
L2.89261.0	Lamp HMI 12000 W/SE XS GX38 (Osram)
L2.0003877	Lamp DIS 18000 W/SE G51 (Koto)
L2.0047830	Lamp HMI Digital 18000 W/SE GX51 UVS (Osram)



This page is intentionally left blank.



True Blue D

Ballast Compatibility			True Blue D5	True Blue D12	True Blue D25	True Blue D40
True Blue D						
Fixture cable length (approx.)			0.5 m	0.5 m	0.6 m	0.6 m
	EB MAX	EB MAX 1.8	✓	✓	-	-
		EB MAX 2.5/4	-	-	✓	✓
	HS	EB 575/800 HS	✓	-	-	-
	Basic	EB 575/1200	✓	✓	-	-
		EB 2.5/4	-	-	✓	✓



TRUE BLUE D5

[Click here for more product related information | ARRI.com](#)

TRUE BLUE D5

Ident.-No.	Description
------------	-------------

L1.33770.B	True Blue D5 MAN blue/silver International (VEAM)
------------	---

L1.33770.F	True Blue D5 MAN blue/silver (Schaltbau)
------------	--

black and P.O. versions by request

ELECTRONIC BALLASTS - MAX RANGE

L2.0014190	EB MAX 1.8, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends
------------	--

ELECTRONIC BALLASTS - HIGH SPEED

L2.76184KH	EB 575/800 HS, ALF CCL DMX, 50/60/75/1000 Hz International (VEAM), 120/230 V~ Schuko
------------	--

L2.0001687	EB 575/800 HS, ALF CCL DMX, 50/60/75/1000 Hz International (VEAM), 120/230 V~ Bare Ends
------------	---

ELECTRONIC BALLASTS - BASIC

L2.76425.0	EB 575/1200, ALF, 50/60/75 Hz, International (VEAM), 120/230 V~ Schuko
------------	--

LIGHT CONTROL

L2.39670.0	4-leaf barndoor, True Blue (197 mm / 7.8")
------------	--

L2.39700.0	8-leaf barndoor, True Blue (197 mm / 7.8")
------------	--

L2.79660.0	Set of 4 scrims (197 mm / 7.8")
------------	---------------------------------

L2.79660.A	Scrim, full single (197 mm / 7.8")
------------	------------------------------------

L2.79660.B	Scrim, full double (197 mm / 7.8")
------------	------------------------------------

L2.79660.C	Scrim, half single (197 mm / 7.8")
------------	------------------------------------

**LIGHT CONTROL**

L2.79660.D	Scrim, half double (197 mm / 7.8")
L2.79690.0	Filter frame (197 mm / 7.8")
L2.79680.0	Snoot (197 mm / 7.8") with variable aperture

SOFTBOXES

L2.70844.0	Chimera Lightbank Video Pro Plus "S" incl. 3 front screens (8125)
L2.89053.0	Chimera Lightbank Daylite Junior Plus "S" incl. 3 front screens (8225)
L2.76246.0	Speed Ring circular (9190) (197 mm / 7.8")
L2.89060.0	Speed Ring circular (9192) (197 mm / 7.8")

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)
L2.8803652	ARRI Super Clamp (035)
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)

CABLES

L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m, International connector (VEAM)
L2.75600.C	Head-to-Ballast cable 575/800/1200/1800 W, 15 m, International connector (VEAM)

STANDS

L2.88717.0	Universal ARRI Cine Stand LS.4 (007BA)
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--

LAMPS

L2.0003874	Lamp DIS 575 W/SE G22 UV-B (Koto)
L2.89253L0	Lamp Digital HMI 575 W/SE G22 UVS (Osram)



TRUE BLUE D12

[Click here for more product related information | ARRI.com](#)

TRUE BLUE D12

Ident.-No.	Description
------------	-------------

L1.33730.B	True Blue D12 MAN blue/silver International (VEAM)
------------	--

L1.33730.F	True Blue D12 MAN blue/silver (Schaltbau)
------------	---

black and P.O. versions by request

ELECTRONIC BALLASTS - MAX RANGE

L2.0014190	EB MAX 1.8, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends
------------	--

ELECTRONIC BALLASTS - BASIC

L2.76425.0	EB 575/1200, ALF, 50/60/75 Hz, International (VEAM), 120/230 V~ Schuko
------------	--

LIGHT CONTROL

L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7")
------------	--

L2.39900.0	8-leaf barndoor, True Blue (245 mm / 9.7")
------------	--

L2.79860.0	Set of 4 scrims (230 mm / 9.1")
------------	---------------------------------

L2.79860.A	Scrim, full single (230 mm / 9.1")
------------	------------------------------------

L2.79860.B	Scrim, full double (230 mm / 9.1")
------------	------------------------------------

L2.79860.C	Scrim, half single (230 mm / 9.1")
------------	------------------------------------

L2.79860.D	Scrim, half double (230 mm / 9.1")
------------	------------------------------------

L2.79890.0	Filter frame (230 mm / 9.1")
------------	------------------------------

L2.79880.0	Snoot (245 mm / 9.7") with variable aperture
------------	--



SOFTBOXES

L2.76248.0 Speed Ring circular (9205) (245 mm / 9.7")

MOUNTING

L2.76989.0 ARRI Swiveling C Clamp (C150)

CABLES

L2.75600.0 Head-to-Ballast cable 575/800/1200/1800 W,
7 m, International connector (VEAM)

L2.75600.C Head-to-Ballast cable 575/800/1200/1800 W,
15 m, International connector (VEAM)

STANDS

L2.88717.0 Universal ARRI Cine Stand LS.4 (007BA)

L2.88679.0 Wheel set with brakes, Ø 75 mm / 22 mm mount
(110)

SAFETY

L2.0020919 Safety cable (4 mm) 1 m, max. load 16 kg

LAMPS

L2.0003885 Lamp DIS 1200 W/SE G38 UV-B (Koto)

L2.89254L0 Lamp Digital HMI 1200 W/SE G38 UVS (Osram)



TRUE BLUE D25

[Click here for more product related information | ARRI.com](#)

TRUE BLUE D25

Ident.-No. Description

L1.33670.B True Blue D25 MAN blue/silver International (VEAM)

L1.33670.F True Blue D25 MAN blue/silver (Schaltbau)

black and P.O. versions by request

ELECTRONIC BALLASTS - MAX RANGE

L2.0016746 EB MAX 2.5/4, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends

ELECTRONIC BALLASTS - BASIC

L2.76640.0 EB 2.5/4, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends

LIGHT CONTROL

L2.40950.0 4-leaf barndoor, True Blue (344 mm / 13.5")

L2.40960.0 8-leaf barndoor, True Blue (344 mm / 13.5")

L2.80980.0 Set of 4 scrims (330 mm / 13.0")

L2.80980.A Scrim, full single (330 mm / 13.0")

L2.80980.B Scrim, full double (330 mm / 13.0")

L2.80980.C Scrim, half single (330 mm / 13.0")

L2.80980.D Scrim, half double (330 mm / 13.0")

L2.80970.0 Filter frame (330 mm / 13.0")

L2.80975.0 Snoot (344 mm / 13.5") with variable aperture

**SOFTBOXES**

- L2.89054.0 Chimera Lightbank Quartz Plus "S" incl. 3 front screens (8425)
- L2.76247.0 Speed Ring circular (9305) (343 mm / 13.5")

CABLES

- L2.75620.0 Head-to-Ballast cable 2500/4000 W, 7 m, International connector (VEAM)
- L2.75620.C Head-to-Ballast cable 2500/4000 W, 15 m, International connector (VEAM)

STANDS

- L2.76979.0 Universal ARRI Steel Stand LS.5 (126A)
- L2.88679.0 Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

- L2.0007590 Safety cable (5 mm) 1 m, max. load 25 kg

LAMPS

- L2.0003883 Lamp DIS 2500 W/SE G38 UV-B (Koto)
- L2.0048682 Lamp HMI Digital 2500 W/SE G38 UVS (Osram)



TRUE BLUE D40

[Click here for more product related information | ARRI.com](#)

TRUE BLUE D40

Ident.-No.	Description
------------	-------------

L1.34000.B	True Blue D40 MAN blue/silver International (VEAM)
------------	--

L1.34000.F	True Blue D40 MAN blue/silver (Schaltbau)
------------	---

black and P.O. versions by request

ELECTRONIC BALLASTS - MAX RANGE

L2.0016746	EB MAX 2.5/4, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends
------------	--

ELECTRONIC BALLASTS - BASIC

L2.76640.0	EB 2.5/4, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends
------------	--

LIGHT CONTROL

L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")
------------	---

L2.81210.0	8-leaf barndoor (413 mm / 16.3")
------------	----------------------------------

L2.81230.0	Set of 4 scrims (400 mm / 15.8")
------------	----------------------------------

L2.81230.A	Scrim, full single (400 mm / 15.8")
------------	-------------------------------------

L2.81230.B	Scrim, full double (400 mm / 15.8")
------------	-------------------------------------

L2.81230.C	Scrim, half single (400 mm / 15.8")
------------	-------------------------------------

L2.81230.D	Scrim, half double (400 mm / 15.8")
------------	-------------------------------------

L2.81220.0	Filter frame (400 mm / 15.8")
------------	-------------------------------

L2.81225.0	Snoot (413 mm / 16.3") with variable aperture
------------	---

**SOFTBOXES**

L2.89054.0	Chimera Lightbank Quartz Plus "S" incl. 3 front screens (8425)
L2.89058.0	Chimera Lightbank Daylite Plus "M" incl. 3 front screens (8635)
L2.89059.0	Chimera Lightbank Daylite Plus "L" incl. 3 front screens (8645)
L2.89062.0	Speed Ring circular (9365) (411 mm / 16.2")

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)
------------	-------------------------------

CABLES

L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m, International connector (VEAM)
L2.75620.C	Head-to-Ballast cable 2500/4000 W, 15 m, International connector (VEAM)

STANDS

L2.8800561	ARRI Wind-up Stand LS.6 (083NWA)
L2.76959.0	Wheel set with brakes, Ø 75 mm / M10 mount with brakes (104)
L2.88096.0	Wheel set with brakes, Ø 160 mm / M10 mount with brakes (374)

SAFETY

L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg
------------	--

LAMPS




L2.0003882	Lamp DIS 4000 W/SE G38 HR UV (Koto)
L2.0048683	Lamp HMI Digital 4000 W/SE G38 UVS (Osram)



This page is intentionally left blank.



ARRI Daylight 18/12

Ballast Compatibility		ARRI Daylight 18/12	
ARRI Daylight 18/12			
Fixture cable length (approx.)		1.0 m	
	EB MAX	EB MAX 12/18	✓
	Basic	EB 12/18	✓



ARRI DAYLIGHT 18/12

[Click here for more product related information | ARRI.com](#)

ARRI DAYLIGHT 18/12

Ident.-No. Description

L1.71160.B ARRI Daylight 18/12 MAN blue/silver International (VEAM)

ELECTRONIC BALLASTS - MAX RANGE

L2.0016748 EB MAX 12/18, ALF DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 230 V~ Bare Ends

ELECTRONIC BALLASTS - BASIC

L2.76290.0 EB 12/18, ALF with trolley, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends

LIGHT CONTROL

L2.71100.0 4-leaf barndoor (740 mm / 29.1")

L2.71115.0 Set of 4 scrims (740 mm / 29.1")

L2.71115.A Scrim, full single (740 mm / 29.1")

L2.71115.B Scrim, full double (740 mm / 29.1")

L2.71115.C Scrim, half single (740 mm / 29.1")

L2.71115.D Scrim, half double (740 mm / 29.1")

L2.71195.0 UV-protection glass Retrofit for ARRI Daylight 18/12; for the change from fresnel lens to UV-protection glass to get hard shadows



CABLES

L2.82294.0 Head-to-Ballast/Dimmer cable 12/18/24 kW,
15 m, International connector (VEAM)

L2.82294.A Head-to-Ballast/Dimmer cable 12/18/24 kW,
20 m, International connector (VEAM)

SAFETY

L2.0015517 Safety cable (10 mm) 1 m, max. load 100 kg

LAMPS




L2.89260.0 Lamp HMI 18000 W/DE XS S30 (Osram)



This page is intentionally left blank.



COMPACT Theater

Ballast Compatibility		COMPACT 2500 Theater	COMPACT 4000 Theater
Compact Theater			
Fixture cable length (approx.)		0.5 m	0.5 m
Additional accessories		Incl. theater cassette	Incl. theater cassette
	Basic EB 2.5/4	✓	✓



COMPACT 2500 THEATER



[Click here for more product related information | ARRI.com](#)

COMPACT 2500 THEATER

Ident.-No. Description

L1.73680.B	COMPACT 2500 Theater MAN grey International (VEAM)
L1.73690.B	COMPACT 2500 Theater MOT grey International (VEAM)

ELECTRONIC BALLASTS - BASIC

L2.76640.0	EB 2.5/4, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends
------------	--

LIGHT CONTROL

L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5")
L2.80970.0	Filter frame (330 mm / 13.0")
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture

CABLES

L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m, International connector (VEAM)
L2.75620.C	Head-to-Ballast cable 2500/4000 W, 15 m, International connector (VEAM)

SAFETY

L2.0014058	Safety cable (6 mm) 1 m, max. load 36 kg
------------	--

LAMPS

L2.0003883	Lamp DIS 2500 W/SE G38 UV-B (Koto)
L2.0048682	Lamp HMI Digital 2500 W/SE G38 UVS (Osram)



COMPACT 4000 THEATER



[Click here for more product related information | ARRI.com](#)

COMPACT 4000 THEATER

Ident.-No. Description

L1.74010.B	COMPACT 4000 Theater MAN grey International (VEAM)
L1.74020.B	COMPACT 4000 Theater MOT grey International (VEAM)

ELECTRONIC BALLASTS - BASIC

L2.76640.0	EB 2.5/4, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends
------------	--

LIGHT CONTROL

L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")
L2.81210.0	8-leaf barndoor (413 mm / 16.3")
L2.81220.0	Filter frame (400 mm / 15.8")
L2.81225.0	Snoot (413 mm / 16.3") with variable aperture

CABLES

L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m, International connector (VEAM)
L2.75620.C	Head-to-Ballast cable 2500/4000 W, 15 m, International connector (VEAM)

SAFETY

L2.0014058	Safety cable (6 mm) 1 m, max. load 36 kg
------------	--

LAMPS

L2.0003882	Lamp DIS 4000 W/SE G38 HR UV (Koto)
L2.0048683	Lamp HMI Digital 4000 W/SE G38 UVS (Osram)



This page is intentionally left blank.



BALLASTS







Electronic Ballasts










Event Ballasts



Electronic Ballasts

Range	EB MAX 1.8	EB MAX 2.5/4	EB MAX 6/9	EB MAX 12/18
EB MAX				
Corresponding ARRI lamphead	M-Series M8 / M18 True Blue D5 / D12 ARRI Compact 575 ARRI Compact 1200 ARRISUN 5 / ARRISUN 12 ARRI AS 18 ARRI X5 / X12	M-Series M40 True Blue D25 / D40 ARRI Compact 2500 / Theater ARRI Compact 4000 / Theater ARRISUN 40/25 ARRI AS 40 ARRI X40/25	M-Series M90 ARRI Daylight 6000 ARRI Compact 6000 ARRISUN 6000 ARRI X60	M-Series ARRIMAX 18/12 ARRI Daylight 18/12 ARRI Compact 12000 ARRISUN 120

Range	EB 575/800
High Speed	
Corresponding ARRI lamphead	M-Series M8 True Blue D5 ARRI Compact 575 ARRISUN 5 Event ARRISUN 5 ARRI X5

Range	EB 575/1200	EB 1200/1800	EB 2500 Baby	EB 2.5/4	EB 6/9	EB 12/18
Basic						
Corresponding ARRI lamphead	True Blue D5 / D12 Compact 575 Compact 1200 ARRISUN 5 / 12 ARRI X5 / X12	M-Series M18 True Blue D12 Compact 1200 ARRISUN 12 ARRI AS 18 ARRI X12	True Blue D25 Compact 2500 / Theater	M-Series M40 True Blue D25 True Blue D40 Compact 2500 / 4000 / Theater ARRISUN 40/25 ARRI AS 40 ARRI X40/25	M-Series M90 ARRI Daylight 6000 Compact 6000 ARRISUN 6000 ARRI X60	M-Series ARRIMAX 18/12 ARRI Daylight 18/12 Compact 12000 ARRISUN 120



Electronic Ballasts

Indicators & Features Overview												
Range	EB MAX				HS	Basic						
Product	EB MAX 1.8	EB MAX 2.5/4	EB MAX 6/9	EB MAX 12/18	EB 575/800 HS	EB 575/1200	EB 1200/1800	EB 2500 Baby	EB 2.5/4	EB 6/9	EB 12/18	
Indicators												
ON / OFF	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Protective Earth	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Lamp On	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Overtemperature	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Output Mode (Frequency)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Remote / DMX	✓	✓	✓	✓	✓	-	-	✓	-	-	-	
Detected Lamp Power	✓	✓	✓	✓	✓	-	✓	-	-	✓	-	
Features												
Automatic Lamp Recognition	✓	✓	✓	✓	-	✓	✓	-	✓	✓	✓	
Automatic Lamphead Recognition	✓	✓	✓	-	✓	✓	✓	-	✓	✓	-	
Dimming	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
AutoScan	✓	✓	✓	✓	-	-	-	-	-	-	-	
DMX	✓	✓	✓	✓	✓	-	-	-	-	-	-	
Compensation of Cable Losses (CCL)	✓	✓	✓	-	✓	-	-	-	-	-	-	
Active Line Filter (ALF)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	



ELECTRONIC BALLASTS



[Click here for more product related information | ARRI.com](#)

ELECTRONIC BALLASTS - MAX RANGE



Ident.-No.

Description

L2.0014190	EB MAX 1.8, 575/800/1200/1800 W, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends
L2.0016746	EB MAX 2.5/4, 2500/4000 W, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends
L2.0016747	EB MAX 6/9, 6000/9000 W, 50/60/75/300/1000 Hz, International (VEAM), 230 V~ Bare Ends
L2.0016748*	EB MAX 12/18, 12000/18000 W, 50/60/75/300/1000 Hz, International (VEAM), 230 V~ Bare Ends

*without CCL

ELECTRONIC BALLASTS - HIGH SPEED

Ident.-No.

Description

L2.76184KH	EB 575/800 HS, ALF, CCL, DMX, 50/60/75/1000 Hz, International (VEAM), 120/230 V~ Schuko
L2.0001687	EB 575/800 HS, ALF, CCL, DMX, 50/60/75/1000 Hz, International (VEAM), 120/230 V~ Bare Ends

**ELECTRONIC BALLASTS - BASIC**

Ident.-No.	Description
L2.76425.0	EB 575/1200, ALF, 50/60/75 Hz, International (VEAM), 120/230 V~ Schuko
L2.76625.0	EB 1200/1800, ALF, 50/60/75 Hz, International (VEAM) 120/230 V~ Schuko
L2.76695.0	EB 2500 Baby, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Schuko
L2.76640.0	EB 2.5/4, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends
L2.76180.0	EB 6/9, ALF, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends
L2.76290.0	EB 12/18, ALF with trolley, 50/60/75 Hz, International (VEAM), 230 V~ Bare Ends



This page is intentionally left blank.



TUNGSTEN



**ARRILITE
Plus**



ARRI Junior



True Blue T



True Blue ST



**True Blue ST
Theater**



Studio T



ARRILITE 750 PLUS



[Click here for more product related information | ARRI.com](#)

ARRILITE 750 PLUS

Cable length approx. 3.0 m, with line switch.
Incl. 4-leaf barndoor & accessory holder.

Ident.-No. Description

L0.0034720	ARRILITE 750 Plus MAN blue 100 - 240 V~ Bare Ends
L0.0034721	ARRILITE 750 Plus MAN blue 100 - 240 V~ Schuko

DIFFUSION

L2.77180.0	ARRI filter pack (each 2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201)
------------	---

LIGHT CONTROL

L2.79470.0	4-leaf barndoor (168 mm / 6.6")
L2.79460.0	Set of 4 scrims (168 mm / 6.6")
L2.79460.A	Scrim, full single (168 mm / 6.6")
L2.79460.B	Scrim, full double (168 mm / 6.6")
L2.79460.C	Scrim, half single (168 mm / 6.6")
L2.79460.D	Scrim, half double (168 mm / 6.6")
L2.88912.1	Scrim Bag for 168 mm / 6.6" scrims
L2.36780.0	Accessory Holder

SOFTBOXES

L2.70844.0	Chimera Lightbank Video Pro Plus "S" incl. 3 front screens (8125)
------------	--



MOUNTING

L2.8803652	ARRI Super Clamp (035)
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)
L2.73408.0	Handgrip, 16 mm spigot size with thread 3/8", light weight

STANDS

L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)
L2.76965.0	Compact ARRI Kit Stand LS.01 (050MKA)
L2.8803653	Master Stand (1004BAC)
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

L2.0008899	Safety cable (3 mm) 0,6 m, max. load 5 kg
------------	---

TRANSPORT

L2.36806.R	Case for 3 lampheads (81 x 36 x 34 cm / 31.9 x 14.2 x 13.4"), with wheels, empty
L2.36806.0	Case for 3 lampheads (81 x 36 x 34 cm / 31.9 x 14.2 x 13.4"), empty
L2.36807.R	Case for 4 lampheads (100 x 40 x 34 cm / 39.4 x 15.7 x 13.4"), with wheels, empty

LAMPS

L2.36800.0	Lamp 750 W / 230 V G9,5 2-Pin HPL (Osram)
L2.36770.0	Lamp cooling adapter for ARRILITE 750 Plus



ARRILITE 2000 PLUS



[Click here for more product related information | ARRI.com](#)

ARRILITE 2000 PLUS

Cable length approx. 3.0 m, with line switch. Incl. 4-leaf barndoor.

Ident.-No. Description

L0.0034722	ARRILITE 2000 Plus MAN blue 220 - 240 V~ Bare Ends
L0.0034723	ARRILITE 2000 Plus MAN blue 220 - 240 V~ Schuko

DIFFUSION

L2.77180.0	ARRI filter pack (each 2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201) for ARRILITE 750 & 2000 Plus
------------	--

LIGHT CONTROL

L2.76522.0	4-leaf barndoor (250 mm / 9.8")
L2.76950.0	Set of 4 scrims (254 mm / 10.0")
L2.76950.A	Scrim, full single (254 mm / 10.0")
L2.76950.B	Scrim, full double (254 mm / 10.0")
L2.76950.C	Scrim, half single (254 mm / 10.0")
L2.76950.D	Scrim, half double (254 mm / 10.0")

SOFTBOXES

L2.89054.0	Chimera Lightbank Quartz Plus "S" incl. 3 front screens (8425)
L2.89061.0	Speed Ring circular (9225) (255 mm / 10.0")



MOUNTING

L2.8803652	ARRI Super Clamp (035)
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)
L2.73408.0	Handgrip, 16 mm spigot size with thread 3/8", light weight

STANDS

L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)
L2.8803653	Master Stand (1004BAC)
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--

TRANSPORT

L2.76956.P	Case for 2 lampheads (70 x 39 x 37 cm / 27.6 x 15.4 x 14.6"), empty
------------	---

LAMPS

L2.89212.0	Lamp 2000 W 230 V RX7s-21 FEX (Osram)
------------	---------------------------------------



ARRI 150



[Click here for more product related information | ARRI.com](#)

ARRI 150

Cable length approx. 3.0 m, with line switch or dimmer.
Incl. 4-leaf barndoor & filter frame.

Ident.-No. Description

L0.79360.B	ARRI 150 with line switch blue/silver 90 - 250 V~ Bare Ends
L0.79360.D	ARRI 150 with line switch blue/silver 90 - 250 V~ Schuko
L0.79360.E	ARRI 150 with line dimmer blue/silver 90 - 250 V~ Bare Ends
L0.79360.F	ARRI 150 with line dimmer blue/silver 90 - 250 V~ Schuko

LIGHT CONTROL

L2.79380.0	4-leaf barndoor (78 mm / 3.1")
L2.73466.0	Set of 4 scrims (78 mm / 3.1")
L2.73466.A	Scrim, full single (78 mm / 3.1")
L2.73466.B	Scrim, full double (78 mm / 3.1")
L2.73466.C	Scrim, half single (78 mm / 3.1")
L2.73466.D	Scrim, half double (78 mm / 3.1")
L2.88908.1	Scrim Bag for 78 mm / 3.1" scrims
L2.79395.0	Filter frame (78 mm / 3.1")
L2.79390.0	Snoot (78 mm / 3.1")

MOUNTING

L2.8803652	ARRI Super Clamp (035)
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)



STANDS

L2.76975.0	Small ARRI Kit Stand LS.1 (050KA)
L2.76965.0	Compact ARRI Kit Stand LS.01 (050MKA)
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

L2.0008899	Safety cable (3 mm) 0,6 m, max. load 5 kg
------------	---

LAMPS

L2.89202.0	Lamp 150 W 230 V GX6,35 (Osram)
------------	---------------------------------



ARRI 300 PLUS

[Click here for more product related information | ARRI.com](#)



ARRI 300 PLUS

Cable length approx. 3.0 m, with line switch.
Incl. 4-leaf barndoor & filter frame.

Ident.-No.	Description
L0.79200.B	ARRI 300 Plus MAN blue/silver 90 - 250 V~ Bare Ends
L0.79200.D	ARRI 300 Plus MAN blue/silver 90 - 250 ~ Schuko
L0.79205.B	ARRI 300 Plus MAN black 90 - 250 V~ Bare Ends
L0.79205.D	ARRI 300 Plus MAN black 90 - 250 V~ Schuko

LIGHT CONTROL

L2.79170.0	4-leaf barndoor (130 mm / 5.1")
L2.79160.0	Set of 4 scrims (130 mm / 5.1")
L2.79160.A	Scrim, full single (130 mm / 5.1")
L2.79160.B	Scrim, full double (130 mm / 5.1")
L2.79160.C	Scrim, half single (130 mm / 5.1")
L2.79160.D	Scrim, half double (130 mm / 5.1")
L2.88911.1	Scrim Bag for 130 mm / 5.1" scrims
L2.79190.0	Filter frame (130 mm / 5.1")
L2.79180.0	Snoot (130 mm / 5.1")



SOFTBOXES

L2.76719.0	Chimera Lightbank Video Pro Plus "XS" incl. 3 front screens (8115)
L2.70844.0	Chimera Lightbank Video Pro Plus "S" incl. 3 front screens (8125)
L2.89067.0	Speed Ring circular (9640) (130 mm / 5.1")

MOUNTING

L2.8803652	ARRI Super Clamp (035)
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)

STANDS

L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)
L2.76965.0	Compact ARRI Kit Stand LS.01 (050MKA)
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

L2.0008899	Safety cable (3 mm) 0,6 m, max. load 5 kg
------------	---

LAMPS

L2.89203.0	Lamp 300 W 240 V GY9,51 CP81 (Osram)
------------	--------------------------------------



ARRI 650 PLUS



[Click here for more product related information | ARRI.com](#)

ARRI 650 PLUS

Cable length approx. 3.0 m, with line switch (MAN version), 2.0 m (P.O. version).
Incl. 4-leaf barndoor & filter frame.

Ident.-No.	Description
L0.79400.B	ARRI 650 Plus MAN blue/silver 90 - 250 V~ Bare Ends
L0.79400.D	ARRI 650 Plus MAN blue/silver 90 - 250 V~ Schuko
L0.79400.I	ARRI 650 Plus P.O. blue/silver 90 - 250 V~ Bare Ends
L0.79400.K	ARRI 650 Plus P.O. blue/silver 90 - 250 V~ Schuko
L0.79405.B	ARRI 650 Plus MAN black 90 - 250 V~ Bare Ends
L0.79405.D	ARRI 650 Plus MAN black 90 - 250 V~ Schuko
L0.79405.K	ARRI 650 Plus P.O. black 90 - 250 V~ Schuko

LIGHT CONTROL

L2.79470.0	4-leaf barndoor (168 mm / 6.6")
L2.79471.0	4-leaf barndoor, black/silver (168 mm / 6.6")
L2.79500.0	8-leaf barndoor (168 mm / 6.6")
L2.79490.0	Filter frame (168 mm / 6.6")
L2.79460.0	Set of 4 scrims (168 mm / 6.6")
L2.79460.A	Scrim, full single (168 mm / 6.6")
L2.79460.B	Scrim, full double (168 mm / 6.6")
L2.79460.C	Scrim, half single (168 mm / 6.6")

**LIGHT CONTROL**

L2.79460.D	Scrim, half double (168 mm / 6.6")
L2.88912.1	Scrim Bag for 168 mm / 6.6" scrims
L2.79480.0	Snoot (168 mm / 6.6")

SOFTBOXES

L2.70844.0	Chimera Lightbank Video Pro Plus "S" incl. 3 front screens (8125)
L2.89068.0	Speed Ring circular (9670) (168 mm / 6.6")
L2.89074.0	Speed Ring circular metal (9670AL) (168 mm / 6.6")
L2.89069.0	Speed Ring circular (9672) (168 mm / 6.6")

MOUNTING

L2.8803652	ARRI Super Clamp (035)
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)

STANDS

L2.76976.0	Medium ARRI Kit Stand LS.2 (050A)
L2.76965.0	Compact ARRI Kit Stand LS.01 (050MKA)
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

L2.0008899	Safety cable (3 mm) 0,6 m, max. load 5 kg
------------	---

LAMPS

L2.89205.0	Lamp 650 W 230 V GY9,5 FRL CP89 (Osram)
------------	---



TRUE BLUE T1

[Click here for more product related information | ARRI.com](#)



TRUE BLUE T1

Cable length approx. 3.0 m, with line switch (MAN version), 1.5 m (P.O. version).
Incl. 4-leaf barndoor & filter frame.

Ident.-No.	Description
L0.39610.B	True Blue T1 MAN blue/silver 220 - 250 V~ Bare Ends
L0.39610.D	True Blue T1 MAN blue/silver 220 - 250 V~ Schuko
L0.39610.I	True Blue T1 P.O. blue/silver 220 - 250 V~ Bare Ends
L0.39615.B	True Blue T1 MAN black 220 - 250 V~ Bare Ends
L0.39615.D	True Blue T1 MAN black 220 - 250 V~ Schuko
L0.39615.I	True Blue T1 P.O. black 220 - 250 V~ Bare Ends

LIGHT CONTROL

L2.39670.0	4-leaf barndoor, True Blue (197 mm / 7.8")
L2.39700.0	8-leaf barndoor, True Blue (197 mm / 7.8")
L2.79660.0	Set of 4 scrims (197 mm / 7.8")
L2.79660.A	Scrim, full single (197 mm / 7.8")
L2.79660.B	Scrim, full double (197 mm / 7.8")
L2.79660.C	Scrim, half single (197 mm / 7.8")
L2.79660.D	Scrim, half double (197 mm / 7.8")
L2.79690.0	Filter frame (197 mm / 7.8") for L7, True Blue D5 & True Blue T1
L2.79680.0	Snoot (197 mm / 7.8") with variable aperture for L7, True Blue D5 & True Blue T1



SOFTBOXES

L2.70844.0	Chimera Lightbank Video Pro Plus "S" incl. 3 front screens (8125)
L2.89053.0	Chimera Lightbank Daylite Junior Plus "S" incl. 3 front screens (8225)
L2.76246.0	Speed Ring circular (9190) (197 mm / 7.8")
L2.89060.0	Speed Ring circular (9192) (197 mm / 7.8")

MOUNTING

L2.8803652	ARRI Super Clamp (035)
L2.40701.3	Spigot 28 mm, long, with flange & allen screw, fits profile stirrups without sleeve cuff

STANDS

L2.8803653	Master Stand (1004BAC)
L2.88717.0	Universal ARRI Cine Stand LS.4 (007BA)
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--

TRANSPORT

L2.76956.P	Case for 2 lampheads (70 x 39 x 37 cm / 27.6 x 15.4 x 14.6"), empty
------------	--

LAMPS

L2.89208.0	Lamp 1000 W 230 V G22 FKJ CP71 (Osram)
------------	--



TRUE BLUE T2

[Click here for more product related information | ARRI.com](#)



TRUE BLUE T2

Cable length approx. 3.0 m, with line switch (MAN version), 1.5 m (P.O. version).
Incl. 4-leaf barndoor & filter frame.

Ident.-No.	Description
L0.41250.B	True Blue T2 MAN blue/silver 220 - 250 V~ Bare Ends
L0.41250.D	True Blue T2 MAN blue/silver 220 - 250 V~ Schuko
L0.41250.I	True Blue T2 P.O. blue/silver 220 - 250 V~ Bare Ends
L0.41255.B	True Blue T2 MAN black 220 - 250 V~ Bare Ends
L0.41255.D	True Blue T2 MAN black 220 - 250 V~ Schuko
L0.41255.I	True Blue T2 P.O. black 220 - 250 V~ Bare Ends

LIGHT CONTROL

L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7")
L2.39900.0	8-leaf barndoor, True Blue (245 mm / 9.7")
L2.79860.0	Set of 4 scrims (230 mm / 9.1")
L2.79860.A	Scrim, full single (230 mm / 9.1")
L2.79860.B	Scrim, full double (230 mm / 9.1")
L2.79860.C	Scrim, half single (230 mm / 9.1")
L2.79860.D	Scrim, half double (230 mm / 9.1")
L2.79890.0	Filter frame (230 mm / 9.1")
L2.79880.0	Snoot (245 mm / 9.7") with variable aperture



SOFTBOXES

L2.76248.0 Speed Ring circular (9205) (245 mm / 9.7")

MOUNTING

L2.76989.0 ARRI Swiveling C Clamp (C150)

STANDS

L2.88717.0 Universal ARRI Cine Stand LS.4 (007BA)

L2.88679.0 Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

L2.0020919 Safety cable (4 mm) 1 m, max. load 16 kg

LAMPS

L2.89213.0 Lamp 2000 W 230 V G38 FKK CP73 (Osram)



TRUE BLUE T5

[Click here for more product related information | ARRI.com](#)



TRUE BLUE T5

Cable length approx. 3.0 m, with line switch.
Incl. 4-leaf barndoor & filter frame.

Ident.-No.	Description
L0.40000.B	True Blue T5 MAN blue/silver 220 - 250 V~ Bare Ends
L0.40005.B	True Blue T5 MAN black 220 - 250 V~ Bare Ends

LIGHT CONTROL

L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5")
L2.80980.0	Set of 4 scrims (330 mm / 13.0")
L2.80980.A	Scrim, full single (330 mm / 13.0")
L2.80980.B	Scrim, full double (330 mm / 13.0")
L2.80980.C	Scrim, half single (330 mm / 13.0")
L2.80980.D	Scrim, half double (330 mm / 13.0")
L2.80970.0	Filter frame (330 mm / 13.0")
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture

SOFTBOXES

L2.89054.0	Chimera Lightbank Quartz Plus "S" incl. 3 front screens (8425)
L2.89058.0	Chimera Lightbank Daylite Plus "M" incl. 3 front screens (8635)
L2.76247.0	Speed Ring circular (9305) (343 mm / 13.5")



MOUNTING

L2.76989.0 ARRI Swiveling C Clamp (C150)

STANDS

L2.76979.0 Universal ARRI Steel Stand LS.5 (126A)

L2.88679.0 Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

L2.0007590 Safety cable (5 mm) 1 m, max. load 25 kg

LAMPS

L2.89214.0 Lamp 5000 W 230 V G38 CP85 (Osram)



TRUE BLUE ST1



[Click here for more product related information | ARRI.com](#)

TRUE BLUE ST1

Cable length approx. 1.5 m. MAN Location version: cable 3.0 m, with line switch.
Incl. 4-leaf barndoor & filter frame.

Ident.-No.	Description
L0.40500.B	True Blue ST1 MAN blue/silver 100 - 240 V~ Bare Ends
L0.40500.D	True Blue ST1 MAN blue/silver 100 - 240 V~ Schuko
L0.40500.I	True Blue ST1 P.O. blue/silver 100 - 240 V~ Bare Ends
L0.40500.K	True Blue ST1 P.O. blue/silver 100 - 240 V~ Schuko
L0.40500LB	True Blue ST1 MAN Location blue/silver 100 - 240 V~ Bare Ends
L0.40505.B	True Blue ST1 MAN black 100 - 240 V~ Bare Ends
L0.40505.D	True Blue ST1 MAN black 100 - 240 V~ Schuko
L0.40505.I	True Blue ST1 P.O. black 100 - 240 V~ Bare Ends
L0.40505.K	True Blue ST1 P.O. black 100 - 240 V~ Schuko

LIGHT CONTROL

L2.39870.0 4-leaf barndoor, True Blue (245 mm / 9.7")

L2.39900.0 8-leaf barndoor, True Blue (245 mm / 9.7")

L2.79860.0 Set of 4 scrims (230 mm / 9.1")

L2.79860.A Scrim, full single (230 mm / 9.1")

L2.79860.B Scrim, full double (230 mm / 9.1")



LIGHT CONTROL

L2.79860.C	Scrim, half single (230 mm / 9.1")
L2.79860.D	Scrim, half double (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1
L2.79890.0	Filter frame (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1
L2.79880.0	Snoot (245 mm / 9.7") with variable aperture for M8, True Blue D12, True Blue T2 & True Blue ST1

SOFTBOXES

L2.76248.0	Speed Ring circular (9205) (245 mm / 9.7")
------------	--

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)
------------	-------------------------------

STANDS

L2.8803224	Combo Steel Stand (A1035CS)
L2.88717.0	Universal ARRI Cine Stand LS.4 (007BA)
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--

LAMPS

L2.89208.0	Lamp 1000 W 230 V G22 FKJ CP71 (Osram)
------------	--



TRUE BLUE ST2/3



[Click here for more product related information | ARRI.com](#)

TRUE BLUE ST2/3

Cable length approx. 1.5 m. MAN Location version: cable 3.0 m, with line switch and location top latch. Incl. 4-leaf barndoor & filter frame.

Ident.-No.	Description
L0.40750.B	True Blue ST2/3 MAN blue/silver 220 - 250 V~ Bare Ends
L0.40750.D	True Blue ST2/3 MAN blue/silver 220 - 250 V~ Schuko
L0.40750.I	True Blue ST2/3 P.O. blue/silver 220 - 250 V~ Bare Ends
L0.40750.K	True Blue ST2/3 P.O. blue/silver 220 - 250 V~ Schuko
L0.40750LB	True Blue ST2/3 MAN Location blue/silver 220 - 250 V~ Bare Ends
L0.40755.B	True Blue ST2/3 MAN black 220 - 250 V~ Bare Ends
L0.40755.D	True Blue ST2/3 MAN black 220 - 250 V~ Schuko
L0.40755.I	True Blue ST2/3 P.O. black 220 - 250 V~ Bare Ends
L0.40755.K	True Blue ST2/3 P.O. black 220 - 250 V~ Schuko

LIGHT CONTROL

L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5")
L2.80980.0	Set of 4 scrims (330 mm / 13.0")
L2.80980.A	Scrim, full single (330 mm / 13.0")
L2.80980.B	Scrim, full double (330 mm / 13.0")



LIGHT CONTROL

L2.80980.C	Scrim, half single (330 mm / 13.0")
L2.80980.D	Scrim, half double (330 mm / 13.0")
L2.80970.0	Filter frame (330 mm / 13.0")
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture

SOFTBOXES

L2.89054.0	Chimera Lightbank Quartz Plus "S" incl. 3 front screens (8425) for L10, True Blue D25, D40, ARRILITE 2000 Plus, True Blue T5 & ST2/3
L2.76247.0	Speed Ring circular (9305) (343 mm / 13.5")

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)
------------	-------------------------------

STANDS

L2.76979.0	Universal ARRI Steel Stand LS.5 (126A)
L2.88679.0	Wheel set with brakes, Ø 75 mm / 22 mm mount (110)

SAFETY

L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg
------------	--

LAMPS

L2.89213.0	Lamp 2000 W 230 V G38 FKK CP73 (Osram)
------------	--



TRUE BLUE ST5



[Click here for more product related information | ARRI.com](#)

TRUE BLUE ST5

Cable length approx. 1.5 m. MAN Location version: cable 3.0 m, with line switch and location top latch. Incl. 4-leaf barndoor & filter frame.

Ident.-No.	Description
L0.41000.B	True Blue ST5 MAN blue/silver 220 - 250 V~ Bare Ends
L0.41000.I	True Blue ST5 P.O. blue/silver 220 - 250 V~ Bare Ends
L0.41000LB	True Blue ST5 MAN Location blue/silver 220 - 250 V~ Bare Ends
L0.41005.B	True Blue ST5 MAN black 220 - 250 V~ Bare Ends
L0.41005.I	True Blue ST5 P.O. black 220 - 250 V~ Bare Ends

LIGHT CONTROL

L2.41200.0 4-leaf barndoor, True Blue (413 mm / 16.3")

L2.81210.0 8-leaf barndoor (413 mm / 16.3")

L2.81230.0 Set of 4 scrims (400 mm / 15.8")

L2.81230.A Scrim, full single (400 mm / 15.8")

L2.81230.B Scrim, full double (400 mm / 15.8")

L2.81230.C Scrim, half single (400 mm / 15.8")

L2.81230.D Scrim, half double (400 mm / 15.8")

L2.81220.0 Filter frame (400 mm / 15.8")

L2.81225.0 Snoot (413 mm / 16.3") with variable aperture



SOFTBOXES

L2.89058.0	Chimera Lightbank Daylite Plus "M" incl. 3 front screens (8635)
L2.89059.0	Chimera Lightbank Daylite Plus "L" incl. 3 front screens (8645)
L2.89062.0	Speed Ring circular (9365) (411 mm / 16.2")

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)
------------	-------------------------------

STANDS

L2.8803225	Combo Alu Stand (A1035B)
L2.8800561	ARRI Wind-up Stand LS.6 (083NWA)
L2.76959.0	Wheel set with brakes, Ø 75 mm / M10 mount with brakes (104)
L2.88096.0	Wheel set with brakes, Ø 160 mm / M10 mount with brakes (374)

SAFETY

L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg
------------	--

LAMPS

L2.89214.0	Lamp 5000 W 230 V G38 CP85 (Osram)
------------	------------------------------------

MISCELLANEOUS

L2.34065.0	Conversion Kit from True Blue ST5 to Theater version: Theater cassette with barndoor insert
------------	--



TRUE BLUE ST1/2 THEATER



[Click here for more product related information | ARRI.com](#)

TRUE BLUE ST1/2 THEATER

Cable length approx. 1.5 m. Incl. spill light frame & theater cassette.
Without barndoor.

Ident.-No. Description

L1.40515.B	True Blue ST1/2 Theater MAN black 220 - 250 V~ Bare Ends
L1.40525.B	True Blue ST1/2 Theater MOT black 220 - 250 V~ Bare Ends

LIGHT CONTROL

L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7")
L2.39900.0	8-leaf barndoor, True Blue (245 mm / 9.7")
L2.33817.0	Filter frame for theater cassette (245 mm / 9.7")

SAFETY

L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg
------------	--

LAMPS

L2.89208.0	Lamp 1000 W 230 V G22 FKJ CP71 (Osram)
------------	--



TRUE BLUE ST5 THEATER



[Click here for more product related information | ARRI.com](#)

TRUE BLUE ST5 THEATER

Cable length approx. 1.5 m (MAN) & 3.0 m (MOT). Incl. spill light frame & theater cassette. Without barndoor.

Ident.-No. Description

L1.41015.B	True Blue ST5 Theater MAN black 220 - 250 V~ Bare Ends
L1.41025.B	True Blue ST5 Theater MOT black 220 - 250 V~ Bare Ends

LIGHT CONTROL

L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3")
L2.81210.0	8-leaf barndoor (413 mm / 16.3")
L2.34067.0	Spill Light frame (413 mm / 16.3")

SAFETY

L2.0014058	Safety cable (6 mm) 1 m, max. load 36 kg
------------	--

LAMPS

L2.89214.0	Lamp 5000 W 230 V G38 CP85 (Osram)
------------	------------------------------------



STUDIO T12

[Click here for more product related information | ARRI.com](#)

STUDIO T12

Cable length approx. 4.0 m.
Incl. 4-leaf barndoor.

Ident.-No.	Description
L0.82120.B	STUDIO T12 MAN blue/silver 220 - 250 V~ Bare Ends

LIGHT CONTROL

L2.82150.0	4-leaf barndoor (510 mm / 20.1")
L2.82160.0	Set of 4 scrims (495 mm / 19.5")
L2.82160.A	Scrim, full single (495 mm / 19.5")
L2.82160.B	Scrim, full double (495 mm / 19.5")
L2.82160.C	Scrim, half single (495 mm / 19.5")
L2.82160.D	Scrim, half double (495 mm / 19.5")
L2.82155.0	Filter frame (495 mm / 19.5")

SOFTBOXES

L2.89059.0	Chimera Lightbank Daylite Plus "L" incl. 3 front screens (8645)
L2.89063.0	Speed Ring circular (9435) (508 mm / 20.0")

MOUNTING

L2.76989.0	ARRI Swiveling C Clamp (C150)
L2.0000885	T12 Top latch for heavy accessories



STANDS

L2.8800561	ARRI Wind-up Stand LS.6 (083NWA)
L2.76959.0	Wheel set with brakes, Ø 75 mm / M10 mount with brakes (104)
L2.88096.0	Wheel set with brakes, Ø 160 mm / M10 mount with brakes (374)

SAFETY

L2.0014058	Safety cable (6 mm) 1 m, max. load 36 kg
------------	--



STUDIO T24



[Click here for more product related information | ARRI.com](#)

STUDIO T24

Cable length approx. 1.0 m.
Without barndoor.

Ident.-No. Description

L1.82270.B	STUDIO T24 MAN blue/silver 220 - 250 V~ International (VEAM)
L0.82270.D	STUDIO T24 Set MAN blue/silver 220 - 250 V~ International (VEAM)

LIGHT CONTROL

L2.71100.0	4-leaf barndoor (740 mm / 29.1")
L2.71115.0	Set of 4 scrims (740 mm / 29.1")
L2.71115.A	Scrim, full single (740 mm / 29.1")
L2.71115.B	Scrim, full double (740 mm / 29.1")
L2.71115.C	Scrim, half single (740 mm / 29.1")
L2.71115.D	Scrim, half double (740 mm / 29.1")
L2.71110.0	Filter frame (740 mm / 29.1")

SOFTBOXES

L2.89064.0	Speed Ring circular (9464) (735 mm / 29.0")
------------	---

CABLES

L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m, International connector (VEAM)
L2.82294.A	Head-to-Ballast/Dimmer cable 12/18/24 kW, 20 m, International connector (VEAM)
L2.82297.0	Mains cable 125 A / 230 V, 7 m, International connector (Cannon / CEE blue)



SAFETY

L2.0015517 Safety cable (10 mm) 1 m, max. load 100 kg

LAMPS

L2.89218.0 Lamp 20000 W 230 V G38 CP99 (Osram)

MISCELLANEOUS

L2.83396.0 Retrofit lampcarriage with fan for STUDIO T24 (200 V~ version)

L2.82296.0 Dimmer ADM 24, 24 kW, 230 V, with hour counter and option for remote control via 5 pin XLR* for 0..10 V controller, pre-heat function, international connector (VEAM), blue standard housing with handle

* No DMX applicable



This page is intentionally left blank.



PLA

PROFESSIONAL LIGHTING ACCESSORIES




Optics



Lamphead
Control



Diffusion,
Spill Rings ...



Conversion
Filters ...



Barndoors



Scrims &
Scrim Bags



Filter Frames




Softboxes ...



Grip




Cables



Stands,
Wheels ...



Cases



Lamps



Lenses



Event
Accessories ...



Other
Accessories





OPTICS

[Click here for more product related information | ARRI.com](#)



SKYPANEL X OPTICS

L2.0048580	X21 HyPer Optic	NEW
L2.0049578	Beam Enhancer Filter for X21 HyPer Optic	NEW
L2.0048643	X21 Dome	NEW
L2.0048578	S60 Adapter for X21	NEW

Orbiter OPTICS

L2.0033549	Orbiter Projection Optic 25° incl. gobo holder	NEW
L2.0033550	Orbiter Projection Optic 35° incl. gobo holder	NEW
L2.0033843	Orbiter Projection Optic - Goboholder	NEW
L2.0033841	Snoot for Orbiter Projection Optic 25°/35°	NEW
L2.0039436	Orbiter Fresnel Lens 15 - 65°	NEW
L2.0039438	Orbiter Dome Mini	NEW
L2.0039439	Orbiter Glass Cover	NEW
L2.0033542	Orbiter Open Face Optic 60° / Carton Box	
L2.0033541	Orbiter Open Face Optic 30° / Carton Box	
L2.0033540	Orbiter Open Face Optic 15° / Carton Box	
L2.0041133	Orbiter Open Face Kit incl. Bag, 15°, 30° & 60° Open Face Optics	



LAMPHEAD CONTROL

[Click here for more product related information | ARRI.com](#)



Orbiter


L2.0048844	ALL-WEATHER Control Panel (without cable, pouch, lanyard, D-ring, velcro)	
L2.0033732	Orbiter Control Panel (without Cable)	
L2.0033799	Cable for Control Panel, 5 m	
L2.0033800	Cable for Control Panel, 15 m	
L2.0033796	Control Panel Carrying Pouch	

STELLAR

-	Stellar *Use up to 5 fixtures free of charge	
---	---	--

SKYPANEL REMOTE

L2.0022690	SkyPanel Remote	
L2.0013861	SkyPanel Remote USB cable, 5 m	
L2.0013945	SkyPanel Remote Carrying Pouch	

**DIFFUSION, SPILL RINGS, SNOOTS & LOUVERS**

[Click here for more product related information | ARRI.com](#)

DIFFUSION FOR SKYPANEL

L2.0007325 Standard Diffusion for SkyPanel S30 107° HPA

L2.0007326 Heavy Diffusion for SkyPanel S30 114° HPA

L2.0007327 Lite Diffusion for SkyPanel S30 105° HPA

L2.0007823 Intensifier for SkyPanel S30-C 73° HPA

L2.0008189 Extra Diffusion Slot for SkyPanel S30

L0.0008468 Diffusion Kit S30 (Lite & Heavy Diffusor,
Intensifier & Panel Carrying Bag)

L2.0003345 Standard Diffusion for SkyPanel S60 107° HPA

L2.0003903 Heavy Diffusion for SkyPanel S60 114° HPA

L2.0003904 Lite Diffusion for SkyPanel S60 105° HPA

L2.0007818 Intensifier for SkyPanel S60-C 73° HPA

L2.0008188 Extra Diffusion Slot for SkyPanel S60

L0.0008461 Diffusion Kit S60 (Lite & Heavy Diffusor,
Intensifier & Panel Carrying Bag)

L2.0009501 Standard Diffusion for SkyPanel S120-C 107° HPA

L2.0009500 Heavy Diffusion for SkyPanel S120-C 114° HPA

L2.0009502 Lite Diffusion for SkyPanel S120-C 105° HPA

L2.0009503 Intensifier for SkyPanel S120-C 73° HPA

L2.0009681 Extra Diffusion Slot for SkyPanel S120-C

L0.0015070 Diffusion Kit S120-C (Lite & Heavy Diffusor,
Intensifier & Panel Carrying Bag)

L2.0015014 Standard Diffusion for SkyPanel S360-C 107° HPA

L2.0015013 Heavy Diffusion for SkyPanel S360-C 114° HPA

L2.0015016 Lite Diffusion for SkyPanel S360-C 105° HPA

L2.0015022 Intensifier for SkyPanel S360-C 73° HPA



DIFFUSION FOR M-SERIES

- L2.37208.0 Frosted glass (242 mm / 9.5") for M8
- L2.0001006 Frosted glass (330 mm / 13.0") for M18

SPILL RINGS / FRAMES

- L2.37207.0 Spill Ring (230 mm / 9.1") for M8
- L2.0008983 Spill Ring (329 mm / 12.9") for L10
- L2.37670.0 Spill Ring (330 mm / 13.0") for M18
- L2.37305.0 Spill Ring (400 mm / 15.8") for M40
- L2.37561.0 Spill Ring (571 mm / 22.5") for M90
- L2.34067.0 Spill frame (413 mm / 16.3")
for True Blue ST5 Theater
- L2.0012833 Spill frame for SkyPanel S120-C

SNOOTS

- L2.0008019 Snoot for SkyPanel S30
- L2.0007999 Snoot for SkyPanel S60
- L2.0009680 Snoot for SkyPanel S120-C
- L2.0016381 DoPchoice Snoot for SkyPanel S360-C
- L2.79390.0 Snoot (78 mm / 3.1") for ARRI 150
- L2.79180.0 Snoot (130 mm / 5.1") for ARRI 300 Plus
- L2.79480.0 Snoot (168 mm / 6.6") for Orbiter Open Face 30°
& 60°, L5 & ARRI 650 Plus
- L2.79680.0 Snoot (197 mm / 7.8") with variable aperture
for L7, True Blue D5 & True Blue T1
- L2.79880.0 Snoot (245 mm / 9.7") with variable aperture for
Orbiter Open Face 15°, M8, True Blue D12, True
Blue T2 & True Blue ST1
- L2.80975.0 Snoot (344 mm / 13.5") with variable aperture for
L10, M18, True Blue D25, Compact 2500 Theater,
True Blue T5 & ST2/3
- L2.81225.0 Snoot (413 mm / 16.3") with variable aperture for
M40, True Blue D40, Compact 4000 Theater &
True Blue ST5
- L2.37941.0 Snoot (740 mm / 29.1") with variable frame
for ARRIMAX 18/12

**LOUVERS**


L2.0008048	4-Chamber Eggcrate for SkyPanel S30
L2.0008064	Honeycomb 60° for SkyPanel S30
L2.0008065	Honeycomb 30° for SkyPanel S30
L2.0007977	8-Chamber Eggcrate for SkyPanel S60
L2.0008058	Honeycomb 60° for SkyPanel S60
L2.0008059	Honeycomb 30° for SkyPanel S60
L2.0009690	16-Chamber Eggcrate for SkyPanel S120-C
L2.0009561	Honeycomb 60° for SkyPanel S120-C
L2.0009562	Honeycomb 30° for SkyPanel S120-C
L2.0014979	Honeycomb 60° for SkyPanel S360-C
L2.0014978	Honeycomb 30° for SkyPanel S360-C

SKYBENDER

L2.0010271	SkyBender for SkyPanel S30-C
L2.0009611	SkyBender for SkyPanel S60-C
L2.0010352	SkyBender for SkyPanel S120-C



CONVERSION FILTERS, PHOSPHOR PANELS & PROTECTIVE GLASSES



[Click here for more product related information | ARRI.com](#)

CONVERSION FILTERS

L2.77180.0 ARRI filter pack (each 2 x Frost F2, Heavy Frost 129, Daylight Blue Frost 224, Daylight 3/4 Blue 201) for ARRILITE 750 & 2000 Plus

REMOTE PHOSPHOR

L2.0007520 Remote Phosphor Panel for S30-RP - 2,700 K

L2.0007521 Remote Phosphor Panel for S30-RP - 3,200 K

L2.0007522 Remote Phosphor Panel for S30-RP - 4,300 K

L2.0007523 Remote Phosphor Panel for S30-RP - 5,600 K

L2.0007524 Remote Phosphor Panel for S30-RP - 6,500 K

L2.0007789 Remote Phosphor Panel for S30-RP - 10,000 K

L2.0007525 Remote Phosphor Panel for S30-RP
Chroma Green

L2.0003347 Remote Phosphor Panel for S60-RP - 2,700 K

L2.0003348 Remote Phosphor Panel for S60-RP - 3,200 K

L2.0003349 Remote Phosphor Panel for S60-RP - 4,300 K

L2.0003350 Remote Phosphor Panel for S60-RP - 5,600 K

L2.0003346 Remote Phosphor Panel for S60-RP - 6,500 K

L2.0007778 Remote Phosphor Panel for S60-RP - 10,000 K

L2.0003351 Remote Phosphor Panel for SkyPanel S60-RP
Chroma Green

**PANEL CARRYING BAGS**

L2.0008309	Accessory Bag for SkyPanel S30 (for max. 4 diffusion panels or honeycombs)
L2.0008306	Accessory Bag for SkyPanel S60 (for max. 4 diffusion panels or honeycombs)
L2.0013780	Accessory Bag for SkyPanel S120-C (for max. 4 diffusion panels or honeycombs)

PROTECTIVE GLASSES

L2.71195.0	UV-protection glass Retrofit for ARRI Daylight 18/12; for the change from fresnel lens to UV-protection glass to get hard shadows
------------	---



BARNDOORS



[Click here for more product related information | ARRI.com](#)

4-LEAF BARNDOORS

L2.0008187	4-leaf barndoor for SkyPanel S30
L2.0007530	4-leaf barndoor for SkyPanel S60
L2.0010114	4-leaf barndoor for SkyPanel S120-C
L2.79380.0	4-leaf barndoor (78 mm / 3.1") for ARRI 150
L2.79170.0	4-leaf barndoor (130 mm / 5.1") for ARRI 300 Plus
L2.79470.0	4-leaf barndoor (168 mm / 6.6") for Orbiter Open Face 60° & 30°, L5, ARRILITE 750 Plus & ARRI 650 Plus
L2.79471.0	4-leaf barndoor, black/silver (168 mm / 6.6") for L5 & ARRI 650 Plus
L2.39670.0	4-leaf barndoor, True Blue (197 mm / 7.8") for L7, True Blue D5 & True Blue T1
L2.79670.0	4-leaf barndoor (197 mm / 7.8") for ARRISUN 5 Event
L2.76522.0	4-leaf barndoor (250 mm / 9.8") for ARRILITE 2000 Plus
L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7") for Orbiter Open Face 15°, M8, True Blue D12, True Blue T2, True Blue ST1 & ST1/2 Theater
L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5") for Orbiter Fresnel Lens 15 - 65°, L10, M18, ARRISUN 18 EVENT, True Blue D25, Compact 2500 Theater, True Blue T5 & ST2/3
L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3") for M40, True Blue D40, Compact 4000 Theater & True Blue ST5



4-LEAF BARNDOORS

L2.82150.0	4-leaf barndoor (510 mm / 20.1") for STUDIO T12
L2.37560.0	4-leaf barndoor (584 mm / 23.0") for M90
L2.71100.0	4-leaf barndoor (740 mm / 29.1") for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24

8-LEAF BARNDOORS

L2.79500.0	8-leaf barndoor (168 mm / 6.6") for Orbiter Open Face 60° & 30°, L5 & ARRI 650 Plus
L2.39700.0	8-leaf barndoor, True Blue (197 mm / 7.8") for L7, True Blue D5 & True Blue T1
L2.39900.0	8-leaf barndoor, True Blue (245 mm / 9.7") for Orbiter Open Face 15°, M8, True Blue D12, True Blue T2, True Blue ST1 & ST1/2 Theater

8-LEAF BARNDOORS

L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5") for Orbiter Fresnel Lens 15 - 65°, L10, M18, True Blue D25, Compact 2500 Theater, True Blue T5 & ST2/3
L2.81210.0	8-leaf barndoor (413 mm / 16.3") for M40, True Blue D40, Compact 4000 Theater & True Blue ST5

FLEXDOOR

L2.0013877	FlexDoor for SkyPanel S30
L2.0013878	FlexDoor for SkyPanel S60
L2.0012922	FlexDoor for SkyPanel S120-C



SCRIMS & SCRIM BAGS



[Click here for more product related information | ARRI.com](#)

SCRIMS

L2.73466.0	Set of 4 scrims (78 mm / 3.1") for ARRI 150
L2.73466.A	Scrim, full single (78 mm / 3.1") for ARRI 150
L2.73466.B	Scrim, full double (78 mm / 3.1") for ARRI 150
L2.73466.C	Scrim, half single (78 mm / 3.1") for ARRI 150
L2.73466.D	Scrim, half double (78 mm / 3.1") for ARRI 150

L2.79160.0	Set of 4 scrims (130 mm / 5.1") for ARRI 300 Plus
L2.79160.A	Scrim, full single (130 mm / 5.1") for ARRI 300 Plus
L2.79160.B	Scrim, full double (130 mm / 5.1") for ARRI 300 Plus
L2.79160.C	Scrim, half single (130 mm / 5.1") for ARRI 300 Plus
L2.79160.D	Scrim, half double (130 mm / 5.1") for ARRI 300 Plus

L2.79460.0	Set of 4 scrims (168 mm / 6.6") for ARRILITE 750 Plus & ARRI 650 Plus
L2.79460.A	Scrim, full single (168 mm / 6.6") for ARRILITE 750 Plus & ARRI 650 Plus
L2.79460.B	Scrim, full double (168 mm / 6.6") for ARRILITE 750 Plus & ARRI 650 Plus
L2.79460.C	Scrim, half single (168 mm / 6.6") for ARRILITE 750 Plus & ARRI 650 Plus
L2.79460.D	Scrim, half double (168 mm / 6.6") for ARRILITE 750 Plus & ARRI 650 Plus

**SCRIMS**

L2.79660.0	Set of 4 scrims (197 mm / 7.8") for True Blue D5 & True Blue T1
L2.79660.A	Scrim, full single (197 mm / 7.8") for True Blue D5 & True Blue T1
L2.79660.B	Scrim, full double (197 mm / 7.8") for True Blue D5 & True Blue T1
L2.79660.C	Scrim, half single (197 mm / 7.8") for True Blue D5 & True Blue T1
L2.79660.D	Scrim, half double (197 mm / 7.8") for True Blue D5 & True Blue T1

L2.79860.0	Set of 4 scrims (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1
L2.79860.A	Scrim, full single (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1
L2.79860.B	Scrim, full double (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1
L2.79860.C	Scrim, half single (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1
L2.79860.D	Scrim, half double (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1

L2.76950.0	Set of 4 scrims (254 mm / 10.0") for ARRILITE 2000 Plus
L2.76950.A	Scrim, full single (254 mm / 10.0") for ARRILITE 2000 Plus
L2.76950.B	Scrim, full double (254 mm / 10.0") for ARRILITE 2000 Plus
L2.76950.C	Scrim, half single (254 mm / 10.0") for ARRILITE 2000 Plus
L2.76950.D	Scrim, half double (254 mm / 10.0") for ARRILITE 2000 Plus



SCRIMS

L2.80980.0	Set of 4 scrims (330 mm / 13.0") for M18, True Blue D25, True Blue T5 & ST2/3
L2.80980.A	Scrim, full single (330 mm / 13.0") for M18, True Blue D25, True Blue T5 & ST2/3
L2.80980.B	Scrim, full double (330 mm / 13.0") for M18, True Blue D25, True Blue T5 & ST2/3
L2.80980.C	Scrim, half single (330 mm / 13.0") for M18, True Blue D25, True Blue T5 & ST2/3
L2.80980.D	Scrim, half double (330 mm / 13.0") for M18, True Blue D25, True Blue T5 & ST2/3
L2.81230.0	Set of 4 scrims (400 mm / 15.8") for M40, True Blue D40 & True Blue ST5
L2.81230.A	Scrim, full single (400 mm / 15.8") for M40, True Blue D40 & True Blue ST5
L2.81230.B	Scrim, full double (400 mm / 15.8") for M40, True Blue D40 & True Blue ST5
L2.81230.C	Scrim, half single (400 mm / 15.8") for M40, True Blue D40 & True Blue ST5
L2.81230.D	Scrim, half double (400 mm / 15.8") for M40, True Blue D40 & True Blue ST5
L2.82160.0	Set of 4 scrims (495 mm / 19.5") for STUDIO T12
L2.82160.A	Scrim, full single (495 mm / 19.5") for STUDIO T12
L2.82160.B	Scrim, full double (495 mm / 19.5") for STUDIO T12
L2.82160.C	Scrim, half single (495 mm / 19.5") for STUDIO T12
L2.82160.D	Scrim, half double (495 mm / 19.5") for STUDIO T12

**SCRIMS**

L2.0008688	Set of 4 scrims (571 mm / 22.5") for M90
L2.0008690	Scrim, full single (571 mm / 22.5") for M90
L2.0008689	Scrim, full double (571 mm / 22.5") for M90
L2.0008692	Scrim, half single (571 mm / 22.5") for M90
L2.0008691	Scrim, half double (571 mm / 22.5") for M90
L2.71115.0	Set of 4 scrims (740 mm / 29.1") for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24
L2.71115.A	Scrim, full single (740 mm / 29.1") for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24
L2.71115.B	Scrim, full double (740 mm / 29.1") for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24
L2.71115.C	Scrim, half single (740 mm / 29.1") for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24
L2.71115.D	Scrim, half double (740 mm / 29.1") for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24



SCRIM BAGS

L2.88908.1	Scrim Bag for 78 mm / 3.1" scrims (ARRI 150)
L2.88911.1	Scrim Bag for 130 mm / 5.1" scrims (ARRI 300 Plus)
L2.88912.1	Scrim Bag for 168 mm / 6.6" scrims (ARRILITE 750 Plus & ARRI 650 Plus)
L2.88913.1	Scrim Bag for 197 mm / 7.8" scrims (True Blue D5 & True Blue T1)
L2.88914.1	Scrim Bag for 230 mm / 9.1" scrims (M8, True Blue D12, True Blue T2 & True Blue ST1)
L2.88909.1	Scrim Bag for 254 mm / 10.0" scrims (ARRILITE 2000 Plus)
L2.88915.1	Scrim Bag for 330 mm / 13.0" scrims (M18, True Blue D25, True Blue T5 & ST2/3)
L2.88916.1	Scrim Bag for 400 mm / 15.8" scrims (M40, True Blue D40 & True Blue ST5)
L2.88917.1	Scrim Bag for 495 mm / 19.5" scrims (STUDIO T12)
L2.37563.1	Scrim Bag for 571 mm / 22.5" scrims (M90)
L2.89555.1	Scrim Bag for 740 mm / 29.1"scrims (ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24)



FILTER FRAMES



[Click here for more product related information | ARRI.com](#)

FILTER FRAMES - CIRCULAR SHAPE

L2.79395.0	Filter frame (78 mm / 3.1") for ARRI 150
L2.79190.0	Filter frame (130 mm / 5.1") for ARRI 350 Plus
L2.79490.0	Filter frame (168 mm / 6.6") for L5 & ARRI 650 Plus
L2.79690.0	Filter frame (197 mm / 7.8") for L7, True Blue D5 & True Blue T1
L2.79890.0	Filter frame (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1
L2.80970.0	Filter frame (330 mm / 13.0") for Orbiter Fresnel Lens 15 - 65°, L10, M18, True Blue D25, Compact 2500 Theater, True Blue T5 & ST2/3
L2.81220.0	Filter frame (400 mm / 15.8") for M40, True Blue D40, Compact 4000 Theater & True Blue ST5
L2.82155.0	Filter frame (495 mm / 19.5") for STUDIO T12
L2.71110.0	Filter frame (740 mm / 29.1") for STUDIO T24

FILTER FRAMES - SQUARE SHAPE

L2.33817.0	Filter frame for Theater cassette (245 mm / 9.7") for True Blue ST1/2 Theater
------------	--



SOFTBOXES, ACCESSORY HOLDERS & SPEED RINGS



[Click here for more product related information | ARRI.com](#)

SOFTBOXES FOR SKYPANEL X

L2.0049585	DoPchoice SNAPBOX®-SNOOT for X21	NEW
L2.0049580	DoPchoice SNAPBAG® for X21	NEW
L2.0049582	DoPchoice SNAPGRID® 30° for X21 & S60	NEW
L2.0008143	DoPchoice SnapGrid 40° for SNAPBAG® X21 & S60	
L2.0049583	Chimera Lightbank for X23	NEW

SOFTBOXES FOR Orbiter

L2.0033840	DoPchoice SnapBag S for Orbiter	
L2.0034270	DoPchoice SnapBag M for Orbiter	
L2.0038793	DoPchoice SnapGrid S 40° fits DoPchoice SnapBag S for Orbiter, Chimera Lightbank for S30, Chimera POP Bank for S60	
L2.0038791	DoPchoice SnapGrid M 40° fits DoPchoice SnapBag M for Orbiter	
L2.0034269	DoPchoice Octa 4 for Orbiter	
L2.0034266	DoPchoice Dome S for Orbiter	
L2.0034267	DoPchoice Dome M for Orbiter	
L2.0034268	DoPchoice Dome L for Orbiter	
L2.0033839	Chimera Lightbank S for Orbiter	
L2.0036058	Chimera Lightbank M for Orbiter	
L2.0034271	Chimera Octa 4 for Orbiter	
L2.0041050	EZ POP Soft Egg Crate 50° for Chimera Octa 4	
L2.0034621	Chimera Dome M for Orbiter	
L2.0034622	Chimera Dome L for Orbiter	
L2.0039437	Orbiter Bag-o-Light	NEW

**SOFTBOXES AND ACCESSORIES FOR SKYPANEL**

L2.0015899	Chimera Lantern with Skirt for S30
L2.0020498	Chimera POP Bank for S30
L2.0021388	Chimera Lightbank with Brackets for S30
L2.0008142	DoPchoice SnapGrid 40° for S30
L2.0008140	DoPchoice SnapGrid 40° for SnapBag S30
L2.0008141	DoPchoice SnapBag for S30
L2.0020274	DoPchoice Octa 4 for S30
L2.0035809	DoPchoice Octa 4 Eyelight Baffle
L2.0035808	DoPchoice Octa 4 Eyelight Magic Cloth
L2.0035807	DoPchoice Octa 4 Eyelight 1/4 Grid
L2.0020275	DoPchoice SnapGrid 40° for Octa 4
L2.0015900	Chimera Lantern with Skirt for S60
L2.0020499	Chimera POP Bank for S60
L2.0021390	Chimera Shallow Lightbank with Brackets for S60
L2.0021389	Chimera Lightbank with Brackets for S60
L2.0033435	Chimera Octa 5 for S60
L2.0008144	DoPchoice SnapGrid 40° for S60
L2.0008143	DoPchoice SNAPGRID® 40° for SNAPBAG® X21 & S60
L2.0008145	DoPchoice SnapBag for S60
L2.0016163	DoPchoice Octa 5 for 2x S60 (incl. Bracket)
L2.0020276	DoPchoice SnapGrid 40° for Octa 5
L2.0016160	DoPchoice Octa 7 for 2x S60 (incl. Bracket)
L2.0020277	DoPchoice SnapGrid 40° for Octa 7
L2.0013180	Chimera Lightbank with Brackets for S120-C
L2.0021309	Chimera POP Bank for S120-C
L2.0010382	DoPchoice SnapGrid 40x60° for S120-C
L2.0010383	DoPchoice SnapBag for S120-C
L2.0010381	DoPchoice SnapGrid for SnapBag S120-C

**SOFTBOXES AND ACCESSORIES FOR SKYPANEL**

L2.0016383	DoPchoice SnapGrid 40° for S360-C
L2.0016382	DoPchoice SnapBox for S360-C
L2.0020278	DoPchoice SnapBag 6'x6' for S360-C
L2.0020279	DoPchoice SnapGrid 40° for SnapBag S360-C
L2.0015977	Chimera Universal Brackets for SkyPanel (suitable for S30 / S60 / S120-C)
L2.0033951	Chimera Panel Lantern for S360-C
L2.0033950	Chimera POP Bank for S360-C



VIDEO PRO PLUS SOFTBOXES

- L2.76719.0 Chimera Lightbank Video Pro Plus "XS"
incl. 3 front screens (8115)
size: 16 x 22" / 40 x 55 cm; depth: 12" / 30 cm
(ARRI 300 Plus)
- L2.70844.0 Chimera Lightbank Video Pro Plus "S"
incl. 3 front screens (8125)
size: 24 x 32" / 60 x 80 cm; depth: 18" / 45 cm
(L5, L7, True Blue D5, ARRILITE 750 Plus, ARRI 300 Plus, ARRI 650 Plus & True Blue T1)

QUARTZ PLUS SOFTBOXES

- L2.89054.0 Chimera Lightbank Quartz Plus "S" incl. 3 front screens (8425) size: 24 x 32" / 60 x 80 cm; depth: 22" / 55 cm
(L10, M18, True Blue D25, D40, ARRILITE 2000 Plus, True Blue T5 & ST2/3)
- L2.89055.0 Chimera Lightbank Quartz Plus "M"
incl. 3 front screens (8435)
size: 36 x 48" / 90 x 120 cm; depth: 29" / 75 cm
(L10, M8, M18 & M40)
- L2.89056.0 Chimera Lightbank Quartz Plus "L"
incl. 3 front screens (8445)
size: 54 x 72" / 135 x 180 cm; depth: 38" / 95 cm
(ARRISUN 5 Event)

DAYLIGHT JUNIOR SOFTBOXES

- L2.89053.0 Chimera Lightbank Daylite Junior Plus "S"
incl. 3 front screens (8225)
size: 24 x 32" / 60 x 80 cm; depth: 27" / 70 cm
(L7, True Blue D5 & True Blue T1)
- L2.89058.0 Chimera Lightbank Daylite Plus "M"
incl. 3 front screens (8635)
size: 36 x 48" / 90 x 120 cm; depth: 40" / 100 cm
(True Blue D40, T5 & ST5)
- L2.89059.0 Chimera Lightbank Daylite Plus "L"
incl. 3 front screens (8645)
size: 54 x 72" / 135 x 180 cm; depth: 48" / 120 cm
(True Blue D40, T5, ST5 & STUDIO T12)



ACCESSORY HOLDERS & SPEED RINGS

L2.89067.0	Speed Ring circular (9640) (130 mm / 5.1") fits Video Pro Lightbanks (ARRI 300 Plus)
L2.89068.0	Speed Ring circular (9670) (168 mm / 6.6") fits Video Pro Lightbanks (L5 & ARRI 650 Plus)
L2.89074.0	Speed Ring circular metal (9670AL) (168 mm / 6.6") - fits Video Pro Lightbanks (ARRI 650 Plus)
L2.89069.0	Speed Ring circular (9672) (168 mm / 6.6") fits Daylite Junior Lightbanks (ARRI 650 Plus)
L2.76246.0	Speed Ring circular (9190) (197 mm / 7.8") fits Video Pro Lightbanks (L7, True Blue D5 & T1)
L2.89060.0	Speed Ring circular (9192) (197 mm / 7.8") fits Daylite Junior Lightbanks (L7, True Blue D5 & T1)
L2.76248.0	Speed Ring circular (9205) (245 mm / 9.7") fits Quartz/Daylite Lightbanks (M8, True Blue D12, True Blue T2 & True Blue ST1)
L2.89061.0	Speed Ring circular (9225) (255 mm / 10.0") fits Quartz/Daylite Lightbanks (ARRILITE 2000 Plus)
L2.76247.0	Speed Ring circular (9305) (343 mm / 13.5") fits Quartz/Daylite Lightbanks (L10, M18, True Blue D25, T5 & ST2/3)
L2.89062.0	Speed Ring circular (9365) (411 mm / 16.2") fits Quartz/Daylite Lightbanks (M40, True Blue D40 & True Blue ST5)
L2.89063.0	Speed Ring circular (9435) (508 mm / 20,0") for Quartz/Daylite Lightbanks (STUDIO T12)
L2.89077.0	Speed Ring circular (9445) (530 mm / 20,9") for Quartz/Daylite Lightbanks (ARRISUN 5 Event)
L2.37475.0	Speed Ring circular (9465) (581 mm / 22,9") for Quartz/Daylite Lightbanks (M90)
L2.89064.0	Speed Ring circular (9464) (735 mm / 29,0") for Daylite Senior Lightbanks (STUDIO T24)
L2.36780.0	Accessory Holder for ARRILITE 750 Plus



GRIP



[Click here for more product related information | ARRI.com](#)

CLAMPS

L2.30992.0	ARRI Swiveling / Noga Arm
L2.0038027	Mini Variable Friction Arm (Orbiter)
L2.76989.0	ARRI Swiveling C Clamp (C150)
L2.8803652	ARRI Super Clamp (035)
L2.88726.0	ARRI Quick Action Super Clamp - black (635)
L2.0005201	Ceiling Scissor Clamp with 5/8" spigot

ADAPTERS

L2.0033989	B-Mount Battery Adapter Plate (SkyPanel)
L2.0008070	V-Mount Battery Adapter Plate (SkyPanel)
L2.0008071	Battery Adapter Plate for Anton/Bauer (SkyPanel)
L2.0008082	Rail Mount Adapter for SkyPanel PSU
L2.0006921	Super Clamp Adapter for SkyPanel PSU
L2.0014566	Space Light Silk Mounting Adapter for S60
L2.88212.0	Double female adapter 16 mm - 17 mm Pin (E400) (LE.4000.A)

SPIGOTS

L2.40701.3	Spigot 28 mm, long, with flange & allen screw, fits profile stirrups without sleeve cuff
L2.40701.4	Spigot 28 mm with 16 mm socket, without flange, with screw (for stand operation)
L2.76986.0	Stud 16 mm with thread 3/8" (036-38), plugs into Superclamp (035)
L2.0005202	Baby Pin with 3/8" Threaded Stud

**OTHER**

L2.0036395	DoPchoice Bracket for 2x S60
L2.74144.0	Ballast mount bracket with 16 mm socket
L2.73408.0	Handgrip, 16 mm spigot size with thread 3/8", light weight
L2.0000885	T12 Top latch for heavy accessories

YOKES

L2.0048577	X21 Manual Yoke incl. Spigot	
L2.0049573	X Modular Yoke, incl. Spigot	
L2.0049570	X23 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power	
L2.0049577	X22 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power	
L0.0049837	X Modular System, incl. X Modular Yoke, X22 & X23 Modular Frames with Daisy Chain Cabling Ethernet & Power	
L2.0049276	SkyPanel X Twin Quick-Lock without Spigot/Clamp	
L2.0034025	Orbiter Manual Yoke with Spigot	
L2.0036642	Orbiter P.O. Yoke with Spigot	
L2.0008078	Center Mount Yoke (SkyPanel)	
L2.0008080	Fixed Center Mount Yoke (SkyPanel)	
L2.0014136	SkyPanel Side Handles (2 pcs.)	
L2.0015050	SkyPanel Center Mount Handling Kit (incl. Center Mount Yoke and SkyPanel Side Handles)	
L2.0008184	Double Vertical Yoke for SkyPanel S30	
L2.0008098	Double Vertical Yoke for SkyPanel S60	
L2.0010180	Double Vertical Yoke for SkyPanel S120-C	
L2.0015929	Short Yoke for SkyPanel S360-C (incl. Pin)	

**SAFETY CABLES**

L2.0008899	Safety cable (3 mm) 0.6 m, max. load 5 kg for ARRILITE 750 Plus, ARRI 150, ARRI 300 Plus & ARRI 650 Plus
L2.0020919	Safety cable (4 mm) 1 m, max. load 16 kg for S30, L5, L7, M8, M18, ARRISUN 5 Event, ARRISUN 18 Event, True Blue D5, D12, ARRILITE 2000 Plus, True Blue T1, T2, ST1 & ST1/2 Theater
L2.0007590	Safety cable (5 mm) 1 m, max. load 25 kg for Orbiter, S60, S120-C, L10, M40, True Blue D25, D40, T5, ST2/3 & ST5
L2.0014058	Safety cable (6 mm) 1 m, max. load 36 kg for Compact 2500 Theater, Compact 4000 Theater, STUDIO T12 & ST5 Theater
L2.0009000	Safety cable (8 mm) 1 m, max. load 64 kg for S360-C & M90
L2.0015517	Safety cable (10 mm) 1 m, max. load 100 kg for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24



CABLES

[Click here for more product related information | ARRI.com](#)



MAINS- & EXTENSION CABLES

L2.0001486	Mains cable, 3 m, powerCON TRUE1 TOP Schuko, with line switch	
L2.0003678	Mains cable, 3 m, powerCON TRUE1 TOP Chinese, with line switch	
L2.0008904	Mains cable, 3 m, powerCON TRUE1 TOP Japanese, with line switch	
L2.0024627	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch	
L2.0001487	Mains cable, 7 m, powerCON TRUE1 TOP Edison, with line switch	
L2.0001485	Mains cable, 1.5 m, powerCON TRUE1 TOP Bare Ends	
L2.0007516	Mains cable, 3 m, powerCON TRUE1 TOP Schuko	
L2.0007515	Mains cable, 3 m, powerCON TRUE1 TOP Edison	
L2.0049581	Mains cable, 3m, powerCON TRUE1 TOP for China 10A	NEW
L2.0007514	Mains cable, 3 m, powerCON TRUE1 TOP Chinese	
L2.0010231	Mains cable, 3 m, powerCON TRUE1 TOP Japan	
L2.0049579	Mains cable, 3m, powerCON TRUE1 TOP Australia	NEW
L2.0005974	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends / CE	
L2.0049452	Mains cable, 3m, powerCON TRUE1 TOP Bare Ends / UL	NEW

**MAINS- & EXTENSION CABLES**

L2.0015784	Mains cable S360-C, 3 m, powerCON 32A / Schuko	
L2.0015785	Mains cable S360-C, 3 m, powerCON 32A / Edison	
L2.0015786	Mains cable S360-C, 3 m, powerCON 32A / Chinese	
L2.0015787	Mains cable S360-C, 3 m, powerCON 32A / Japanese	
L2.0015788	Mains cable S360-C, 3 m, powerCON 32A / Bare Ends	
L2.82297.0	Mains cable 125 A / 230 V, 7 m, International connector (Cannon / CEE blue)	
L2.0049353	Daisy Chain Cable, 0.8 m powerCON TRUE1 TOP / CE	NEW
L2.0049357	Daisy Chain Cable, 0.8 m Ethernet	NEW
L2.0010633	Daisy Chain Cable, 3 m powerCON TRUE1 TOP/ CE	
L2.0012548	Daisy Chain Cable, 3 m powerCON TRUE1 TOP/ UL	
L2.0012663	Daisy Chain Cable, 3 m powerCON TRUE1 TOP/ Japanese	
L2.0033799	Cable for Control Panel, 5 m	
L2.0033800	Cable for Control Panel, 15 m	

POWER CABLES

L2.0007492	DC cable 0.5 m (XLR3) SkyPanel
L2.0007491	DC cable 1 m (XLR3) SkyPanel
L2.0007493	DC cable 3 m (XLR3) SkyPanel
L2.0007494	DC cable 10 m (XLR3) SkyPanel
L2.0007860	DC cable 15 m (XLR3) SkyPanel
L2.0016030	DC cable 5 m (4-Pin 30 A) SkyPanel S360-C
L2.0016031	DC cable 10 m (4-Pin 30 A) SkyPanel S360-C

**DMX CABLES**

L2.0033530	DMX data cable, 2,5 m (XLR 5)
L2.0033531	DMX data cable, 5 m (XLR 5)
L2.0033532	DMX data cable, 10 m (XLR 5)

HEAD-TO-BALLAST CABLES

L2.75600.0	Head-to-Ballast cable 575/800/1200/1800 W, 7 m, International connector (VEAM)
L2.75600.C	Head-to-Ballast cable 575/800/1200/1800 W, 15 m, International connector (VEAM)
L2.75620.0	Head-to-Ballast cable 2500/4000 W, 7 m, International connector (VEAM)
L2.75620.C	Head-to-Ballast cable 2500/4000 W, 15 m, International connector (VEAM)
L2.77940.0	Head-to-Ballast cable 6000/9000 W, 7 m, International connector (VEAM)
L2.77940.A	Head-to-Ballast cable 6000/9000 W, 15 m, International connector (VEAM)
L2.82294.0	Head-to-Ballast/Dimmer cable 12/18/24 kW, 15 m, International connector (VEAM)
L2.82294.A	Head-to-Ballast/Dimmer cable 12/18/24 kW, 20 m, International connector (VEAM)



STANDS, WHEELS & OPERATING POLES



[Click here for more product related information | ARRI.com](#)

LIGHTWEIGHT STANDS FOR KITS

- L2.76975.0 Small ARRI Kit Stand LS.1 (050KA) - black aluminium lightweight stand, 2 risers, height 73 - 230 cm, closed 67 cm, spigot 16 mm, max. load 5 kg (fit wheels: 110) for ARRI 150
- L2.76965.0 Compact ARRI Kit Stand LS.01 (050MKA) - black aluminium lightweight stand, 3 risers, height 90 - 260 cm, closed 76 cm, spigot 16 mm, max. load 5 kg (fit wheels: 110) for L5, ARRILITE 750 Plus, ARRI 150, ARRI 300 Plus & ARRI 650 Plus
- L2.76976.0 Medium ARRI Kit Stand LS.2 (050A) - black aluminium lightweight stand, 2 risers, height 110 - 260 cm, closed 88 cm, spigot 16 mm, max. load 5 kg (fit wheels: 110) for L5, ARRILITE 750 Plus, ARRILITE 2000 Plus, ARRI 300 Plus & ARRI 650 Plus

LIGHTING STANDS - ALUMINIUM

- L2.88717.0 Universal ARRI Cine Stand LS.4 (007BA) - black aluminium universal stand with levelling leg, 2 risers, height 124 - 315 cm, closed 122 cm, with 16 mm & 28 mm fitting, max. load 12 kg (fit wheels 110) for L7, True Blue D5, D12, True Blue T1, T2 & ST1
- L2.8803653 Master Stand (1004BAC) - black aluminium stand, 3 risers, height 124...366 cm, closed 107 cm, spigot 16 mm, max. load 9 kg for L7, ARRILITE 750 Plus, ARRILITE 2000 Plus & True Blue T1
- L2.8803225 Combo Alu Stand (A1035B) - black aluminium stand, 2 risers, height 168 - 350 cm, closed 142 cm, with 16 mm & 28 mm fitting, max. load 30 kg (fit wheels 90000A) for True Blue ST5



LIGHTING STANDS - STEEL

- L2.8803224 Combo Steel Stand (A1035CS) - chrome steel stand, 3 risers, height 168 - 350 cm, closed 142 cm, with 16 mm & 28 mm fitting, max. load 40 kg (fit wheels 90000A) for True Blue ST1
- L2.76979.0 Universal ARRI Steel Stand LS.5 (126A) - chrome steel universal stand, 2 risers, height 131 - 333 cm, closed 131 cm, with 16 mm & 28 mm fitting, max. load 40 kg (fit wheels: 110) for L10, M18, True Blue D25, True Blue T5 & ST2/3
- L2.8800561 ARRI Wind-up Stand LS.6 (083NWA) - chrome steel universal stand with geared column, wheels with brakes, 1 riser, height 139 - 247 cm, closed 153 cm, with 16 mm & 28 mm fitting, max. load 45 kg (fit wheels: 104, 251) for L10, M40, True Blue D40, ST5 & STUDIO T12

WHEELS FOR STANDS

- L2.88679.0 Wheel set with brakes, Ø 75 mm / 22 mm mount (110)
- L2.76959.0 Wheel set with brakes, Ø 75 mm / M10 mount with brakes (104)
- L2.88096.0 Wheel set with brakes, Ø 160 mm / M10 mount with brakes (374)

OPERATING POLES

- L2.89079.0 Operating pole 4 m (427B-4,0), 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 140 cm, max.: 400 cm
- L2.89080.0 Operating pole 6.5 m (427B-6,5), 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 199 cm, max.: 650 cm



CASES (EMPTY)

[Click here for more product related information | ARRI.com](#)



Orbiter CASES & BAGS

- L2.0034626 Orbiter Case (Offers space for Orbiter, Yoke, Antenna, Control Panel, Protective Cap, Cables, Barndoors, Rain Cover and Skid) / Hard, empty
- L2.0034624 Bag for Orbiter Optics (Offers space for 15°, 30°, 60° Open Face Optics and Protective Cap) / Soft, empty

SKYPANEL CASES

- L2.0010639 Case for SkyPanel S30 - Molded Single (88 x 16 x 59 cm / 34,6 x 6,3 x 23,2"), empty
- L2.0010640 Case for SkyPanel S30 - Molded Double (86 x 45 x 57 cm / 33,9 x 17,7 x 22,4"), empty
- L2.0023806 Case for SkyPanel S60 - Molded Single (EU) (90 x 31 x 76 cm / 35.4 x 12.2 x 29.9"), empty
- L2.0013694 Case for SkyPanel S120-C - Molded, Center M. (146 x 53 x 29 cm / 57,3 x 20,7 x 11,2"), empty
- L2.0013695 Case for SkyPanel S120-C - Molded, Manual (157 x 60 x 26 cm / 61.6 x 23.7 x 10.1"), empty
- L2.0016354 Case for SkyPanel S360-C - Hard, Single (166 x 54 x 143 cm / 65.3 x 21.2 x 56.1"), empty

SKYPANEL ACCESSORY BAGS

- L2.0008309 Accessory Bag for SkyPanel S30 (for max. 4 diffusion panels or honeycombs), empty
- L2.0008306 Accessory Bag for SkyPanel S60 (for max. 4 diffusion panels or honeycombs), empty
- L2.0013780 Accessory Bag for SkyPanel S120-C (for max. 4 diffusion panels or honeycombs), empty

**TRANSPORT CASES ARRILITE & TRUE BLUE**

L2.0005222	Heavy Duty Case for L5 LED Kit III, with wheels, empty (105 x 53 x 37 cm / 41.3 x 20.9 x 14.6")
L2.76956.P	Case for 2 lampheads, empty (70 x 39 x 37 cm / 27.6 x 15.4 x 14.6") for ARRILITE 2000 Plus & True Blue T1
L2.36806.R	Case for 3 lampheads (81 x 36 x 34 cm / 31.9 x 14.2 x 13.4"), with wheels, empty, for ARRILITE 750 Plus
L2.36806.0	Case for 3 lampheads (81 x 36 x 34 cm / 31.9 x 14.2 x 13.4"), empty, for ARRILITE 750 Plus
L2.36807.R	Case for 4 lampheads (100 x 40 x 34 cm / 39.4 x 15.8 x 13.4"), with wheels, empty, for ARRILITE 750 Plus



LAMPS

[Click here for more product related information | ARRI.com](#)



DAYLIGHT

L2.0003874	Lamp DIS 575 W/SE G22 UV-B (Koto) for ARRISUN 5 Event & True Blue D5
L2.89253L0	Lamp HMI Digital 575 W/SE G22 UVS (Osram) for ARRISUN 5 Event & True Blue D5
L2.0003872	Lamp DIS 800 W/SE G22 UV-B (Koto) for M8
L2.37240.0	Lamp HMI Digital 800 W/SE G22 UVS (Osram) for M8
L2.0003885	Lamp DIS 1200 W/SE G38 UV-B (Koto) for M18, ARRISUN 18 Event & True Blue D12
L2.89254L0	Lamp HMI Digital 1200 W/SE G38 UVS (Osram) for M18, ARRISUN 18 Event & True Blue D12
L2.0003884	Lamp DIS 1800 W/SE G38 (Koto) for M18 & ARRISUN 18 Event
L2.37590.0	Lamp HMI Digital 1800 W/SE G38 UVS (Osram) for M18
L2.0003883	Lamp DIS 2500 W/SE G38 UV-B (Koto) for M40, True Blue D25 & Compact 2500 Theater
L2.0048682	Lamp HMI Digital 2500 W/SE G38 UVS (Osram) for M40, True Blue D25 & Compact 2500 Theater
L2.0003882	Lamp DIS 4000 W/SE G38 HR UV (Koto) for M40, True Blue D40 & Compact 4000 Theater
L2.0048683	Lamp HMI Digital 4000 W/SE G38 UVS (Osram) for M40, True Blue D40 & Compact 4000 Theater
L2.0003881	Lamp DIS 6000 W/SE G38 UV-B (Koto) for Compact 6000 Plus, X60 & ARRISUN 60
L2.0048681	Lamp HMI Digital 6000 W/SE G38 UVS (Osram) for M90, Compact 6000 Plus, X60 & ARRISUN 60



DAYLIGHT

L2.0003879	Lamp DIS 9000 W/SE G38 HR (Koto) for M90
L2.37482.0	Lamp HMI Digital 9000 W/SE GX38 UVS (Osram) for M90
L2.0003880	Lamp DIS 12000 W/SE G38 UV-B (Koto) for ARRIMAX 18/12
L2.89261.0	Lamp HMI 12000 W/SE XS GX38 (Osram) for ARRIMAX 18/12
L2.0003877	Lamp DIS 18000 W/SE G51 (Koto) for ARRIMAX 18/12
L2.0047830	Lamp HMI Digital 18000 W/SE GX51 UVS (Osram) for ARRIMAX 18/12
L2.89260.0	Lamp HMI 18000 W/DE XS S30 (Osram) for ARRI Daylight 18/12

TUNGSTEN

L2.89202.0	Lamp 150 W 230 V GX6,35 (Osram) for ARRI 150
L2.89203.0	Lamp 300 W 240 V GY9,51 CP81 (Osram) for ARRI 300 Plus
L2.89205.0	Lamp 650 W 230 V GY9,5 FRL CP89 (Osram) for ARRI 650 Plus
L2.36800.0	Lamp 750 W / 230 V G9,5 2-Pin HPL (Osram) for ARRILITE 750 Plus
L2.89208.0	Lamp 1000 W 230 V G22 FKJ CP71 (Osram) for True Blue T1, ST1 & ST1/2 Theater
L2.89213.0	Lamp 2000 W 230 V G38 FKK CP73 (Osram) for True Blue T2 & ST2/3
L2.89212.0	Lamp 2000 W 230 V RX7s-21 FEX (Osram) for ARRILITE 2000 Plus
L2.89214.0	Lamp 5000 W 230 V G38 CP85 (Osram) for True Blue T5, ST5 & ST5 Theater
L2.89218.0	Lamp 20000 W 230 V G38 CP99 (Osram) for STUDIO T24



LENSES



[Click here for more product related information | ARRI.com](#)

DROP-IN LENSES

L0.77863.0 4 DROP-IN lens set (175 mm / 6.9") (spot, narrow flood, flood, super flood) for ARRISUN 5 Event

L2.77864.0 DROP-IN lens, spot, blue (175 mm / 6.9") for ARRISUN 5 Event

L2.77866.0 DROP-IN lens, narrow flood, small rectangle, black (175 mm / 6.9") for ARRISUN 5 Event

L2.77868.0 DROP-IN lens, flood, large rectangle, green (175 mm / 6.9") for ARRISUN 5 Event

L2.77870.0 DROP-IN lens, super flood, honeycomb, red (175 mm / 6.9") for ARRISUN 5 Event

L2.77872.0 DROP-IN lens, super flood frosted, honeycomb, silver (175 mm / 6.9") for ARRISUN 5 Event

DROP-IN LENSES

L0.76818.0 4 DROP-IN lens set (250 mm / 9.8"), incl. case (spot, narrow flood, flood, super flood) for ARRISUN 18 Event

L2.76821.0 DROP-IN lens, spot, blue (250 mm / 9.8") for ARRISUN 18 Event

L2.76822.0 DROP-IN lens, narrow flood, small rectangle, black (250 mm / 9.8") for ARRISUN 18 Event

L2.76823.0 DROP-IN lens, flood, large rectangle, green (250 mm / 9.8") for ARRISUN 18 Event

L2.76824.0 DROP-IN lens, super flood, honeycomb, red (250 mm / 9.8") for ARRISUN 18 Event

L2.76825.0 DROP-IN lens, super flood frosted, honeycomb, silver (250 mm / 9.8") for ARRISUN 18 Event

**DROP-IN LENSES**

L2.76867.0	DROP-IN lens, spot, blue (300 mm / 11.8") for AS 40
L2.76868.0	DROP-IN lens, narrow flood, small rectangle, black (300 mm / 11.8") for AS 40
L2.76869.0	DROP-IN lens, flood, large rectangle, green (300 mm / 11.8") for AS 40
L2.76870.0	DROP-IN lens, super flood, honeycomb, red (300 mm / 11.8") for AS 40
L2.76871.0	DROP-IN lens, super flood frosted, honeycomb, silver (300 mm / 11.8") for AS 40
L2.77923.0	DROP-IN lens, spot, blue (500 mm / 19.7") for ARRISUN 120
L2.77926.0	DROP-IN lens, narrow flood, small rectangle, black (500 mm / 19.7") for ARRISUN 120
L2.77924.0	DROP-IN lens, flood, large rectangle, green (500 mm / 19.7") for ARRISUN 120
L2.77925.0	DROP-IN lens, super flood, honeycomb, red (500 mm / 19.7") for ARRISUN 120
L2.77928.0	DROP-IN lens, super flood frosted, honeycomb, silver (500 mm / 19.7") for ARRISUN 120

LENS CASES

L2.76827.0	Lens case for 5 lenses up to Ø 330 mm / 13.0", empty (36 x 21 x 41 cm) for ARRISUN 18 Event
------------	---



OTHER ACCESSORIES

[Click here for more product related information | ARRI.com](#)



POWER SUPPLY

L2.0007735 Power Supply Unit for S30 - blue/silver


L2.0007886 Power Supply Unit for S30 - black

L2.0012491 Power Supply Unit for S60/S120-C - blue/silver

L2.0012492 Power Supply Unit for S60/S120-C - black

L2.0015249 Power Supply Unit for S360-C - blue/silver

CONVERSION KITS

L2.77572.2 Conversion Kit from M18 to AS18: PAR Reflector, three brackets and one top latch 

L2.37682.2 Conversion Kit from AS18 to M18: MAX Reflector, three brackets and one top latch

L2.37385.0 Conversion Kit from M40 to AS40: PAR Reflector, three brackets and one top latch

L2.37388.0 Conversion Kit from AS40 to M40: MAX Reflector, three brackets and one top latch

L2.33811.0 Conversion Kit from TRUE BLUE ST1 and T2 to theatre version: theatre cassette with barndoor insert (theatre cassette)

**CONVERSION KITS**

- | | |
|------------|--|
| L2.34065.0 | Conversion Kit from TRUE BLUE ST5 to theatre version: theatre cassette with barndoor insert (theatre cassette) |
| L2.83396.0 | Retrofit lampcarriage with fan for STUDIO T24 (200 V version) |

REFLECTOR

- | | |
|------------|---|
| L2.37940.0 | Spot reflector 8° - 15° HPA for ARRIMAX 18/12 |
|------------|---|

MISCELLANEOUS

- | | | |
|------------|---|------------|
| L2.0039421 | Orbiter Docking Ring | NEW |
| L2.0037805 | Orbiter Rain Cover | |
| L2.0034272 | Orbiter Skid silver | |
| L2.0039329 | Orbiter Skid black | |
| L2.0042990 | Rain Cover for S60 | NEW |
| L2.82296.0 | Dimmer ADM 24, 24 kW / 230 V, with lamp hour counter, XLR-5 pin connector for remote control, pre-heat function, international connector, blue standard housing with handle | |
| L2.36770.0 | Lamp cooling adapter for ARRILITE 750 Plus | |



This page is intentionally left blank.

DISCLAIMER OF WARRANTY



All deliveries, services, offers and contracts are exclusively subject to our currently applicable General Sale And Delivery Terms & Conditions for Merchants. Refer to the next page for further details.

Technical data, specifications, accessories, scope of delivery, prices and all other descriptions are subject to change without notice.

Photos presented may vary from actual products.

No Warranty. Changes in type and quantity, ability to deliver as well as errors and literal mistakes are reserved.

The conditions for the extended warranty can be found by clicking on the corresponding icon or via the following link: www.arri.com/lighting/extended-warranty

ARRI Sales Departments: www.arri.com/en/contact

ARRI, the ARRI logo, ARRIMAX, ARRISUN, EB, **LIOS**, L-Series, MAX Technology, M-Series, Orbiter, POCKETPAR, Quick Lighting Mount, QLM, True Blue, SkyPanel, SKYPANEL, Stellar, and T12 as well as the blue/silver color combination are registered trademarks of Arnold & Richter Cine Technik GmbH & Co. Betriebs KG.

© 2022 Arnold & Richter Cine Technik GmbH & Co. Betriebs KG. Reproduction and circulation in whole or in parts without prior permission is prohibited. All rights reserved.

Technical Service

Arnold & Richter Cine Technik GmbH & Co. Betriebs KG

Arriweg 17

83071 Stephanskirchen

Germany

Phone: +49 8036 - 3009 3009

Fax: +49 8036 - 3009 3030

E-Mail: service-lighting@arri.de

Web: www.arri.com



1. General Scope

The terms and conditions delineated herein shall be the sole terms and conditions which apply to all of ARRI's current and future business transactions. Unless ARRI has approved of such in writing, any terms or conditions which conflicts with, deviate from or modify the terms and conditions delineated herein shall not be binding on ARRI irrespective of whether ARRI had prior notice of such terms or conditions. ARRI hereby expressly objects to any such conflicting, deviating or modified terms or conditions.

2. Contract Formation

2.1 Any offers made by ARRI shall be without obligation and subject to change without notice provided that the parties have not agreed to a lock-up period.

2.2 The customer is bound to its order for a period of four weeks after its receipt by ARRI. A contract is deemed to exist upon the customer's receipt of ARRI's written confirmation regarding the order or the effective delivery of the applicable goods to the customer pursuant to the terms hereof.

2.3 The scope and type of delivery for an order shall be established solely through ARRI's written confirmation relating to such order. Any errors omissions in ARRI's sales prospectus, pricelists, offer documents or other related documentation may be amended without ARRI incurring any liability for damages or compensation in relation to such errors or omissions.

3. Payment, Set-Off, Withholding

3.1 The purchase price for the contract shall be that price which is specified by ARRI for such contract and shall apply ex works, exclusive of any valueadded tax; if the price is not indicated, the pricelist then in effect shall apply. If the sale has occurred through delivery to a place other than the place of performance (at the customer's request), any costs incurred for packaging, shipping, freight, customs or other related costs will be charged separately. If the customer fails to accept delivery when tendered by ARRI, it must nevertheless make payment.

3.2 In the event that the manufacturing costs for the contracted goods (including, but not limited to, wages, salaries, materials or production costs) rise subsequent to formation of the contract, ARRI shall have the right to increase the purchase price in accordance therewith.

3.3 Invoices from ARRI are due upon ARRI making the goods available to the customer and are payable without deductions within 10 days of the issuance thereof. Upon a default in payment, any overdue amounts will accrue interest at a rate of 8% above the basic interest rate. ARRI reserves its right to assert any further claims regarding damages resulting from a default.

3.4 The customer can offset its payments only if its counterclaim thereto have been judicially sustained or recognized by a declaratory judgment. A right to withholding shall only apply to counterclaims arising specifically from the contract which is the subject of such withholding.

4. Delivery

4.1 The dates for delivery and/or the making available of the goods are not binding unless a date for such has been agreed to in writing by ARRI.

4.2 ARRI is entitled to carry out advance and/or partial deliveries of the goods.

4.3 In the event that ARRI is unable to deliver or make the goods available to the customer due to events of force majeure lasting for a period of three months or more, ARRI's obligation to deliver or make the goods available shall be deemed extinguished in its entirety.

4.4 ARRI shall be entitled to postpone delivery or availability of the goods for the entire duration of the force majeure events.

4.5. Events of force majeure shall be deemed to be any events which are beyond ARRI's control and which make delivery impossible or unreasonably difficult, including, for example, strikes, lawful lockouts, war, import or export prohibitions, scarcity of energy supplies or raw materials, or the delayed delivery to ARRI of goods required for the performance of its obligations hereunder for reasons beyond ARRI's control. If ARRI is released from its obligations as described in Section 4.3 above, the customer shall be entitled to rescind the applicable contract. Compensation for damages for nonperformance can be claimed by the customer only if the default in delivery is due to ARRI's gross, negligence or is intentionally caused by ARRI.

5. Transfer of Risk

5.1 The risk of loss or damage to the goods passes to the buyer as soon as ARRI has dispatched the goods from its premises (i.e., plant, factory or warehouse) or upon the surrendering of the goods to the applicable carrier or to the customer itself, as the case may be. The above shall also apply in the event that ARRI serves as the carrier for the goods.

5.2. If the forwarding or collection of the goods is delayed due to reasons attributable to the customer, the risk of loss shall be transferred to the customer upon the readiness of the goods for dispatch.

6. Defective Goods

6.1 The customer must inspect the delivered goods immediately upon its receipt of such. The customer must notify ARRI in writing of any apparent defects within one week of the goods' receipt. ARRI must be notified of hidden defects in writing within two weeks of their emergence but in no event later than one year after delivery of such goods. In the event that the customer fails to meet the aforementioned notification obligations, the goods shall be deemed to have been accepted and the rights set forth in Sections 6.2 and 6.3 below shall not be in effect.

6.2 In the event that the customer has notified ARRI of defects in a timely manner and is thus eligible to make a claim for re-performance, ARRI shall have the right, at its own cost, either to remedy the defect or to redeliver conforming goods.

6.3. If ARRI twice fails to remedy a defect or if ARRI is otherwise unable to accomplish its re-performance obligation or fails to do so within a time period reasonably set forth by the customer, the customer shall be entitled to reduce the purchase price under the contract or to cancel the contract. Instead of seeking performance, the customer can make a claim for damages or for compensation for expenses. However, if the customer elects to rescind the contract it shall have no right to make any claim for damages with respect to the defective goods.

6.4 Provided that ARRI has not acted fraudulently, any claims of the customer regarding the goods shall become void and unenforceable one year after delivery of the applicable goods. 6.5 The prescription period of one year in Section 6.4 above shall be replaced by a prescription period of two years for goods from the product range „Light“ of ARRI that are distributed under the brand „ARRI“.

7. Liability

7.1 ARRI shall be liable for any damage hereunder caused by it intentionally or caused by its gross negligence.

7.2 In the event of simple negligence by ARRI, ARRI shall be liable only for ordinary and foreseeable damage arising from the contract, and only to the extent that ARRI has breached material contractual obligations. Further, in the event of simple negligence by ARRI, ARRI shall be liable for personal injury and/or health-related damage attributable to ARRI.

7.3 ARRI shall not be liable for consequential damages and unforeseen damages (including consequential damages resulting from defective goods) as well as loss of profits in the event it has acted with simple negligence.

7.4 ARRI shall be subject to no liability beyond that which is delineated in this Section 7.

7.5 To the extent that ARRI's liability is excluded or limited, such exclusion or limitation shall apply to any persons or entities employed by ARRI in the performance of its contractual obligations.

7.6 The limitations of liability delineated herein shall not apply to any legally prescribed strict liability, in particular any such strict liability arising from laws regarding guarantees or product warranties.

8. Retention of Title

8.1 Ownership of the delivered goods shall remain with ARRI until it has received full payment for such goods. Title to the goods shall first pass to the customer upon ARRI's receipt of all payments which are due under the current applicable contract.

8.2 Prior to obtaining title to the goods, the customer is not entitled to pledge, to assign by way of security, to process or to alter the goods. The customer is, however, authorized to sell the goods to third parties in the ordinary course of business unless a non-assignability agreement regarding the consideration exists between the customer and the third party. If a third party acquires an interest in the goods through a resale to such party, the customer agrees to assign to ARRI all of its correlating rights and claims against such third party. ARRI hereby accepts such assignment.

8.3 Any combination, amalgamation and/or processing of the goods (sections 947, 948 and 950 BGB [German Civil Code]) shall be deemed to have been made on behalf of ARRI. ARRI shall acquire title to the resulting product in the ratio of the invoiced value of the goods and services provided by ARRI to the total invoiced value of the resulting product. If the goods have been resold to a third party, the assignment of rights and claims performed in accordance with Section 8.2 above shall be valid solely up to the amount of the invoiced value of goods and services provided by ARRI.

8.4 Upon a default in payment by the customer, ARRI has the right to disclose to any applicable third party that it holds an interest in the goods pursuant to the assignment delineated above and to assert any of its claims directly. The customer is obligated to provide and deliver to ARRI all documentation required for the assertion of such claims. The customer must also make available to ARRI, completely and in a timely fashion, all information about any events that might affect the obligations described above.

9. Jurisdiction; Governing Law

9.1. The parties hereto agree that the exclusive jurisdiction for any transaction and/or contract between the parties is Munich, Germany.

9.2 The relationship of the parties hereto shall be exclusively governed by and in all respects construed in accordance with the laws of the Federal Republic of Germany with no application whatsoever of the United Nations sales law.

¹ Kaufleute as defined in the HGB [German Commercial Code]

Revision: 1st March 2022

Registered Office: Munich

Trade Register: Municipal Court Munich, HRA 57918

General Partner: Arnold & Richter Cine Technik GmbH & Co. Betriebs KG

Registered Office: Munich

Trade Register: Municipal Court Munich, HRB 54477

Managing Board: Dr. Matthias Erb, Lars Weyer

Chairman of the Advisory Board: Prof. Dr. Hans-Joerg Bullinger

VAT No: DE 129725260



www.ari.com