

Lighting – Product Catalog 08/2024

Americas V1.0

LED

Daylight

Ballasts

Tungsten

Professional Lighting Accessories




TABLE OF CONTENTS - QUICK NAVIGATION

SETS & KITS



LED Sets & Kits

LED



SkyPanel X



SkyPanel



Orbiter



L-Series Plus

TED



M-Series



True Blue D



ARRI Daylight
18/12



Electronic
Ballasts



ARRILITE Plus



ARRI Junior



True Blue T



True Blue ST



Studio T



True Blue ST
Theater

PLA



PLA



LED SETS & KITS

SkyPanel X Packages	8
S360-C Kits	10
Orbiter Sets	11

ACCESSORY PACK

Accessory Pack	12
----------------------	----

LED

SkyPanel X	16
SkyPanel S30-C	20
SkyPanel S60-C	24
SkyPanel S120-C	28
SkyPanel S360-C	32
Orbiter	36
L-Series L5-C Plus	42
L-Series L7-C Plus	46

DAYLIGHT

M-Series M8	52
M-Series M18	54
M-Series M40	56
M-Series M90	58
M-Series ARRIMAX 18/12	60



DAYLIGHT

True Blue D5	64
True Blue D12	66
True Blue D25	68
True Blue D40	70
ARRI Daylight 18/12	74

BALLASTS

Electronic Ballasts - Max Range	78
Electronic Ballasts - High Speed	78

TUNGSTEN

ARRILITE 750 Plus	80
ARRILITE 2000 Plus	81
ARRI 150	82
ARRI 300 Plus	83
ARRI 650 Plus	84
True Blue T1	86
True Blue T2	88
True Blue T5	90
True Blue ST1	92
True Blue ST2	94
True Blue ST5	96



TUNGSTEN

STUDIO T12	98
STUDIO T24	99
True Blue ST1/2 Theater	100
True Blue ST5 Theater	101

PLA - PROFESSIONAL LIGHTING ACCESSORIES


Optics	104
Lamphead Control	105
Diffusion, Spill Rings, Snoots & Louvers	106
Barndoors	109
Scrim & Scrim Bags	111
Filter Frames	114
Softboxes, Accessory Holders & Speed Rings	115
Grip	118
Cables	120
Stands & Operating Poles	122
Cases (empty)	123
Lamps	126
Lenses	128
Other Accessories	129



This page is intentionally left blank.



SETS & KITS



LED Sets & Kits



Tungsten Kits



LED SETS & KITS



SKYPANEL X PACKAGES

L0.0049599 X21 Soft & Hard Light Package (Edison)

- 1x L1.0048487 SkyPanel X, incl. X21 Dome
- 1x L2.0048580 X21 HyPer Optic
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0048577 X21 Manual Yoke incl. Spigot
- 1x L2.0007515 Mains cable, 3 m, powerCON TRUE1 TOP Edison (15 A)

L0.0051697 X21 Soft & Hard Light Package black (Edison)

- 1x L1.0048488 SkyPanel X black incl. X21 Dome
- 1x L2.0048580 X21 HyPer Optic
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0048577 X21 Manual Yoke incl. Spigot
- 1x L2.0007515 Mains cable, 3 m, powerCON TRUE1 TOP Edison (15 A)

L0.0049827 X22 Soft & Hard Light Package (Bare Ends UL)

- 2x L1.0048487 SkyPanel X, incl. X21 Dome
- 2x L2.0048580 X21 HyPer Optic
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0049573 X Modular Yoke, incl. Spigot
- 1x L2.0049577 X22 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power
- 1x L2.0049452 Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends / UL (20 A)



SKYPANEL X PACKAGES

L0.0049593 X23 Soft & Hard Light Package (Bare Ends UL)

- 3x L1.0048487 SkyPanel X, incl. X21 Dome
- 3x L2.0048580 X21 HyPer Optic
- 1x L2.0048844 ALL-WEATHER Control Panel
- 1x L2.0049573 X Modular Yoke, incl. Spigot
- 1x L2.0049570 X23 Modular Frame, incl. Daisy Chain Cabling
Ethernet & Power
- 1x L2.0049452 Mains cable, 3 m, powerCON TRUE1 TOP
Bare Ends / UL (20 A)



S360-C KITS

L0.0016335 S360-C Kit (Schuko / Edison)

- 1x S360-C, blue/silver
- 1x Carbon Fiber Yoke for S360-C (incl. Pin)
- 1x Short Yoke for S360-C (incl. Pin)
- 1x Standard Diffusion for S360-C
- 1x Heavy Diffusion for S360-C
- 1x Lite Diffusion for S360-C
- 1x Intensifier for S360-C
- 1x Honeycomb 60° for S360-C
- 1x Honeycomb 30° for S360-C
- 1x Power Supply Unit for S360-C
- 1x Super Clamp Adapter for SkyPanel PSU
- 1x Mains cable powerCON 32A, 3 m (Schuko)
- 1x Mains cable powerCON 32A, 3 m (Edison)
- 1x DC cable 5 m (4-Pin 30A) S360-C
- 1x Transportation Case for SkyPanel S360-C
- 1x SkyPanel Remote

L0.0019705 S360-C Kit (Bare Ends) - w/o Accessories

- 1x S360-C, blue/silver
- 1x Carbon Fiber Yoke for S360-C (incl. Pin)
- 1x Standard Diffusion for S360-C
- 1x Power Supply Unit for S360-C
- 1x Super Clamp Adapter for SkyPanel PSU
- 1x Mains cable powerCON 32A, 3 m (Bare Ends)
- 1x DC cable 5 m (4-Pin 30A) S360-C
- 1x Transportation Case for SkyPanel S360-C



ORBITER SETS

L0.0050676 Orbiter Beam Set (Bare Ends)

NEW

- 1x L1.0033520 Orbiter blue/silver
- 1x L2.0033732 Orbiter Control Panel (without Cable)
- 1x L2.0033800 Cable for Control Panel, 15 m
- 1x L2.0034025 Orbiter Manual Yoke with Spigot
- 1x L2.0024627 Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
- 1x L2.0048438 Orbiter Beam

L0.0050675 Orbiter Projection 25° Set (Bare Ends)

NEW

- 1x L1.0033520 Orbiter blue/silver
- 1x L2.0033732 Orbiter Control Panel (without Cable)
- 1x L2.0033800 Cable for Control Panel, 15 m
- 1x L2.0034025 Orbiter Manual Yoke with Spigot
- 1x L2.0024627 Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
- 1x L2.0033549 Orbiter Projection Optic 25° incl. gobo holder

L0.0050674 Orbiter Projection 35° Set (Bare Ends)

NEW

- 1x L1.0033520 Orbiter blue/silver
- 1x L2.0033732 Orbiter Control Panel (without Cable)
- 1x L2.0033800 Cable for Control Panel, 15 m
- 1x L2.0034025 Orbiter Manual Yoke with Spigot
- 1x L2.0024627 Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
- 1x L2.0033550 Orbiter Projection Optic 35° incl. gobo holder

L0.0050673 Orbiter Fresnel Set (Bare Ends)

NEW

- 1x L1.0033520 Orbiter blue/silver
- 1x L2.0033732 Orbiter Control Panel (without Cable)
- 1x L2.0033800 Cable for Control Panel, 15 m
- 1x L2.0034025 Orbiter Manual Yoke with Spigot
- 1x L2.0024627 Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
- 1x L2.0039436 Orbiter Fresnel Lens 15 - 65°



ACCESSORY PACK

LK.0005595 Accessory Pack (includes lamp pack Fresnel)

- 1x Accessory Pack Bag
- 1x Ditty Bag
- 1x Clothes Pins, 18 pack
- 1x 25' extension cable with triple tap
- 1x Lamp pack, Fresnel
- 1x Grip Gloves

LK.0005596 Accessory Pack (includes lamp pack ARRILITE & Fresnel)

Same as above but uses L2.0005259 Lamp Pack, ARRILITE & Fresnels



LED



SkyPanel X



SkyPanel



Orbiter














L-Series Plus



This page is intentionally left blank.



SKYPANEL X

Package Components		SkyPanel X21 Soft & Hard Light Package	SkyPanel X22 Soft & Hard Light Package	SkyPanel X23 Soft & Hard Light Package
SkyPanel X				
	SkyPanel X incl. X21 Dome	1	2	3
	X21 HyPer Optic	1	2	3
	X21 Manual Yoke incl. Spigot	1	-	-
	X Modular Yoke incl. Spigot	-	1	1
	X22 Modular Frame incl. Daisy Chain Cabling	-	1	-
	X23 Modular Frame incl. Daisy Chain Cabling	-	-	1
	ALL-WEATHER Control Panel	1	1	1
	3 m Mains Cable powerCON TRUE1 TOP	1	1	1



SkyPanel X

[Click here for more product related information | ARRI.com](#)



SkyPanel X | Packages

[See LED Sets & Kits for more details.](#)

L0.0049599	X21 Soft & Hard Light Package (Edison)	
L0.0051697	X21 Soft & Hard Light Package black (Edison)	NEW
L0.0049827	X22 Soft & Hard Light Package (Bare Ends UL)	
L0.0049593	X23 Soft & Hard Light Package (Bare Ends UL)	

SkyPanel X | Basic Configuration

L1.0048487	SkyPanel X incl. X21 Dome (does not include stirrup, cable, control panel)	
L1.0048488	SkyPanel X black incl. X21 Dome (does not include stirrup, cable, control panel)	NEW

OPTICS

L2.0048580	X21 HyPer Optic
L2.0048643	X21 Dome
L2.0048578	S60 Adapter for X21

LAMPHEAD CONTROL

L2.0048844	ALL-WEATHER Control Panel (without cable, pouch, lanyard, D-ring, velcro)
L2.0033799	Cable for Control Panel, 5 m
L2.0033800	Cable for Control Panel, 15 m
L2.0033796	Control Panel Carrying Pouch

LIGHT CONTROL

L2.0049578	Beam Enhancer Filter for X21 HyPer Optic
------------	--

**SOFTBOXES**

L2.0049585	DoPchoice SNAPBOX®-SNOOT for X21
L2.0049580	DoPchoice SNAPBAG® for X21
L2.0049582	DoPchoice SNAPGRID® 30° for X21
L2.0008143	DoPchoice SNAPGRID® 40° for SNAPBAG® X21 & S60

MOUNTING

L2.0048577	X21 Manual Yoke incl. Spigot	
L2.0048843	X21 P.O. Yoke incl. Spigot	NEW
L2.0049573	X Modular Yoke, incl. Spigot	
L2.0049570	X23 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power	
L2.0049577	X22 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power	
L0.0049837	X Modular System, incl. X Modular Yoke, X22 & X23 Modular Frames with Daisy Chain Cabling Ethernet & Power	
L2.0049276	SkyPanel X Twin Quick-Lock, without Spigot/Clamp	

CABLES

L2.0007515	Mains cable, 3 m, powerCON TRUE1 TOP Edison (15 A)
L2.0005974	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends / CE (16 A)
L2.0049452	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends / UL (20 A)
L2.0049353	Daisy Chain Cable, 0.8 m powerCON TRUE1 TOP / CE
L2.0049357	Daisy Chain Cable, 0.8 m Ethernet

TRANSPORT











L2.0050473	Case for SkyPanel X21, Yoke & Cables	NEW
L2.0050474	Case for SkyPanel X Accessories	NEW



This page is intentionally left blank.



SKYPANEL[®]

Kit Components		SkyPanel S30-C MAN	SkyPanel S30-C P.O.
SkyPanel S30			
	Aluminum Yoke with 16 mm / 28 mm Combo Pin	✓	-
	Steel Yoke with 28 mm Junior Pin P.O.	-	✓
	S30 PSU	✓	✓
	Standard Diffusion	✓	✓
	3 m DC Cable (3-Pin XLR)	✓	-
	1 m DC Cable (3-Pin XLR)	-	✓
	3 m Mains Cable powerCON TRUE1 TOP	✓	✓
	Rail Mount Adapter for SkyPanel PSU	✓	✓



SKYPANEL S30-C

[Click here for more product related information | ARRI.com](#)



FW
4



SKYPANEL S30-C

L0.0007711	S30-C MAN blue/silver (Edison)
L0.0009184	S30-C MAN black (Bare Ends)
L0.0007714	*S30-C P.O. blue/silver (Bare Ends)
L0.0007716	*S30-C P.O. black (Bare Ends)

**Pole Op versions are "Special Order Only" – No cancelations or returns*

DIFFUSION AND INTENSIFIER (see the following pages for more S30 accessories)

L2.0007325	Standard Diffusion for SkyPanel S30 107° HPA
L2.0007326	Heavy Diffusion for SkyPanel for S30 114° HPA
L2.0007327	Lite Diffusion for SkyPanel for S30 105° HPA
L2.0007823	Intensifier for SkyPanel S30-C 73° HPA
L0.0008468	Diffusion Kit S30 (Includes: Lite & Heavy Diffusion, Intensifier and Panel Carrying Bag)
L2.0008309	Accessory Bag for SkyPanel S30 (for max. 4 diffusion panels or honeycombs)

LAMPHEAD CONTROL

L2.0022690	SkyPanel Remote incl. 5m USB cable and pouch
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.0008187	4-leaf barndoor for SkyPanel S30
L2.0013877	FlexDoor for SkyPanel S30
L2.0008048	4-Chamber Eggcrate for SkyPanel S30

**LIGHT CONTROL**

L2.0008064	Honeycomb 60° for SkyPanel S30
L2.0008065	Honeycomb 30° for SkyPanel S30
L2.0008019	Snoot for SkyPanel S30
L2.0008189	Extra Diffusion Slot for SkyPanel S30
L2.0010271	SkyBender for SkyPanel S30-C

SOFTBOXES

L2.0008142	DoPchoice SnapGrid 40° for SkyPanel S30
L2.0008140	DoPchoice SnapGrid 40° for SnapBag S30
L2.0008141	DoPchoice SnapBag for SkyPanel S30
L2.0020274	DoPchoice Octa 4 for SkyPanel S30
L2.0035807	DoPchoice Octa 4 Eyelight 1/4 Grid
L2.0015899	Chimera Lantern with Skirt for SkyPanel S30
L2.0021388	Chimera Lightbank with Brackets for S30
L2.0038793	DoPchoice SnapGrid S 40° fits DoPchoice SnapBag S for Orbiter, Chimera Lightbank for S30, Chimera POP Bank for S60
L2.0015977	Chimera Universal Brackets for SkyPanel (suitable for S30 / S60 / S120)

MOUNTING

L2.0008078	Center Mount Yoke
L2.0008080	Fixed Center Mount Yoke
L2.0014136	SkyPanel Side Handles (2 pcs.)
L2.0008184	Double Vertical Yoke for SkyPanel S30
L2.0008082	Rail Mount Adapter for SkyPanel PSU
L2.0006921	Super Clamp Adapter for SkyPanel PSU
L2.0007929	Stirrup Manual S30
L2.0007935	Stirrup P.O. S30



CABLES

L2.0007492	DC cable 0.5 m (XLR3) SkyPanel
L2.0007491	DC cable 1 m (XLR3) SkyPanel
L2.0007493	DC cable 3 m (XLR3) SkyPanel
L2.0007494	DC cable 10 m (XLR3) SkyPanel
L2.0007860	DC cable 15 m (XLR3) SkyPanel
L2.0012548	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP/ UL
L2.0007515	Mains cable, 3 m, powerCON TRUE1 TOP Edison
L2.0005974	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends

SAFETY

L2.0005271	Safety Cable with Carabiner
------------	-----------------------------

TRANSPORT

L2.0010639	Case for SkyPanel S30 - Molded Single
------------	---------------------------------------

BATTERY ADAPTERS











L2.0033989	B-Mount Battery Adapter Plate
L2.0008070	V-Mount Battery Adapter Plate

POWER SUPPLY

L2.0007735	Power Supply Unit for SkyPanel S30 - blue/silver
L2.0007886	Power Supply Unit for SkyPanel S30 - black



SKYPANEL[®]

Kit Components		SkyPanel S60-C MAN	SkyPanel S60-C P.O.
SkyPanel S60			
	Aluminum Yoke with 28 mm Junior Pin	✓	-
	Steel Yoke with 28 mm Junior Pin P.O.	-	✓
	S60/S120 PSU	✓	✓
	Standard Diffusion	✓	✓
	3 m DC Cable (3-Pin XLR)	✓	-
	1 m DC Cable (3-Pin XLR)	-	✓
	3 m Mains Cable powerCON TRUE1 TOP	✓	✓
	Rail Mount Adapter for SkyPanel PSU	✓	✓



SKYPANEL S60-C

[Click here for more product related information | ARRI.com](#)



SKYPANEL S60-C

L0.0007063	S60-C MAN blue/silver (Edison)
L0.0008989	S60-C MAN black (Edison)
L0.0007066	*S60-C P.O. blue/silver (Bare Ends)
L0.0007067	*S60-C P.O. black (Bare Ends)

**Pole Op versions are "Special Order Only" – No cancelations or returns*

DIFFUSION AND INTENSIFIER (see the following pages for more S60 accessories)

L2.0003345	Standard Diffusion for SkyPanel S60 107° HPA
L2.0003903	Heavy Diffusion for SkyPanel S60 114° HPA
L2.0003904	Lite Diffusion for SkyPanel S60 105° HPA
L2.0007818	Intensifier for SkyPanel S60-C 73° HPA
L0.0008461	Diffusion Kit S60 (Lite & Heavy Diffusion, Intensifier & Panel Carrying Bag)
L2.0008306	Accessory Bag for SkyPanel S60 (for max. 4 diffusion panels or honeycombs)

LAMPHEAD CONTROL

L2.0022690	SkyPanel Remote incl. 5m USB cable and pouch
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.0007530	4-leaf barndoor for SkyPanel S60
L2.0013878	FlexDoor for SkyPanel S60
L2.0007977	8-Chamber Eggcrate for SkyPanel S60
L2.0008058	Honeycomb 60° for SkyPanel S60
L2.0008059	Honeycomb 30° for SkyPanel S60

**LIGHT CONTROL**

L2.0007999	Snoot for SkyPanel S60
L2.0008188	Extra Diffusion Slot for SkyPanel S60
L2.0009611	SkyBender for SkyPanel S60-C

SOFTBOXES

L2.0008144	DoPchoice SnapGrid 40° for SkyPanel S60
L2.0008143	DoPchoice SnapGrid 40° for SnapBag S60
L2.0008145	DoPchoice SnapBag for SkyPanel S60
L2.0016163	DoPchoice Octa 5 for 2x SkyPanel S60 (incl. Bracket)
L2.0020276	DoPchoice SnapGrid 40° for Octa 5
L2.0016160	DoPchoice Octa 7 for 2x SkyPanel S60 (incl. Bracket)
L2.0020277	DoPchoice SnapGrid 40° for Octa 7
L2.0015900	Chimera Lantern with Skirt for SkyPanel S60
L2.0020499	Chimera POP Bank for SkyPanel S60
L2.0038793	DoPchoice SnapGrid S 40° fits DoPchoice SnapBag S for Orbiter, Chimera Lightbank for S30, Chimera POP Bank for S60
L2.0021390	Chimera Shallow Lightbank with Brackets for S60
L2.0021389	Chimera Lightbank with Brackets for S60
L2.0015977	Chimera Universal Brackets for SkyPanel (suitable for S30 / S60 / S120)
L2.0033435	Chimera Octa 5 for SkyPanel S60

MOUNTING

L2.0008078	Center Mount Yoke
L2.0008080	Fixed Center Mount Yoke
L2.0014136	SkyPanel Side Handles (2 pcs.)
L2.0008098	Double Vertical Yoke for SkyPanel S60
L2.0008082	Rail Mount Adapter for SkyPanel PSU
L2.0006921	Super Clamp Adapter for SkyPanel PSU
L2.0014566	Space Light Silk Mounting Adapter for S60
L2.0008629	Stirrup Manual S60 (Aluminum Profile)



MOUNTING

L2.0007934	Stirrup P.O. S60
L2.0036395	DoPchoice Bracket for 2x S60

CABLES

L2.0007492	DC cable 0.5 m (XLR3) SkyPanel
L2.0007491	DC cable 1 m (XLR3) SkyPanel
L2.0007493	DC cable 3 m (XLR3) SkyPanel
L2.0007494	DC cable 10 m (XLR3) SkyPanel
L2.0007860	DC cable 15 m (XLR3) SkyPanel
L2.0012548	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP/ UL
L2.0007515	Mains cable, 3 m, powerCON TRUE1 TOP Edison
L2.0005974	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends

SAFETY

L2.0005271	Safety Cable with Carabiner
------------	-----------------------------

TRANSPORT

L2.0015848	Case for SkyPanel S60 - Molded Single US
------------	--

BATTERY ADAPTERS

L2.0033989	B-Mount Battery Adapter Plate
L2.0008070	V-Mount Battery Adapter Plate

POWER SUPPLY

L2.0012491	Power Supply Unit for SkyPanel S60/S120-C blue/silver
L2.0012492	Power Supply Unit for SkyPanel S60/S120-C black

MISCELLANEOUS

L2.0005113	Operating Pole for Pole Operated Fixtures extends to 12.5'
L2.0042990	Rain Cover for S60



SKYPANEL®

Kit Components		SkyPanel S120-C MAN	SkyPanel S120-C P.O.	SkyPanel S120-C Center Mount
SkyPanel S120-C				
	Aluminum Yoke with 28 mm Junior Pin	✓	-	-
	Steel Yoke with 28 mm Junior Pin P.O.	-	✓	-
	Center Mount Yoke & 2 Side Handles	-	-	✓
	S60/S120 PSU	✓	✓	✓
	Standard Diffusion	✓	✓	✓
	3 m DC Cable (3-Pin XLR)	✓	-	✓
	1 m DC Cable (3-Pin XLR)	-	✓	-
	3 m Mains Cable powerCON TRUE1 TOP	✓	✓	✓
	Rail Mount Adapter for SkyPanel PSU	✓	✓	-



SKYPANEL S120-C

[Click here for more product related information | ARRI.com](#)



SKYPANEL S120-C

L0.0012956	S120-C MAN blue/silver (Edison)
L0.0012950	S120-C Center Mount blue/silver (Edison)
L0.0013424	S120-C MAN black (Bare Ends)
L0.0012953	*S120-C P.O. blue/silver (Bare Ends)
L0.0012952	*S120-C P.O. black (Bare Ends)

**Pole Op Versions are "Special Order Only" – No cancelations or returns*

DIFFUSION AND INTENSIFIER

L2.0009501	Standard Diffusion for SkyPanel S120-C 107° HPA
L2.0009500	Heavy Diffusion for SkyPanel S120-C 114° HPA
L2.0009502	Lite Diffusion for SkyPanel S120-C 105° HPA
L2.0009503	Intensifier for SkyPanel S120-C 73° HPA
L0.0015070	Diffusion Kit S120-C (Lite & Heavy Diffusion, Intensifier & Panel Carrying Bag)

LAMPHEAD CONTROL

L2.0022690	SkyPanel Remote incl. 5m USB cable and pouch
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

**LIGHT CONTROL**

L2.0010114	4-leaf barndoor for S120-C
L2.0012922	FlexDoor for S120-C
L2.0009690	16-Chamber Eggcrate for S120-C
L2.0009561	Honeycomb 60° for S120-C
L2.0009562	Honeycomb 30° for S120-C
L2.0012833	Spill Frame for S120-C
L2.0010352	SkyBender for S120-C

SOFTBOXES

L2.0010382	DoPchoice SnapGrid 40x60° for S120-C
L2.0010383	DoPchoice SnapBag for S120-C
L2.0010381	DoPchoice SnapGrid 40° for SnapBag S120-C
L2.0013180	Chimera Lightbank with Brackets for S120-C
L2.0015977	Chimera Universal Brackets for SkyPanel (suitable for S30 / S60 / S120)

MOUNTING

L2.0008078	Center Mount Yoke
L2.0008080	Fixed Center Mount Yoke
L2.0014136	SkyPanel Side Handles (2 pcs.)
L2.0010180	Double Vertical Yoke for SkyPanel S120-C
L2.0008082	Rail Mount Adapter for SkyPanel PSU
L2.0006921	Super Clamp Adapter for SkyPanel PSU
L2.0010151	Stirrup Manual S120-C
L2.0009423	Stirrup P.O. S120-C



CABLES

L2.0007492	DC cable 0.5 m (XLR3) SkyPanel
L2.0007491	DC cable 1 m (XLR3) SkyPanel
L2.0007493	DC cable 3 m (XLR3) SkyPanel
L2.0007494	DC cable 10 m (XLR3) SkyPanel
L2.0007860	DC cable 15 m (XLR3) SkyPanel
L2.0012548	Daisy Chain Cable, 3 m, powerCON TRUE1 TOP/ UL
L2.0007515	Mains cable, 3 m, powerCON TRUE1 TOP Edison
L2.0005974	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends

SAFETY

L2.0005271	Safety Cable with Carabiner
------------	-----------------------------

TRANSPORT

L2.0013694	Case for SkyPanel S120-C - Molded Center Mount
------------	--

BATTERY ADAPTERS

L2.0033989	B-Mount Battery Adapter Plate
L2.0008070	V-Mount Battery Adapter Plate

POWER SUPPLY

L2.0012491	Power Supply Unit for SkyPanel S60/S120-C blue/silver
L2.0012492	Power Supply Unit for SkyPanel S60/S120-C black

MISCELLANEOUS

L2.0005113	Operating Pole for Pole Operated Fixtures extends to 12.5'
------------	---



SKYPANEL®

Kit Components		SkyPanel S360-C Standard Diffusion	SkyPanel S360-C Intensifier	SkyPanel S360-C Kit (Complete)	SkyPanel S360-C Kit w/o Accessories
SkyPanel S360-C					
	Carbon Fibre Yoke with 28 mm Junior Pin	✓	✓	✓	✓
	Steel Yoke with 28 mm Junior Pin (Short Yoke)	-	-	✓	-
	S360-C PSU	✓	✓	✓	✓
	Lite Diffusion	-	-	✓	-
	Standard Diffusion	✓	-	✓	✓
	Heavy Diffusion	-	-	✓	-
	Intensifier	-	✓	✓	-
	Honeycomb 30°	-	-	✓	-
	Honeycomb 60°	-	-	✓	-
	5 m DC Cable (4-Pin Metal Locking)	✓	✓	✓	✓
	3 m UL Mains Cable powerCON 32 A (Edison)	-	-	✓	-
	3 m Mains Cable powerCON 32 A (Schuko)	✓	✓	✓	-
	3 m Mains Cable powerCON 32 A (Bare E.)	-	-	-	✓
	Super Clamp Adapter for SkyPanel PSU	✓	✓	✓	✓
	SkyPanel Remote Control (incl. 5m cable)	-	-	✓	-
	Case with wheels	-	-	✓	✓



SKYPANEL S360-C

[Click here for more product related information | ARRI.com](#)



SKYPANEL S360-C

[See LED Sets & Kits for more details.](#)

L0.0016325	S360-C Standard Diffusion blue/silver (Edison)
L0.0016329	S360-C Standard Diffusion blue/silver (Bare Ends)
L0.0016330	S360-C Intensifier blue/silver (Edison)
L0.0016334	S360-C Intensifier blue/silver (Bare Ends)
L0.0016335	S360-C Kit (Complete) blue/silver (Edison&Schuko)
L0.0019705	S360-C Kit w/o Accessories blue/silver (Bare Ends)

DIFFUSION AND INTENSIFIER

L2.0015014	Standard Diffusion for SkyPanel S360-C 107° HPA
L2.0015013	Heavy Diffusion for SkyPanel S360-C 114° HPA
L2.0015016	Lite Diffusion for SkyPanel S360-C 105° HPA
L2.0015022	Intensifier for SkyPanel S360-C 73° HPA

LAMPHEAD CONTROL

L2.0022690	SkyPanel Remote incl. 5m USB cable and pouch
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.0014979	Honeycomb 60° for S360-C
L2.0014978	Honeycomb 30° for S360-C
L2.0016383	DoPchoice SnapGrid 40° for S360-C
L2.0016382	DoPchoice SnapBox for S360-C



SOFTBOXES

L2.0020278	DoPchoice SnapBag 6'x6' for S360-C
L2.0020279	DoPchoice SnapGrid 40° for SnapBag S360-C
L2.0033951	Chimera Panel Lantern for S360-C
L2.0033950	Chimera POP Bank for S360-C

MOUNTING

L2.0006921	Super Clamp Adapter for SkyPanel PSU
L2.0015929	Short Yoke for SkyPanel S360-C (incl. Pin)

CABLES

L2.0016030	DC cable 5 m (4-Pin 30A) SkyPanel S360-C
L2.0016031	DC cable 10 m (4-Pin 30A) SkyPanel S360-C
L2.0015785	Mains cable S360-C, 3 m, powerCON 32A / Edison
L2.0015788	Mains cable S360-C, 3 m, powerCON 32A / Bare Ends

TRANSPORT

L2.0016354	Case for SkyPanel S360-C - Hard, Single
------------	---

POWER SUPPLY

L2.0015249	Power Supply Unit for SkyPanel S360-C blue/silver
------------	--



This page is intentionally left blank.



Orbiter[®]



Orbiter[®] Configuration Guide - How to set up your Orbiter before purchase

1 Fixture Color



Blue/Silver

Black

2 Yoke Type



MAN

P.O.

3 Power Cables



Mains Cables

Daisy Chain Cables

4 Control



Including Control Panel

Without Control Panel

5 Optics, Domes & Softboxes



Beam

Open Face

Fresnel

Projection

Glass Cover

Domes

Bag-o-Light

Softboxes

6 Accessories for Optics



For Open Face, Fresnel and Projection

For Softboxes

Docking Ring for third-party Optics

7 Transport



Case

Bags

8 Miscellaneous



Grip & Mounting

Protection & Safety

This ARRI Product Information (86.D037628) is published by Arnold & Richter Cine Technik, February 2024 © ARRI/2024. Technical data and offerings are subject to change without notice. All rights reserved. Without any warranty. Not binding 02/2024. ARRI, Orbiter, Quick Lighting Mount, QLM, and LIOS as well as the blue/silver color combination are registered trademarks of Arnold & Richter Cine Technik GmbH & Co. Betriebs KG.

Find a complete product overview on www.arri.com/orbiter/accessories



Orbiter

[Click here for more product related information | ARRI.com](#)



Orbiter | Sets

[See LED Sets & Kits for more details.](#)

L0.0050676	Orbiter Beam Set (Bare Ends)	NEW
L0.0050675	Orbiter Projection 25° Set (Bare Ends)	NEW
L0.0050674	Orbiter Projection 35° Set (Bare Ends)	NEW
L0.0050673	Orbiter Fresnel Set (Bare Ends)	NEW

Orbiter | Basic Configuration


Contains Protective Cap and Antenna only, no Mains Cable included!

L1.0033520	Orbiter blue/silver without Yoke, Optic, Control Panel, Control Panel Cable and Mains Cable
L1.0033521	Orbiter black without Yoke, Optic, Control Panel, Control Panel Cable and Mains Cable

OPTICS

L2.0048438	Orbiter Beam	NEW
L2.0033549	Orbiter Projection Optic 25° incl. gobo holder	
L2.0033550	Orbiter Projection Optic 35° incl. gobo holder	
L2.0039436	Orbiter Fresnel Lens 15 - 65°	
L2.0039438	Orbiter Dome Mini	
L2.0039439	Orbiter Glass Cover	
L2.0033542	Orbiter Open Face Optic 60° Single / Carton Box	
L2.0033541	Orbiter Open Face Optic 30° Single / Carton Box	
L2.0033540	Orbiter Open Face Optic 15° Single / Carton Box	
L2.0041133	Orbiter Open Face Kit incl. Bag, 15°, 30° & 60° Open Face Optics	

**LAMPHEAD CONTROL**

L2.0048844	ALL-WEATHER Control Panel (without cable, pouch, lanyard, D-ring, velcro)
L2.0033732	Orbiter Control Panel (without Cable) 
L2.0033799	Cable for Control Panel, 5 m
L2.0033800	Cable for Control Panel, 15 m
L2.0033796	Control Panel Pouch

LIGHT CONTROL

L2.0033843	Orbiter Projection Optic - Goboholder
L2.0033841	Snoot for Orbiter Projection Optic 25°/35°
L2.79470.0	4-leaf barndoor (168 mm / 6.6") fits Open Face Optics 30° & 60°
L2.79500.0	8-leaf barndoor (168 mm / 6.6") fits Open Face Optics 30° & 60°
L2.79480.0	Snoot (168 mm / 6.6") fits Open Face Optics 30° & 60°
L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7") fits Open Face Optic 15°
L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5") fits Orbiter Fresnel Lens 15 - 65°
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5") fits Orbiter Fresnel Lens 15 - 65°

**SOFTBOXES**

L2.0033839	Chimera Lightbank S for Orbiter
L2.0036058	Chimera Lightbank M for Orbiter
L2.0034271	Chimera Octa 4 for Orbiter
L2.0041050	EZ POP Soft Egg Crate 50° for Chimera Octa 4
L2.0034621	Chimera Dome M for Orbiter
L2.0034622	Chimera Dome L for Orbiter
L2.0033840	DoPchoice SnapBag S for Orbiter
L2.0034270	DoPchoice SnapBag M for Orbiter
L2.0038793	DoPchoice SnapGrid S 40° fits DoPchoice SnapBag S for Orbiter, Chimera Lightbank for S30, Chimera POP Bank for S60
L2.0038791	DoPchoice SnapGrid M 40° fits DoPchoice SnapBag M for Orbiter
L2.0034269	DoPchoice Octa 4 for Orbiter
L2.0035807	DoPchoice Octa 4 Eyelight 1/4 Grid
L2.0034266	DoPchoice Dome S for Orbiter
L2.0034267	DoPchoice Dome M for Orbiter
L2.0034268	DoPchoice Dome L for Orbiter
L2.0039437	Orbiter Bag-o-Light

MOUNTING

L2.0034025	Orbiter Manual Yoke with Spigot
L2.0036642	Orbiter P.O. Yoke with Spigot

CABLES

L2.0024627	Mains cable, 3 m, powerCON TRUE1 TOP Bare Ends, with line switch
L2.0001487	Mains cable, 7 m, powerCON TRUE1 TOP Edison, with line switch
L2.0001485	Mains cable, 1.5 m, powerCON TRUE1 TOP Bare Ends



TRANSPORT

- L2.0034626 Orbiter Case (Offers space for Orbiter, Yoke, Antenna, Control Panel, Protective Cap, Cables, Barndoors, Rain Cover and Skid) / Hard, empty
- L2.0034624 Bag for Orbiter Open Face Optics (Offers space for 15°, 30°, 60° Open Face Optics and Protective Cap) / Soft, empty

MISCELLANEOUS

- L2.0039421 Orbiter Docking Ring
- L2.0034272 Orbiter Skid silver
- L2.0039329 Orbiter Skid black
- L2.0037805 Orbiter Rain Cover
- L2.0048935 Orbiter Accessories Protection Cap 



This page is intentionally left blank.



L-SERIES ^{ARRI} PLUS

Kit Components		L5-C Plus MAN	L5-C Plus P.O.
L-Series L5-C Plus			
	Yoke with 16 mm / 28 mm Combo Pin	✓	-
	Yoke with 28 mm Junior Pin P.O.	-	✓



L-SERIES L5-C PLUS

[Click here for more product related information | ARRI.com](#)



PW
4.5

Extended
Warranty

L-SERIES L5-C PLUS

No mains cable or other accessories included.

L1.0048800	L5-C Plus blue/silver incl. yoke and spigot	NEW
L1.0048801	L5-C Plus black incl. yoke and spigot	NEW
L1.0048802	L5-C Plus P.O. blue/silver incl. yoke and spigot	NEW
L1.0048803	L5-C Plus P.O. black incl. yoke and spigot	NEW

LAMPHEAD CONTROL

L2.0022690	SkyPanel Remote
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.79470.0	4-leaf barndoor (168 mm / 6.6")
L2.79500.0	8-leaf barndoor (168 mm / 6.6")
L2.79490.0	Filter frame (168 mm / 6.6")
L2.79480.0	Snoot (168 mm / 6.6")

LIGHT CONTROL

L2.0005119	6 5/8" Full Single Scrim
L2.0005120	6 5/8" Half Single Scrim
L2.0005121	6 5/8" Full Double Scrim
L2.0005122	6 5/8" Half Double Scrim
L2.0005251	Scrim Bag 6 5/8 - 7 3/4"



MOUNTING

L2.0005282	Junior Pipe Clamp
L2.0005284	Baby Pipe Clamp
L2.0005283	Mega-Swivel™ Pipe Clamp w/Bolt

CABLES

L2.0001485	Mains Cable PowerCon TRUE1 TOP 5' (1.5m) Bare Ends
L2.0001487	Mains Cable PowerCon TRUE1 TOP 23' (7m) with Switch and U-Ground (Edison)

MISCELLANEOUS

L2.0051206	DMX Adapter Set, 0.2 m Set of 3: RJ45/DMX In, RJ45/DMX Out, RJ45/RJ45	
L2.0005113	Operating Pole for Pole Operated Fixtures (2.7 lbs.) extends to 12.5'	

SAFETY





L2.0005271	Safety Cable with Carabiner
------------	-----------------------------



This page is intentionally left blank.



L-SERIES ^{ARRI} PLUS

Kit Components		L7-C Plus MAN	L7-C Plus P.O.
L-Series L7-C Plus			
	Yoke with 28 mm Junior Pin	✓	-
	Yoke with 28 mm Junior Pin P.O.	-	✓



L-SERIES L7-C PLUS

[Click here for more product related information | ARRI.com](#)



FW
4.5



L-SERIES L7-C PLUS

No mains cable or other accessories included.

L1.0048804	L7-C Plus blue/silver incl. yoke and spigot	NEW
L1.0048805	L7-C Plus black incl. yoke and spigot	NEW
L1.0048806	L7-C Plus P.O. blue/silver incl. yoke and spigot	NEW
L1.0048807	L7-C Plus P.O. black incl. yoke and spigot	NEW

LAMPHEAD CONTROL

L2.0022690	SkyPanel Remote
L2.0013861	SkyPanel Remote USB cable, 5 m
L2.0013945	SkyPanel Remote Carrying Pouch

LIGHT CONTROL

L2.39670.0	4-leaf barndoor, True Blue (197 mm / 7.8")
L2.39700.0	8-leaf barndoor, True Blue (197 mm / 7.8")
L2.79690.0	Filter frame (197 mm / 7.8")
L2.79680.0	Snoot (197 mm / 7.8")

LIGHT CONTROL

L2.0005096	7 3/4" Full Single Scrim
L2.0005097	7 3/4" Half Single Scrim
L2.0005098	7 3/4" Full Double Scrim
L2.0005099	7 3/4" Half Double Scrim
L2.0005251	Scrim Bag 6 5/8 - 7 3/4"



MOUNTING

L2.0005282	Junior Pipe Clamp
L2.0005283	Mega-Swivel™ Pipe Clamp w/Bolt

CABLES

L2.0001485	Mains Cable PowerCon TRUE1 TOP 5' (1.5m) Bare Ends
L2.0001487	Mains Cable PowerCon TRUE1 TOP 23' (7m) with Switch and U-Ground (Edison)

TRANSPORT

L2.0005165	*Lamphead Case L7 (21"x17"x29")
------------	---------------------------------

**Denotes "Special Order Only" - Not subject to cancelations or returns*

SAFETY

L2.0005271	Safety Cable with Carabiner
------------	-----------------------------

MISCELLANEOUS


L2.0051206	DMX Adapter Set, 0.2 m Set of 3: RJ45/DMX In, RJ45/DMX Out, RJ45/RJ45	
L2.0005113	Operating Pole for Pole Operated Fixtures extends to 12.5'	



This page is intentionally left blank.



DAYLIGHT



M-Series



True Blue D














ARRI Daylight 18/12



This page is intentionally left blank.



M-SERIES

Ballast Compatibility		M-Series M8	M-Series M18	M-Series M40	M-Series M90	ARRIMAX 18/12
M-Series						
Fixture cable length (approx.)		0.5 m	0.5 m	0.5 m	0.6 m	0.6 m
	EB MAX	EB MAX 1.8	✓	✓	-	-
		EB MAX 2.5/4	-	-	✓	-
		EB MAX 6/9	-	-	-	✓
		EB MAX 12/18	-	-	-	-
	HS	EB 575/800 HS	✓	-	-	-
		EB 12/18K HS ARRI/CMC	-	-	-	-



M-SERIES M8

[Click here for more product related information | ARRI.com](#)



M-SERIES M8

L0.0006566 *M8 HMI System I High Speed

L1.37200.B M-Series M8 MAN blue/silver International (VEAM)

**Systems include: Head, Barndoor, 50' Head/Ballast Cable and AC Electronic Ballast*

ELECTRONIC BALLASTS - MAX RANGE

L2.0014189 EB MAX 1.8, 575/800/1200/1800W,
ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz,
International (VEAM), 115/230 V~ Bare Ends

ELECTRONIC BALLASTS - HIGH SPEED

L2.0001687 EB 575/800 HS, ALF CCL DMX, 50/60/75/1000 Hz,
International (VEAM), 120/220 V~ Bare Ends

LIGHT CONTROL

L2.39870.0 4-leaf barndoor, True Blue (245 mm / 9.7")

L2.0005103 9" Full Single Scrim

L2.0005105 9" Full Double Scrim

L2.0005252 Scrim Bag 9 - 10"

L2.37207.0 Spill Ring (230 mm / 9.1")



CABLES

L2.0005059 25' Head-to-Ballast cable 575/800/1200/1800W

L2.0005060 50' Head-to-Ballast cable 575/800/1200/1800W

TRANSPORT

L2.0005067 *Case with wheels M8 System

**Denotes Special Order Only Item – Not subject to cancelations or returns*

LAMPS

L2.0005066 800W Single Ended HMI Lamp



M-SERIES M18

[Click here for more product related information | ARRI.com](#)



M-SERIES M18

L0.0006575 *M18 HS System with MAX 1.8 HS Electronic Ballast ALF, DMX, AutoScan

L1.37600.B M-Series M18 MAN blue/silver International (VEAM)

**Systems include: Head, Barndoor, 50' Head/Ballast Cable and AC Electronic Ballast*

ELECTRONIC BALLASTS - MAX RANGE

L2.0014189 EB MAX 1.8, 575/800/1200/1800W, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends

DIFFUSION

L2.0001006 Frosted glass (330 mm / 13.0")

LIGHT CONTROL

L2.40950.0 4-leaf barndoor, True Blue (344 mm / 13.5")

L2.40960.0 8-leaf barndoor, True Blue (344 mm / 13.5")

LK.0005829 **Lens Set for AS12+ & AS18 (Spot, Medium, Wide, Super Wide, Frosted)

L2.0005074 Lens Case

L2.0005069 13" Full Single Scrim

L2.0005071 13" Full Double Scrim

L2.0005253 Scrim Bag 13 - 15 1/2"

L2.37670.0 Spill Ring (330 mm / 13.0")

***To be used with L2.77572.2 Conversion Kit only*



CABLES

L2.0005059	25' Head-to-Ballast cable 575/800/1200/1800W
L2.0005060	50' Head-to-Ballast cable 575/800/1200/1800W
L2.0005058	*100' Head-to-Ballast cable 575/1200/1800W

TRANSPORT

L2.0005079	*Lamphead Case AS12+, AS18, M18 Lamp Head
L2.0005078	*Electronic Ballast Case (575/1200/1800W)

LAMPS

L2.0005068	1200W Single Ended HMI Lamp
L2.0005077	1800W Single Ended HMI Lamp

**Denotes Special Order Only Item – Not subject to cancelations or returns*



M-SERIES M40



[Click here for more product related information | ARRI.com](#)

M-SERIES M40

L0.0006581 *M40 HS System with 2.5/4K MAX Electronic Ballast ALF, DMX, AutoScan

L1.37400.B M-Series M40 MAN blue/silver International (VEAM)

**Systems include: Head, Barndoor, 50' Head/Ballast Cable and AC Electronic Ballast*

ELECTRONIC BALLASTS - MAX RANGE

L2.0019423 EB MAX 2.5/4, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends

LIGHT CONTROL

L2.41200.0 4-leaf barndoor, True Blue (413 mm / 16.3")

LK.0005830 ***Lens Set for AS40 & AS25 (Spot, Medium, Wide, Super Wide, Frosted)

L2.0005155 Lens Case

L2.0005157 15 5/8" Full Single Scrim

L2.0005158 15 5/8" Full Double Scrim

L2.0005253 Scrim Bag 13 - 15 1/2"

L2.37305.0 Spill Ring (400 mm / 15.8")

****To be used with L2.37385.0 Conversion Kit only*

CABLES

L2.0005081 25' Head-to-Ballast cable 2500/4000W

L2.0005082 50' Head-to-Ballast cable 2500/4000W

L2.0005080 *100' Head-to-Ballast cable 2500/4000W



TRANSPORT

L2.0005153	*Lamphead Case with Casters (Drop-In AS40/25 Head)
L2.0005085	*Electronic Ballast Case (2.5/4kW or 6kW)

LAMPS

L2.0005083	2500W Single Ended HMI Lamp
L2.0005147	4000W Single Ended HMI Lamp

MISCELLANEOUS

L2.37385.0	Conversion Kit from M40 to AS40: PAR Reflector, three brackets and one top latch (Requires LK.0005830 Lens Set after conversion)
------------	--

**Denotes Special Order Only – Not subject to cancelations or returns*



M-SERIES M90

[Click here for more product related information | ARRI.com](#)



M-SERIES M90

L0.0006600 *M90 HS System with 6/9K MAX Electronic Ballast with ALF, DMX, AutoScan

L1.37489.B M-Series M90 MAN blue/silver International (VEAM)

**Systems include: Head, Barndoor, 50' Head/Ballast Cable and AC Electronic Ballast*

ELECTRONIC BALLASTS - MAX RANGE

L2.0019425 EB MAX 6/9, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends

LIGHT CONTROL

L2.37560.0 4-leaf barndoor (584 mm / 23.0")

L2.0004049 22 1/2" Full Single Scrim

L2.0004050 22 1/2" Full Double Scrim

L2.0005255 Scrim Bag

L2.37561.0 Spill Ring (571 mm / 22.5")

CABLES

L2.0005175 25' Head-to-Ballast cable 6000W/9000W

L2.0005176 50' Head-to-Ballast cable 6000W/9000W

L2.0005177 *100' Head-to-Ballast cable 6000W/9000W

TRANSPORT

L2.0005085 *Electronic Ballast Case (2.5/4kW or 6/9kW)



LAMPS

L2.0005179	6000W Single Ended HMI Lamp
------------	-----------------------------

L2.0005269	9000W Single Ended HMI Lamp
------------	-----------------------------

**Denotes Special Order Only – Not subject to cancelations or returns*



M-SERIES ARRIMAX 18/12

[Click here for more product related information | ARRI.com](#)



M-SERIES ARRIMAX 18/12

L0.0006596 *ARRIMAX HS System with ALF, DMX, AutoScan

L1.37950.B M-Series ARRIMAX 18/12 MAN blue/silver International (VEAM)

**Systems include: Head, Barndoor, 50' Head/Ballast Cable and AC Electronic Ballast*

ELECTRONIC BALLASTS - MAX RANGE

L2.0019426 EB MAX 12/18, ALF DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 220 V~ Bare Ends, incl. Trolley

LIGHT CONTROL

L2.71100.0 4-leaf barndoor (740 mm / 29.1")

L2.0005139 29" Full Single Scrim

L2.0005140 29" Half Single Scrim

L2.0005141 29" Full Double Scrim

L2.0005142 29" Half Double Scrim

L2.0005256 Scrim Bag 29"

L2.37940.0 Spot reflector for ARRIMAX 18/12, 8° - 15° Half Peak Angle

CABLES

L2.0005189 50' Head-to-Ballast cable 12000/18000W

L2.0005188 **100' Head-to-Ballast cable 12000/18000W

***Denotes Special Order Only – Not subject to cancelations or returns*



LAMPS

L2.0004045	12000W Single Ended HMI Lamp
------------	------------------------------








L2.0005193	18000W Single Ended HMI Lamp
------------	------------------------------



This page is intentionally left blank.



True Blue D

Ballast Compatibility			True Blue D5	True Blue D12	True Blue D25	True Blue D40
True Blue D						
Fixture cable length (approx.)			0.5 m	0.5 m	0.6 m	0.6 m
	EB MAX	EB MAX 1.8	✓	✓	-	-
		EB MAX 2.5/4	-	-	✓	✓
	HS	EB 575/800 HS	✓	-	-	-



TRUE BLUE D5

[Click here for more product related information | ARRI.com](#)



TRUE BLUE D5

L0.0006559 D5 HS HMI System MAX 1.8 with ALF, DMX, CCL, AutoScan

L1.33770.A True Blue D5 MAN blue/silver International (VEAM)

**Systems include: Head, Barndoor, Filter Frame, 50' Head/Ballast Cable and AC Electronic Ballast*

ELECTRONIC BALLASTS - MAX RANGE

L2.0014189 EB MAX 1.8, 575/800/1200/1800W, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends

LIGHT CONTROL

L2.39670.0 4-leaf barndoor, True Blue (197 mm / 7.8")

L2.39700.0 8-leaf barndoor, True Blue (197 mm / 7.8")

L2.0005096 7 3/4" Full Single Scrim

L2.0005097 7 3/4" Half Single Scrim

L2.0005098 7 3/4" Full Double Scrim

L2.0005099 7 3/4" Half Double Scrim

L2.0005251 Scrim Bag 6 5/8 - 7 3/4"

L2.79690.0 Filter frame (197 mm / 7.8")

CABLES

L2.0005059 25' Head-to-Ballast cable 575/800/1200/1800W

L2.0005060 50' Head-to-Ballast cable 575/800/1200/1800W

L2.0005058 *100' Head-to-Ballast cable 575/1200/1800W



TRANSPORT

- L2.0005064 *Lamphead Case D5 HMI Fresnel Head
- L2.0005078 *Electronic Ballast Case (575/1200/1800W)

LAMPS

- L2.0005061 575W Single Ended HMI Lamp

**Denotes Special Order Only – Not subject to cancelations or returns*



TRUE BLUE D12

[Click here for more product related information | ARRI.com](#)



TRUE BLUE D12

L0.0006569 D12 HS HMI System MAX 1.8 with ALF, DMX, CCL, AutoScan

L1.33730.A True Blue D12 MAN blue/silver International (VEAM)

**Systems include: Head, Barndoor, Filter Frame, 50' Head/Ballast Cable and AC Electronic Ballast*

ELECTRONIC BALLASTS - MAX RANGE

L2.0014189 EB MAX 1.8, 575/800/1200/1800W, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends

LIGHT CONTROL

L2.39870.0 4-leaf barndoor, True Blue (245 mm / 9.7")

L2.0005103 9" Full Single Scrim

L2.0005104 9" Half Single Scrim

L2.0005105 9" Full Double Scrim

L2.0005106 9" Half Double Scrim

LIGHT CONTROL

L2.0005252 Scrim Bag 9 - 10"

L2.79890.0 Filter frame (230 mm / 9.1")

CABLES

L2.0005059 25' Head-to-Ballast cable 575/800/1200/1800W

L2.0005060 50' Head-to-Ballast cable 575/800/1200/1800W

L2.0005058 *100' Head-to-Ballast cable 575/1200/1800W



TRANSPORT

L2.0005076 *Lamphead Case D12 HMI Fresnel Head

L2.0005078 *Electronic Ballast Case (575/1200/1800W)

LAMPS

L2.0005068 1200W Single Ended HMI Lamp

**Denotes Special Order Only – Not subject to cancelations or returns*



TRUE BLUE D25

[Click here for more product related information | ARRI.com](#)



TRUE BLUE D25

L0.0039805 *D25 System with MAX 2.5/4 HS Electronic Ballast
ALF, DMX, AutoScan

L1.33670.A True Blue D25 MAN blue/silver International (VEAM)

**Systems include: Head, Barndoor, Filter Frame, 50' Head/Ballast Cable and AC Electronic Ballast*

ELECTRONIC BALLASTS - MAX RANGE

L2.0019423 EB MAX 2.5/4, ALF CCL DMX AutoScan,
50/60/75/300/1000 Hz, International (VEAM),
115/230 V~ Bare Ends

LIGHT CONTROL

L2.40950.0 4-leaf barndoor, True Blue (344 mm / 13.5")

L2.40960.0 8-leaf barndoor, True Blue (344 mm / 13.5")

L2.0005069 13" Full Single Scrim

L2.0005070 13" Half Single Scrim

L2.0005071 13" Full Double Scrim

L2.0005072 13" Half Double Scrim

L2.0005253 Scrim Bag 13 - 15 1/2"

L2.80970.0 Filter frame (330 mm / 13.0")

CABLES

L2.0005081 25' Head-to-Ballast cable 2500/4000W

L2.0005082 50' Head-to-Ballast cable 2500/4000W

L2.0005080 *100' Head-to-Ballast cable 2500/4000W



TRANSPORT

- L2.0005084 *Lamphead Case D25 HMI Fresnel Head
- L2.0005085 *Electronic Ballast Case (2.5/4kW or 6kW)

LAMPS

- L2.0005083 2500W Single Ended HMI Lamp

**Denotes Special Order Only – Not subject to cancelations or returns*



TRUE BLUE D40

[Click here for more product related information | ARRI.com](#)



TRUE BLUE D40

L0.0039806 *D40 System with 2.5/4K MAX Electronic Ballast
ALF, DMX, AutoScan

L1.34000.A True Blue D40 MAN blue/silver International (VEAM)

**Systems include: Head, Barndoor, Filter Frame, 50' Head/Ballast Cable and AC Electronic Ballast*

ELECTRONIC BALLASTS - MAX RANGE

L2.0019423 EB MAX 2.5/4, ALF CCL DMX AutoScan,
50/60/75/300/1000 Hz, International (VEAM),
115/230 V~ Bare Ends

LIGHT CONTROL

L2.41200.0 4-leaf barndoor, True Blue (413 mm / 16.3")

L2.0005124 15 1/2" Full Single Scrim

L2.0005125 15 1/2" Half Single Scrim

L2.0005126 15 1/2" Full Double Scrim

L2.0005127 15 1/2" Half Double Scrim

L2.0005253 Scrim Bag 13 - 15 1/2"

L2.81220.0 Filter frame (400 mm / 15.8")

CABLES

L2.0005081 25' Head-to-Ballast cable 2500/4000W

L2.0005082 50' Head-to-Ballast cable 2500/4000W

L2.0005080 *100' Head-to-Ballast cable 2500/4000W



TRANSPORT

- L2.0005160 *Lamphead Case D40 HMI Fresnel Head
- L2.0005085 *Electronic Ballast Case (2.5/4kW or 6kW)

LAMPS

- L2.0005147 4000W Single Ended HMI Lamp




**Denotes Special Order Only – Not subject to cancelations or returns*



This page is intentionally left blank.



ARRI Daylight 18/12

Ballast Compatibility		ARRI Daylight 18/12	
ARRI Daylight 18/12			
Fixture cable length (approx.)		1.0 m	
	EB MAX	EB MAX 12/18	✓
	HS	EB 12/18K HS ARRI/CMC	✓



ARRI DAYLIGHT 18/12

[Click here for more product related information | ARRI.com](#)



ARRI DAYLIGHT 18/12

L0.0006595 *12/18K System with Electronic Ballast with ALF, DMX, AutoScan

L1.71160.B ARRI Daylight 18/12 MAN blue/silver International (VEAM)

**Systems include: Head, Filter Frame, 50' Head/Ballast Cable and AC Electronic Ballast*

ELECTRONIC BALLASTS - MAX RANGE

L2.0019426 EB MAX 12/18, ALF DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 230 V~ Bare Ends, incl. Trolley

LIGHT CONTROL

L2.71100.0 4-leaf barndoor (740 mm / 29.1")

L2.0005139 29" Full Single Scrim

L2.0005140 29" Half Single Scrim

L2.0005141 29" Full Double Scrim

L2.0005142 29" Half Double Scrim

L2.0005256 Scrim Bag 29"

L2.71110.0 Filter frame (740 mm / 29.1")

CABLES

L2.0005189 50' Head-to-Ballast cable 12000/18000W

L2.0005188 **100' Head-to-Ballast cable 12000/18000W

***Denotes Special Order Only – Not subject to cancelations or returns*







BALLASTS





Electronic Ballasts




Electronic Ballasts

Range	EB MAX 1.8	EB MAX 2.5/4	EB MAX 6/9	EB MAX 12/18
EB MAX				
Corresponding ARRI lamphead	M-Series M8 / M18 True Blue D5 / D12 ARRI Compact 575 ARRI Compact 1200 ARRISUN 5 / ARRISUN 12 ARRI AS 18 ARRI X5 / X12	M-Series M40 True Blue D25 / D40 ARRI Compact 2500 / Theater ARRI Compact 4000 / Theater ARRISUN 40/25 ARRI AS 40 ARRI X40/25	M-Series M90 ARRI Daylight 6000 ARRI Compact 6000 ARRISUN 6000 ARRI X60	M-Series ARRIMAX 18/12 ARRI Daylight 18/12 ARRI Compact 12000 ARRISUN 120

Range	EB 575/800	EB 12/18 HS ARRI/CMC
High Speed		
Corresponding ARRI lamphead	M-Series M8 True Blue D5 ARRI Compact 575 ARRISUN 5 Event ARRISUN 5 ARRI X5	M-Series ARRIMAX 18/12 ARRI Daylight 18/12 ARRI Compact 12000 ARRISUN 120



Electronic Ballasts

Indicators & Features Overview						
Range	EB MAX				HS	
Product	EB MAX 1.8	EB MAX 2.5/4	EB MAX 6/9	EB MAX 12/18	EB 575/800 HS	EB 12/18 HS-ARRI/CMC
Indicators						
ON / OFF	✓	✓	✓	✓	✓	✓
Protective Earth	✓	✓	✓	✓	✓	✓
Lamp On	✓	✓	✓	✓	✓	✓
Overtemperature	✓	✓	✓	✓	✓	✓
Output Mode (Frequency)	✓	✓	✓	✓	✓	✓
Remote / DMX	✓	✓	✓	✓	✓	✓
Detected Lamp Power	✓	✓	✓	✓	✓	✓
Features						
Automatic Lamp Recognition	✓	✓	✓	✓	-	✓
Automatic Lamphead Recognition	✓	✓	✓	-	✓	-
Dimming	✓	✓	✓	✓	✓	✓
AutoScan	✓	✓	✓	✓	-	✓
DMX	✓	✓	✓	✓	✓	✓
Compensation of Cable Losses (CCL)	✓	✓	✓	-	✓	-
Active Line Filter (ALF)	✓	✓	✓	✓	✓	✓



ELECTRONIC BALLASTS



[Click here for more product related information | ARRI.com](#)

ELECTRONIC BALLASTS - MAX RANGE



- L2.0014189 EB MAX 1.8, 575/800/1200/1800W, ALF CCL DMX AutoScan, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends
- L2.0019423 EB MAX 2.5/4, 2500/4000 W, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends
- L2.0019425 EB MAX 6/9, 6000/9000 W, 50/60/75/300/1000 Hz, International (VEAM), 115/230 V~ Bare Ends
- L2.0019426 EB MAX 12/18, 12000/18000 W, 50/60/75/300/1000 Hz, International (VEAM), 230 V~ Bare Ends, incl. Trolley

ELECTRONIC BALLASTS - HIGH SPEED


- L2.0001687 575/800W HS Electronic Ballast with ALF, DMX, 120/220V, 1000 Hz
- L2.76296KH *EB 12/18 HS ARRI/CMC Ballast with ALF, DMX, AutoScan, incl. Trolley

**Denotes Special Order Only – Not subject to cancelations or returns*

1200/1800W through 12000/18000W ballasts supplied without connector. For 60A grounded pin plug add \$110.00; for 100A grounded pin plug add \$125.00; for 100A/220V grounded pin plug add \$150.00.



TUNGSTEN



**ARRILITE
Plus**



ARRI Junior



True Blue T



True Blue ST



Studio T



**True Blue ST
Theater**



ARRILITE 750 PLUS



[Click here for more product related information | ARRI.com](#)

ARRILITE 750 PLUS

Cable length approx. 3.0 m, with line switch.

L1.36700.A ARRILITE 750 Plus MAN blue
100 - 240 V~ Edison

LIGHT CONTROL

L2.79470.0 4-leaf barndoor (168 mm / 6.6")

L2.0005119 6 5/8" Full Single Scrim

L2.0005120 6 5/8" Half Single Scrim

L2.0005121 6 5/8" Full Double Scrim

L2.0005122 6 5/8" Half Double Scrim

L2.0005251 Scrim Bag 6 5/8 - 7 3/4"

SOFTBOXES

L2.0005200 White Umbrella

L2.0005195 Umbrella Holder

SAFETY

L2.0005271 Safety Cable with Carabiner

TRANSPORT

L2.0005279 Compact 3-Light Case with Wheels
(32 1/2" x 17" x 10 1/2")

L2.0005223 Heavy Duty Case with Wheels
(40 1/2" x 20 1/2" x 13 1/2")

LAMPS

L2.0005206 750W HPL Lamp 120V

L2.0005209 575W HPL Lamp 120V



ARRILITE 2000 PLUS



[Click here for more product related information | ARRI.com](#)

ARRILITE 2000 PLUS

Cable length approx. 3.0 m, with line switch.

L1.36500.A	ARRILITE 2000 Plus MAN blue 100 - 240 V~ Bare Ends
------------	---

LIGHT CONTROL

L2.76522.0	4-leaf barndoor (250 mm / 9.8")
L2.0005227	10" Full Single Scrim
L2.0005228	10" Half Single Scrim
L2.0005229	10" Full Double Scrim
L2.0005230	10" Half Double Scrim
L2.0005252	Scrim Bag 9 - 10"

SOFTBOXES

L2.0005200	White Umbrella
L2.0005195	Umbrella Holder

TRANSPORT

L2.0005233	Heavy Duty Case with Wheels (40" x 19 1/2" x 15")
------------	--

LAMPS

L2.0005225	2000W FEY Lamp
------------	----------------



ARRI 150

[Click here for more product related information | ARRI.com](#)



ARRI 150

Cable length approx. 3.0 m, with line switch or dimmer.

L1.79360.A	ARRI 150 with line switch blue/silver 120 V~ Edison
L1.79360.E	ARRI 150 with line dimmer blue/silver 220 V~ Bare Ends

LIGHT CONTROL

L2.79380.0	4-leaf barndoor (78 mm / 3.1")
L2.0005089	3" Full Single Scrim
L2.0005090	3" Half Single Scrim
L2.0005091	3" Full Double Scrim
L2.0005092	3" Half Double Scrim
L2.0005250	Scrim Bag 3 - 5"
L2.79395.0	Filter frame (78 mm / 3.1")
L2.79390.0	Snoot (78 mm / 3.1")

SAFETY

L2.0005271	Safety Cable with Carabiner
------------	-----------------------------

TRANSPORT

L2.0005278	Compact 4-Light Case with Wheels (32 1/2" x 17" x 10 1/2")
------------	---

LAMPS

L2.0005087	150W ESP Lamp
------------	---------------



ARRI 300 PLUS



[Click here for more product related information | ARRI.com](#)

ARRI 300 PLUS

Cable length approx. 3.0 m, with line switch.

L1.79200.A	ARRI 300 Plus MAN blue/silver 90 - 250 V~ Edison
LK.0005508	ARRI 300 Plus Hanging blue/silver 90 - 250 ~ Edison
L1.79205.A	ARRI 300 Plus MAN black 90 - 250 V~ Edison
LK.0005509	ARRI 300 Plus Hanging black 90 - 250 V~ Edison

LIGHT CONTROL

L2.79170.0	4-leaf barndoor (130 mm / 5.1")
L2.0005109	5" Full Single Scrim
L2.0005110	5" Half Single Scrim
L2.0005111	5" Full Double Scrim
L2.0005112	5" Half Double Scrim
L2.0005250	Scrim Bag 3 - 5"
L2.79190.0	Filter frame (130 mm / 5.1")
L2.79180.0	Snoot (130 mm / 5.1")

SAFETY

L2.0005271	Safety Cable with Carabiner
------------	-----------------------------

TRANSPORT

L2.0005279	Compact 3-Light Case with Wheels (32 1/2" x 17" x 10 1/2")
------------	---

LAMPS

L2.0005107	300W FKW Lamp
------------	---------------



ARRI 650 PLUS



[Click here for more product related information | ARRI.com](#)

ARRI 650 PLUS

Cable length approx. 3.0 m, with line switch (MAN version), 2.0 m (P.O. version).

L1.79400.A ARRI 650 Plus MAN blue/silver
90 - 250 V~ Edison

LK.0005510 ARRI 650 Plus Hanging blue/silver
90 - 250 V~ Edison

L1.79405.A ARRI 650 Plus MAN black
90 - 250 V~ Edison

LK.0005511 ARRI 650 Plus Hanging black
90 - 250 V~ Edison

L1.79400.I *ARRI 650 Plus P.O. blue/silver
90 - 250 V~ Bare Ends

**Pole Op versions are "Special Order Only" – Not subject to cancelations or returns*

LIGHT CONTROL

L2.79470.0 4-leaf barndoor (168 mm / 6.6")

L2.79500.0 8-leaf barndoor (168 mm / 6.6")

L2.79490.0 Filter frame (168 mm / 6.6")

L2.0005119 6 5/8" Full Single Scrim

L2.0005120 6 5/8" Half Single Scrim

L2.0005121 6 5/8" Full Double Scrim

L2.0005122 6 5/8" Half Double Scrim

L2.0005251 Scrim Bag 6 5/8 - 7 3/4"

L2.79480.0 Snoot (168 mm / 6.6")



SAFETY

L2.0005271 Safety Cable with Carabiner

TRANSPORT

L2.0005279 Compact 3-Light Case with Wheels
(32 1/2" x 17" x 10 1/2")

L2.0005223 Heavy Duty Case (40 1/2" x 20 1/2" x 13 1/2")
Specify 300W or 650W foam inserts

LAMPS

L2.0005117 650W FRK Lamp

MISCELLANEOUS

L2.0005113 Operating Pole for Pole Operated Fixtures, extends
to 12.5'



TRUE BLUE T1

[Click here for more product related information | ARRI.com](#)

TRUE BLUE T1

Cable length approx. 3.0 m, with line switch (MAN version), 1.5 m (P.O. version).

L1.39610.A	True Blue T1 MAN blue/silver 100 - 240 V~ Edison
L1.39610.H	True Blue T1 Hanging blue/silver 100 - 240 V~ Edison
L1.39615.A	True Blue T1 MAN black 100 - 240 V~ Edison
L1.39610.I	*True Blue T1 P.O. blue/silver 100 - 240 V~ Bare Ends

**Denotes "Special Order Only" – Not subject to cancelations or returns*

LIGHT CONTROL

L2.39670.0	4-leaf barndoor, True Blue (197 mm / 7.8")
L2.39700.0	8-leaf barndoor, True Blue (197 mm / 7.8")
L2.0005096	7 3/4" Full Single Scrim
L2.0005097	7 3/4" Half Single Scrim
L2.0005098	7 3/4" Full Double Scrim
L2.0005099	7 3/4" Half Double Scrim
L2.0005251	Scrim Bag 6 5/8 - 7 3/4"
L2.79690.0	Filter frame (197 mm / 7.8")
L2.79680.0	Snoot (197 mm / 7.8") with variable aperture

SAFETY

L2.0005271	Safety Cable with Carabiner
------------	-----------------------------



TRANSPORT

L2.0005223 Heavy Duty Case with Wheels
(40 1/2" x 20 1/2" x 13 1/2")

LAMPS

L2.0005095 1000W EGT Lamp

MISCELLANEOUS

L2.0005113 Operating Pole for Pole Operated Fixtures, extends
to 12.5'



TRUE BLUE T2



[Click here for more product related information | ARRI.com](#)

TRUE BLUE T2

Cable length approx. 3.0 m, with line switch (MAN version), 1.5 m (P.O. version).

L1.41250.A True Blue T2 MAN blue/silver
100 - 240 V~ Bare Ends

L1.41250.H True Blue T2 Hanging blue/silver
100 - 240 V~ Bare Ends

L1.41255.A *True Blue T2 MAN black
100 - 240 V~ Bare Ends

L1.41255.H *True Blue T2 Hanging black
100 - 240 V~ Bare Ends

L1.41250.I *True Blue T2 P.O. blue/silver
100 - 240 V~ Bare Ends

**Denotes "Special Order Only" – Not subject to cancelations or returns*

LIGHT CONTROL

L2.39870.0 4-leaf barndoor, True Blue (245 mm / 9.7")

L2.0005103 9" Full Single Scrim

L2.0005104 9" Half Single Scrim

L2.0005105 9" Full Double Scrim

L2.0005106 9" Half Double Scrim

L2.0005252 Scrim Bag 9 - 10"

L2.79890.0 Filter frame (230 mm / 9.1")

SAFETY

L2.0005271 Safety Cable with Carabiner



LAMPS

L2.0005100 2000W CYX Lamp

MISCELLANEOUS

L2.0005113 Operating Pole for Pole Operated Fixtures, extends to 12.5'



TRUE BLUE T5

[Click here for more product related information | ARRI.com](#)

TRUE BLUE T5

Cable length approx. 3.0 m, with line switch.

L1.40000.A	True Blue T5 MAN blue/silver 120 - 240 V~ Bare Ends
LK.0005528	True Blue T5 Hanging blue/silver 120 - 240 V~ Bare Ends
L1.40005.A	*True Blue T5 MAN black 120 - 240 V~ Bare Ends
LK.0005529	*True Blue T5 Hanging black 120 - 240 V~ Bare Ends

**Denotes "Special Order Only" – Not subject to cancelations or returns*

LIGHT CONTROL

L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5")
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5")
L2.0005069	13" Full Single Scrim
L2.0005070	13" Half Single Scrim
L2.0005071	13" Full Double Scrim
L2.0005072	13" Half Double Scrim
L2.0005253	Scrim Bag 13 - 15 1/2"
L2.80970.0	Filter frame (330 mm / 13.0")
L2.80975.0	Snoot (344 mm / 13.5") with variable aperture

SAFETY

L2.0005271	Safety Cable with Carabiner
------------	-----------------------------



LAMPS

L2.0005115 5000W DPY Lamp

MISCELLANEOUS

L2.0005113 Operating Pole for Pole Operated Fixtures, extends to 12.5'



TRUE BLUE ST1



[Click here for more product related information | ARRI.com](#)

TRUE BLUE ST1

Cable length approx. 1.5 m. MAN Location version: cable 3.0 m, with line switch.

L1.40500.A True Blue ST1 MAN blue/silver
100 - 240 V~ Edison

L1.40500.H True Blue ST1 Hanging blue/silver
100 - 240 V~ Edison

L1.40505.A *True Blue ST1 MAN black
100 - 240 V~ Edison

L1.40505.H *True Blue ST1 Hanging black
100 - 240 V~ Edison

L1.40500.J *True Blue ST1 P.O. blue/silver
100 - 240 V~ Edison

**Denotes "Special Order Only" – Not subject to cancelations or returns*

LIGHT CONTROL

L2.39870.0 4-leaf barndoor, True Blue (245 mm / 9.7")

L2.0005103 9" Full Single Scrim

L2.0005104 9" Half Single Scrim

L2.0005105 9" Full Double Scrim

L2.0005106 9" Half Double Scrim

L2.0005252 Scrim Bag 9 - 10"

L2.79890.0 Filter frame (230 mm / 9.1")

SAFETY

L2.0005271 Safety Cable with Carabiner



LAMPS

L2.0005095 1000W EGT Lamp

MISCELLANEOUS

L2.0005113 Operating Pole for Pole Operated Fixtures, extends to 12.5'



TRUE BLUE ST2



[Click here for more product related information | ARRI.com](#)

TRUE BLUE ST2

Cable length approx. 1.5 m. MAN Location version: cable 3.0 m, with line switch and location top latch.

L1.40750.A True Blue ST2 MAN blue/silver
100 - 240 V~ Bare Ends

L1.40750.H True Blue ST2 Hanging blue/silver
100 - 240 V~ Bare Ends

L1.40755.A *True Blue ST2 MAN black
100 - 240 V~ Bare Ends

L1.40755.H *True Blue ST2 Hanging black
100 - 240 V~ Bare Ends

L1.40750.J *True Blue ST2 P.O. blue/silver
100 - 240 V~ Bare Ends

**Denotes "Special Order Only" – Not subject to cancelations or returns*

LIGHT CONTROL

L2.40950.0 4-leaf barndoor, True Blue (344 mm / 13.5")

L2.40960.0 8-leaf barndoor, True Blue (344 mm / 13.5")

L2.0005069 13" Full Single Scrim

L2.0005070 13" Half Single Scrim

L2.0005071 13" Full Double Scrim

L2.0005072 13" Half Double Scrim

L2.0005253 Scrim Bag 13 - 15 1/2"

L2.80970.0 Filter frame (330 mm / 13.0")

L2.80975.0 Snoot (344 mm / 13.5") with variable aperture



SAFETY

L2.0005271 Safety Cable with Carabiner

LAMPS

L2.0005100 2000W CYX Lamp

MISCELLANEOUS

L2.0005113 Operating Pole for Pole Operated Fixtures, extends to 12.5'



TRUE BLUE ST5



[Click here for more product related information | ARRI.com](#)

TRUE BLUE ST5

Cable length approx. 1.5 m. MAN Location version: cable 3.0 m, with line switch and location top latch.

L1.41000.A True Blue ST5 MAN blue/silver
120 - 240 V~ Bare Ends

L1.41000.H True Blue ST5 Hanging blue/silver
120 - 240 V~ Bare Ends

L1.41005.A *True Blue ST5 MAN black
120 - 240 V~ Bare Ends

L1.41005.H *True Blue ST5 Hanging black
120 - 240 V~ Bare Ends

L1.41000.J *True Blue ST5 P.O. blue/silver
120 - 240 V~ Bare Ends

Denotes "Special Order Only" – Not subject to cancelations or returns

LIGHT CONTROL

L2.41200.0 4-leaf barndoor, True Blue (413 mm / 16.3")

L2.0005124 15 1/2" Full Single Scrim

L2.0005125 15 1/2" Half Single Scrim

L2.0005126 15 1/2" Full Double Scrim

L2.0005127 15 1/2" Half Double Scrim

L2.0005253 Scrim Bag 13 - 15 1/2"

L2.81220.0 Filter frame (400 mm / 15.8")

L2.81225.0 Snoot (413 mm / 16.3") with variable aperture



SAFETY

L2.0005271 Safety Cable with Carabiner

LAMPS

L2.0005115 5000W DPY Lamp

MISCELLANEOUS

L2.0005113 Operating Pole for Pole Operated Fixtures, extends to 12.5'



STUDIO T12

[Click here for more product related information | ARRI.com](#)



STUDIO T12

Cable length approx. 4.0 m.

L1.82120.A	STUDIO T12 MAN blue/silver 120 - 240 V~ Bare Ends
------------	--

LIGHT CONTROL

L2.82150.0	4-leaf barndoor (510 mm / 20.1")
L2.0005132	19 1/2" Full Single Scrim
L2.0005133	19 1/2" Half Single Scrim
L2.0005134	19 1/2" Full Double Scrim
L2.0005135	19 1/2" Half Double Scrim
L2.0005254	Scrim Bag 19 1/2 - 21"
L2.82155.0	Filter frame (495 mm / 19.5")

SAFETY

L2.0005271	Safety Cable with Carabiner
------------	-----------------------------

LAMPS

L2.0005129	10000W DTY Lamp
L2.0005130	12000W KP-120 (120V) Lamp



STUDIO T24



[Click here for more product related information | ARRI.com](#)

STUDIO T24

Cable length approx. 1.0 m.

L1.82270.G	STUDIO T24 MAN blue/silver 208 - 240 V~ Bare Ends
------------	--

LIGHT CONTROL

L2.71100.0	4-leaf barndoor (740 mm / 29.1")
L2.0005139	29" Full Single Scrim
L2.0005140	29" Half Single Scrim
L2.0005141	29" Full Double Scrim
L2.0005142	29" Half Double Scrim
L2.0005256	Scrim Bag 29"
L2.71110.0	Filter frame (740 mm / 29.1")

SAFETY

L2.0005271	Safety Cable with Carabiner
------------	-----------------------------

LAMPS

L2.0005136	20000W BCM Lamp
L2.0005138	24000W KP-240 (220V) Lamp



TRUE BLUE ST1/2 THEATER



[Click here for more product related information | ARRI.com](#)

TRUE BLUE ST1/2 THEATER

Cable length approx. 1.5 m. Incl. spill light frame & theater cassette.
Without barndoor.

L1.40515.A *True Blue ST1/2 Theater MAN black
120 V~ Bare Ends

**Denotes "Special Order Only" – Not subject to cancelations or returns*

LIGHT CONTROL

L2.39870.0 4-leaf barndoor, True Blue (245 mm / 9.7")

SAFETY

L2.0005271 Safety Cable with Carabiner

LAMPS

L2.0005095 1000W EGT Lamp



TRUE BLUE ST5 THEATER



[Click here for more product related information | ARRI.com](#)

TRUE BLUE ST5 THEATER

Cable length approx. 1.5 m (MAN) & 3.0 m (MOT). Incl. spill light frame & theater cassette. Without barndoor.

L1.41015.A *True Blue ST5 Theater MAN black
120 V~ Bare Ends

**Denotes "Special Order Only" – Not subject to cancelations or returns*

LIGHT CONTROL

L2.41200.0 4-leaf barndoor, True Blue (413 mm / 16.3")

SAFETY

L2.0005271 Safety Cable with Carabiner

LAMPS

L2.0005115 5000W DPY Lamp




This page is intentionally left blank.



PLA

PROFESSIONAL LIGHTING ACCESSORIES




Optics



Lamphead
Control



Diffusion,
Spill Rings ...



Barndoors



Scrims &
Scrim Bags



Filter Frames




Softboxes ...



Grip




Cables



Stands & Poles



Cases



Lamps



Lenses



Other Accessories





OPTICS

[Click here for more product related information | ARRI.com](#)



SKYPANEL X OPTICS

L2.0048580	X21 HyPer Optic
L2.0049578	Beam Enhancer Filter for X21 HyPer Optic
L2.0048643	X21 Dome
L2.0048578	S60 Adapter for X21

Orbiter OPTICS

L2.0048438	Orbiter Beam	NEW
L2.0033549	Orbiter Projection Optic 25° incl. gobo holder	
L2.0033550	Orbiter Projection Optic 35° incl. gobo holder	
L2.0033843	Orbiter Projection Optic - Goboholder	
L2.0033841	Snoot for Orbiter Projection Optic 25°/35°	
L2.0039436	Orbiter Fresnel Lens 15 - 65°	
L2.0039438	Orbiter Dome Mini	
L2.0039439	Orbiter Glass Cover	
L2.0033542	Orbiter Open Face Optic 60° / Carton Box	
L2.0033541	Orbiter Open Face Optic 30° / Carton Box	
L2.0033540	Orbiter Open Face Optic 15° / Carton Box	
L2.0041133	Orbiter Open Face Kit incl. Bag, 15°, 30° & 60° Open Face Optics	



LAMPHEAD CONTROL



[Click here for more product related information | ARRI.com](#)

CONTROL PANEL FOR SKYPANEL X & Orbiter

L2.0048844 ALL-WEATHER Control Panel
(without cable, pouch, lanyard, D-ring, velcro)

L2.0033732 Orbiter Control Panel (without Cable)



L2.0033799 Cable for Control Panel, 5 m

L2.0033800 Cable for Control Panel, 15 m

L2.0033796 Control Panel Carrying Pouch

REMOTE CONTROL FOR CLASSIC SKYPANEL & L-SERIES PLUS

L2.0022690 SkyPanel Remote

L2.0013861 SkyPanel Remote USB cable, 5 m

L2.0013945 SkyPanel Remote Carrying Pouch

LIGHTING CONTROL APP


- Stellar
*Use up to 5 fixtures free of charge

Download Stellar now:





DIFFUSION, SPILL RINGS, SNOOTS & LOUVERS



[Click here for more product related information | ARRI.com](#)

DIFFUSION FOR SKYPANEL

L2.0007325	Standard Diffusion for SkyPanel S30 107° HPA
L2.0007326	Heavy Diffusion for SkyPanel S30 114° HPA
L2.0007327	Lite Diffusion for SkyPanel S30 105° HPA
L2.0007823	Intensifier for SkyPanel S30-C 73° HPA
L2.0008189	Extra Diffusion Slot for SkyPanel S30
L0.0008468	Diffusion Kit S30 (Lite & Heavy Diffusor, Intensifier & Panel Carrying Bag)
L2.0003345	Standard Diffusion for SkyPanel S60 107° HPA
L2.0003903	Heavy Diffusion for SkyPanel S60 114° HPA
L2.0003904	Lite Diffusion for SkyPanel S60 105° HPA
L2.0007818	Intensifier for SkyPanel S60-C 73° HPA
L2.0008188	Extra Diffusion Slot for SkyPanel S60
L0.0008461	Diffusion Kit S60 (Lite & Heavy Diffusor, Intensifier & Panel Carrying Bag)
L2.0009501	Standard Diffusion for SkyPanel S120-C 107° HPA
L2.0009500	Heavy Diffusion for SkyPanel S120-C 114° HPA
L2.0009502	Lite Diffusion for SkyPanel S120-C 105° HPA
L2.0009503	Intensifier for SkyPanel S120-C 73° HPA
L0.0015070	Diffusion Kit S120-C (Lite & Heavy Diffusor, Intensifier & Panel Carrying Bag)
L2.0015014	Standard Diffusion for SkyPanel S360-C 107° HPA
L2.0015013	Heavy Diffusion for SkyPanel S360-C 114° HPA
L2.0015016	Lite Diffusion for SkyPanel S360-C 105° HPA
L2.0015022	Intensifier for SkyPanel S360-C 73° HPA

**DIFFUSION FOR M-SERIES**

L2.0001006 Frosted glass (330 mm / 13.0") for M18

SPILL RINGS

L2.37207.0 Spill Ring (230 mm / 9.1") for M8

L2.37670.0 Spill Ring (330 mm / 13.0") for M18

L2.37305.0 Spill Ring (400 mm / 15.8") for M40

L2.37561.0 Spill Ring (571 mm / 22.5") for M90

SNOOTS

L2.0008019 Snoot for SkyPanel S30

L2.0007999 Snoot for SkyPanel S60

L2.79390.0 Snoot (78 mm / 3.1") for ARRI 150

L2.79180.0 Snoot (130 mm / 5.1") for ARRI 300 Plus

L2.79480.0 Snoot (168 mm / 6.6") for Orbiter Open Face 30° & 60°, L5 & ARRI 650 Plus

L2.79680.0 Snoot (197 mm / 7.8") with variable aperture for L7, True Blue D5 & True Blue T1

L2.80975.0 Snoot (344 mm / 13.5") with variable aperture for L10, M18, True Blue D25, True Blue T5 & ST2/3

L2.81225.0 Snoot (413 mm / 16.3") with variable aperture for M40, True Blue D40 & True Blue ST5

LOUVERS

L2.0008048 4-Chamber Eggcrate for SkyPanel S30

L2.0008064 Honeycomb 60° for SkyPanel S30

L2.0008065 Honeycomb 30° for SkyPanel S30

**LOUVERS**

L2.0007977	8-Chamber Eggcrate for SkyPanel S60
L2.0008058	Honeycomb 60° for SkyPanel S60
L2.0008059	Honeycomb 30° for SkyPanel S60
L2.0009690	16-Chamber Eggcrate for SkyPanel S120-C
L2.0009561	Honeycomb 60° for SkyPanel S120-C
L2.0009562	Honeycomb 30° for SkyPanel S120-C
L2.0014979	Honeycomb 60° for SkyPanel S360-C
L2.0014978	Honeycomb 30° for SkyPanel S360-C

SKYBENDER

L2.0010271	SkyBender for SkyPanel S30-C
L2.0009611	SkyBender for SkyPanel S60-C
L2.0010352	SkyBender for SkyPanel S120-C



BARNDOORS



[Click here for more product related information | ARRI.com](#)

4-LEAF BARNDOORS

L2.0008187	4-leaf barndoor for SkyPanel S30
L2.0007530	4-leaf barndoor for SkyPanel S60
L2.0010114	4-leaf barndoor for SkyPanel S120-C
L2.79380.0	4-leaf barndoor (78 mm / 3.1") for ARRI 150
L2.79170.0	4-leaf barndoor (130 mm / 5.1") for ARRI 300 Plus
L2.79470.0	4-leaf barndoor (168 mm / 6.6") for Orbiter Open Face 60° & 30°, L5, ARRILITE 750 Plus & ARRI 650 Plus
L2.39670.0	4-leaf barndoor, True Blue (197 mm / 7.8") for L7, True Blue D5 & True Blue T1
L2.76522.0	4-leaf barndoor (250 mm / 9.8") for ARRILITE 2000 Plus
L2.39870.0	4-leaf barndoor, True Blue (245 mm / 9.7") for Orbiter Open Face 15°, M8, True Blue D12, True Blue T2, True Blue ST1 & ST1/2 Theater
L2.40950.0	4-leaf barndoor, True Blue (344 mm / 13.5") for Orbiter Fresnel Lens 15 - 65°, L10, M18, True Blue D25, True Blue T5 & ST2/3
L2.41200.0	4-leaf barndoor, True Blue (413 mm / 16.3") for M40, True Blue D40, & True Blue ST5
L2.82150.0	4-leaf barndoor (510 mm / 20.1") for STUDIO T12
L2.37560.0	4-leaf barndoor (584 mm / 23.0")
L2.71100.0	4-leaf barndoor (740 mm / 29.1") for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24



8-LEAF BARNDOORS

L2.79500.0	8-leaf barndoor (168 mm / 6.6") for Orbiter Open Face 60° & 30°, L5 & ARRI 650 Plus
L2.39700.0	8-leaf barndoor, True Blue (197 mm / 7.8") for L7, True Blue D5 & True Blue T1
L2.40960.0	8-leaf barndoor, True Blue (344 mm / 13.5") for Orbiter Fresnel Lens 15 - 65°, L10, M18, True Blue D25, True Blue T5 & ST2/3

FLEXDOOR

L2.0013877	FlexDoor for SkyPanel S30
L2.0013878	FlexDoor for SkyPanel S60
L2.0012922	FlexDoor for SkyPanel S120-C



SCRIMS & SCRIM BAGS

[Click here for more product related information | ARRI.com](#)



SCRIMS

L2.0005089 3" Full Single Scrim for ARRI 150

L2.0005090 3" Half Single Scrim for ARRI 150

L2.0005091 3" Full Double Scrim for ARRI 150

L2.0005092 3" Half Double Scrim for ARRI 150

L2.0005109 5" Full Single Scrim for ARRI 300 Plus

L2.0005110 5" Half Single Scrim for ARRI 300 Plus

L2.0005111 5" Full Double Scrim for ARRI 300 Plus

L2.0005112 5" Half Double Scrim for ARRI 300 Plus

L2.0005119 6 5/8" Full Single Scrim
for L5, ARRILITE 750 Plus & ARRI 650 Plus

L2.0005120 6 5/8" Half Single Scrim
for L5, ARRILITE 750 Plus & ARRI 650 Plus

L2.0005121 6 5/8" Full Double Scrim
for L5, ARRILITE 750 Plus & ARRI 650 Plus

L2.0005122 6 5/8" Half Double Scrim
for L5, ARRILITE 750 Plus & ARRI 650 Plus

L2.0005096 7 3/4" Full Single Scrim
for L7, True Blue D5 & True Blue T1

L2.0005097 7 3/4" Half Single Scrim
for L7, True Blue D5 & True Blue T1

L2.0005098 7 3/4" Full Double Scrim
for L7, True Blue D5 & True Blue T1

L2.0005099 7 3/4" Half Double Scrim
for L7, True Blue D5 & True Blue T1



SCRIMS

L2.0005103 9" Full Single Scrim
for M8, True Blue D12, T2, ST1

L2.0005104 9" Half Single Scrim
for True Blue D12, T2, ST1

L2.0005105 9" Full Double Scrim
for M8, True Blue D12, T2, ST1

L2.0005106 9" Half Double Scrim
for True Blue D12, T2, ST1

L2.0005227 10" Full Single Scrim for ARRILITE 2000 Plus

L2.0005228 10" Half Single Scrim for ARRILITE 2000 Plus

L2.0005229 10" Full Double Scrim for ARRILITE 2000 Plus

L2.0005230 10" Half Double Scrim for ARRILITE 2000 Plus

L2.0005069 13" Full Single Scrim
for L10, M18, True Blue D25, T5, ST2

L2.0005070 13" Half Single Scrim
for L10, True Blue D25, T5, ST2

L2.0005071 13" Full Double Scrim
for L10, M18, True Blue D25, T5, ST2

L2.0005072 13" Half Double Scrim
for L10, True Blue D25, T5, ST2

L2.0005124 15 1/2" Full Single Scrim
for True Blue D40 & ST5

L2.0005125 15 1/2" Half Single Scrim
for True Blue D40 & ST5

L2.0005126 15 1/2" Full Double Scrim
for True Blue D40 & ST5

L2.0005127 15 1/2" Half Double Scrim
for True Blue D40 & ST5

L2.0005157 15 5/8" Full Single Scrim for M40

L2.0005158 15 5/8" Full Double Scrim for M40



SCRIMS

L2.0005132	19 1/2" Full Single Scrim for STUDIO T12
L2.0005133	19 1/2" Half Single Scrim for STUDIO T12
L2.0005134	19 1/2" Full Double Scrim for STUDIO T12
L2.0005135	19 1/2" Half Double Scrim for STUDIO T12

L2.0004049	22 1/2" Full Single Scrim for M90
L2.0004050	22 1/2" Full Double Scrim for M90


L2.0005139	29" Full Single Scrim for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24
L2.0005140	29" Half Single Scrim for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24
L2.0005141	29" Full Double Scrim for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24
L2.0005142	29" Half Double Scrim for ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24

SCRIM BAGS

L2.0005250	Scrim Bag 3 - 5" (ARRI 150 & ARRI 300 Plus)
L2.0005251	Scrim Bag 6 5/8 - 7 3/4" (L5, L7, True Blue D5, ARRILITE 750 Plus, ARRI 650 Plus & True Blue T1)
L2.0005252	Scrim Bag 9 - 10" (M8, True Blue D12, ARRILITE 2000 Plus, True Blue T2 & ST1)
L2.0005253	Scrim Bag 13 - 15 1/2" (L10, M18, M40, True Blue D25, D40, T5, ST2 & ST5)
L2.0005254	Scrim Bag 19 1/2 - 21" (STUDIO T12)
L2.0005255	Scrim Bag (M90)
L2.0005256	Scrim Bag 29" (ARRIMAX 18/12, ARRI Daylight 18/12 & STUDIO T24)



FILTER FRAMES



[Click here for more product related information | ARRI.com](#)

FILTER FRAMES - CIRCULAR SHAPE

L2.79395.0	Filter frame (78 mm / 3.1") for ARRI 150
L2.79190.0	Filter frame (130 mm / 5.1") for ARRI 350 Plus
L2.79490.0	Filter frame (168 mm / 6.6") for L5 & ARRI 650 Plus
L2.79690.0	Filter frame (197 mm / 7.8") for L7, True Blue D5 & True Blue T1
L2.79890.0	Filter frame (230 mm / 9.1") for M8, True Blue D12, True Blue T2 & True Blue ST1
L2.80970.0	Filter frame (330 mm / 13.0") for Orbiter Fresnel Lens 15 - 65°, L10, M18, True Blue D25, True Blue T5 & ST2/3
L2.81220.0	Filter frame (400 mm / 15.8") for M40, True Blue D40 & True Blue ST5
L2.82155.0	Filter frame (495 mm / 19.5") for STUDIO T12
L2.71110.0	Filter frame (740 mm / 29.1") for STUDIO T24

SPILL FRAMES

L2.0012833	Spill frame SkyPanel S120-C
------------	-----------------------------



SOFTBOXES, ACCESSORY HOLDERS & SPEED RINGS



[Click here for more product related information | ARRI.com](#)

SOFTBOXES FOR SKYPANEL X

- L2.0049585 DoPchoice SNAPBOX®-SNOOT for X21
- L2.0049580 DoPchoice SNAPBAG® for X21
- L2.0049582 DoPchoice SNAPGRID® 30° for X21
- L2.0008143 DoPchoice SnapGrid 40° for SNAPBAG® X21 & S60

SOFTBOXES FOR Orbiter

- L2.0033839 Chimera Lightbank M for Orbiter
- L2.0036058 Chimera Lightbank L for Orbiter
- L2.0034271 Chimera Octa 4 for Orbiter
- L2.0041050 EZ POP Soft Egg Crate 50° for Chimera Octa 4
- L2.0034621 Chimera Dome M for Orbiter
- L2.0034622 Chimera Dome L for Orbiter
- L2.0033840 DoPchoice SnapBag S for Orbiter
- L2.0034270 DoPchoice SnapBag M for Orbiter
- L2.0038793 DoPchoice SnapGrid S 40° fits DoPchoice SnapBag S for Orbiter, Chimera Lightbank for S30, Chimera POP Bank for S60
- L2.0038791 DoPchoice SnapGrid M 40° fits DoPchoice SnapBag M for Orbiter
- L2.0034269 DoPchoice Octa 4 for Orbiter
- L2.0034266 DoPchoice Dome S for Orbiter
- L2.0034267 DoPchoice Dome M for Orbiter
- L2.0034268 DoPchoice Dome L for Orbiter
- L2.0039437 Orbiter Bag-o-Light

**SOFTBOXES AND ACCESSORIES FOR SKYPANEL**

L2.0015899	Chimera Lantern with Skirt for S30
L2.0021388	Chimera Lightbank with Brackets for S30
L2.0008142	DoPchoice SnapGrid 40° for S30
L2.0008140	DoPchoice SnapGrid 40° for SnapBag S30
L2.0008141	DoPchoice SnapBag for S30
L2.0020274	DoPchoice Octa 4 for S30
L2.0035807	DoPchoice Octa 4 Eyelight 1/4 Grid
L2.0015900	Chimera Lantern with Skirt for S60
L2.0020499	Chimera POP Bank for S60
L2.0021390	Chimera Shallow Lightbank with Brackets for S60
L2.0021389	Chimera Lightbank with Brackets for S60
L2.0008144	DoPchoice SnapGrid 40° for S60
L2.0008143	DoPchoice SnapGrid 40° for SnapBag S60
L2.0008145	DoPchoice SnapBag for S60
L2.0033435	Chimera Octa 5 for SkyPanel S60
L2.0016163	DoPchoice Octa 5 for 2x S60 (incl. Bracket)
L2.0020276	DoPchoice SnapGrid 40° for Octa 5
L2.0016160	DoPchoice Octa 7 for 2x S60 (incl. Bracket)
L2.0020277	DoPchoice SnapGrid 40° for Octa 7
L2.0013180	Chimera Lightbank with Brackets for S120-C
L2.0010382	DoPchoice SnapGrid 40x60° for S120-C
L2.0010383	DoPchoice SnapBag for S120-C
L2.0010381	DoPchoice SnapGrid for SnapBag S120-C
L2.0033950	Chimera POP Bank for S360-C
L2.0033951	Chimera Panel Lantern for S360-C
L2.0016383	DoPchoice SnapGrid 40° for S360-C
L2.0016382	DoPchoice SnapBox for S360-C

**SOFTBOXES AND ACCESSORIES FOR SKYPANEL**

L2.0020278	DoPchoice SnapBag 6'x6' for S360-C
L2.0020279	DoPchoice SnapGrid 40° for SnapBag S360-C
L2.0015977	Chimera Universal Brackets for SkyPanel (suitable for S30 / S60 / S120-C)

VIDEO PRO SOFTBOXES

L2.0005045	Chimera Video Pro Bank XXS (12" x 16")
L2.0005240	Chimera Video Pro Bank, XS (16" x 22")
L2.0005218	Chimera Video Pro Bank, Small (24" x 32")

QUARTZ SOFTBOXES

L2.0005232	Chimera Quartz Bank, Small (24" x 32")
------------	--

ARRILITE SOFTBOXES

L2.0005200	White Umbrella (ARRILITE 750 Plus & 2000 Plus)
L2.0005195	Umbrella Holder (ARRILITE 750 Plus & 2000 Plus)

ACCESSORY HOLDERS & SPEED RINGS

L2.36780.0	Accessory Holder with Integral Speed Ring (ARRILITE 750 Plus)
L2.0005051	Chimera 5" Speed Ring (FR 300, PP 200, Compact 125)
L2.0005123	Chimera 6 5/8" Speed Ring (FR 650, PP 400, Compact 200)
L2.0005217	Chimera 7 1/4" Speed Ring (ARRILITE 1000, ARRILITE 650)
L2.0005231	Chimera 10" Speed Ring (ARRILITE 2000 Plus)

GRIDS

L2.0005238	Chimera Grid Screen Set XS
L2.0005239	Chimera Grid 40° Fabric Grid XS
L2.0005216	Chimera Grid Screen Set, Small
L2.0005219	Chimera Grid 40° Fabric Grid Small



GRIP



[Click here for more product related information | ARRI.com](#)

CLAMPS

LK.0005593	Super Clamp with 5/8" Stud
L2.0005196	Super Clamp without Stud
L2.0005282	Junior Pipe Clamp
L2.0005284	Baby Pipe Clamp
L2.0005283	Mega-Swivel™ Pipe Clamp with Bolt
L2.0005201	Ceiling Scissor Clamp with 5/8" spigot
L2.0005203	Magic Arm
L2.0036395	DoPchoice Bracket for 2x S60
L2.0008082	Rail Mount Adapter for SkyPanel PSU
L2.0014566	Space Light Silk Mounting Adapter for S60
L2.0006921	Super Clamp Adapter for SkyPanel PSU
L2.0033989	B-Mount Battery Adapter Plate
L2.0008070	V-Mount Battery Adapter Plate
L2.76100.0	Super Clamp with Mounting Plate

YOKES

L2.0048577	X21 Manual Yoke incl. Spigot	
L2.0048843	X21 P.O. Yoke incl. Spigot	NEW
L2.0049573	X Modular Yoke, incl. Spigot	
L2.0049570	X23 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power	
L2.0049577	X22 Modular Frame, incl. Daisy Chain Cabling Ethernet & Power	

**YOKES**

L0.0049837	X Modular System, incl. X Modular Yoke, X22 & X23 Modular Frames with Daisy Chain Cabling Ethernet & Power
L2.0049276	SkyPanel X Twin Quick-Lock without Spigot/Clamp
L2.0034025	Orbiter Manual Yoke with Spigot
L2.0036642	Orbiter P.O. Yoke with Spigot
L2.0008078	Center Mount Yoke (SkyPanel)
L2.0008184	Double Vertical Yoke for SkyPanel S30
L2.0008098	Double Vertical Yoke for SkyPanel S60
L2.0010180	Double Vertical Yoke for SkyPanel S120-C
L2.0008080	Fixed Center Mount Yoke (SkyPanel)
L2.0015929	Short Yoke for SkyPanel S360-C (incl. Pin)
L2.0014136	SkyPanel Side Handles (2 pcs.)
L2.0007929	Stirrup Manual S30
L2.0007935	Stirrup P.O. S30
L2.0008629	Stirrup Manual S60 (Aluminum Profile)
L2.0007934	Stirrup P.O. S60
L2.0010151	Stirrup Manual S120-C
L2.0009423	Stirrup P.O. S120-C

SAFETY CABLES

L2.0005271	Safety Cable with Carabiner
------------	-----------------------------



CABLES

[Click here for more product related information | ARRI.com](#)



HEAD-TO-BALLAST CABLES

L2.0005059	25' Head-to-Ballast cable 575/800/1200/1800W
L2.0005081	25' Head-to-Ballast cable 2500/4000W
L2.0005175	25' Head-to-Ballast cable 6000W/9000W
L2.0005060	50' Head-to-Ballast cable 575/800/1200/1800W
L2.0005082	50' Head-to-Ballast cable 2500/4000W
L2.0005176	50' Head-to-Ballast cable 6000/9000W
L2.0005189	50' Head-to-Ballast cable 12000/18000W
L2.0005058	*100' Head-to-Ballast cable 575/1200/1800W
L2.0005080	*100' Head-to-Ballast cable 2500/4000W
L2.0005177	*100' Head-to-Ballast cable 6000W/9000W
L2.0005188	*100' Head-to-Ballast cable 12000/18000W

**Denotes Special Order Only Item – Not subject to cancelations or returns*

MAINS CABLES - powerCON TRUE1 TOP with line switch

L2.0001487	powerCON TRUE1 TOP, 7 m, Edison, with line switch
L2.0024627	powerCON TRUE1 TOP, 3 m, Bare Ends, with line switch

MAINS CABLES - powerCON TRUE1 TOP

L2.0001485	powerCON TRUE1 TOP, 1.5 m, Bare Ends
L2.0007515	powerCON TRUE1 TOP, 3 m, Edison (15 A)
L2.0005974	powerCON TRUE1 TOP, 3 m, Bare Ends (16 A)
L2.0049452	powerCON TRUE1 TOP, 3 m, Bare Ends / UL (20 A)

MAINS CABLES - powerCON 32A

L2.0015785	powerCON 32 A for S360-C, 3 m, Edison
L2.0015788	powerCON 32 A for S360-C, 3 m, Bare Ends



DAISY CHAIN CABLES

L2.0012548	powerCON TRUE1 TOP, 3 m, UL
L2.0049353	powerCON TRUE1 TOP, 0.8 m, CE
L2.0049357	Daisy Chain Cable, 0.8 m Ethernet

DC CABLES

L2.0007492	DC cable 0.5 m (XLR3) SkyPanel
L2.0007491	DC cable 1 m (XLR3) SkyPanel
L2.0007493	DC cable 3 m (XLR3) SkyPanel
L2.0007494	DC cable 10 m (XLR3) SkyPanel
L2.0007860	DC cable 15 m (XLR3) SkyPanel
L2.0016030	DC cable 5 m (4-Pin 30A) SkyPanel S360-C
L2.0016031	DC cable 10 m (4-Pin 30A) SkyPanel S360-C

CONTROL CABLES

L2.0033799	Orbiter Control Panel Cable, 5 m
L2.0033800	Orbiter Control Panel Cable, 15 m
L2.0013861	SkyPanel Remote USB cable, 5 m

DMX CABLES

L2.0005169	PowerDMX Cable 4 Pin 3'
L2.0005170	PowerDMX Cable 4 Pin 10'
L2.0005171	PowerDMX Cable 4 pin 25'
L2.0005172	DMX Cable 5 pin 10'
L2.0005173	DMX Cable 5 Pin 25'
L2.0005174	DMX Cable 5 Pin 50'

MISCELLANEOUS

L2.0051206	DMX Adapter Set, 0.2 m Set of 3: RJ45/DMX In, RJ45/DMX Out, RJ45/RJ45
------------	--

NEW



STANDS & OPERATING POLES



[Click here for more product related information | ARRI.com](#)

LIGHTWEIGHT STANDS

L2.0005199 AS-1 Lightweight Stand
(folded 26.5", extends to 7'8")

L2.0005198 AS-01 Lightweight Stand
(folded 30", extends to 8'6")

L2.0005197 AS-2 Lightweight Stand
(folded 34.5", extends to 8'6")

OPERATING POLES

L2.0005113 Operating Pole for Pole Operated Fixtures, extends
to 12.5'



CASES (EMPTY)

[Click here for more product related information | ARRI.com](#)



SKYPANEL X CASES

L2.0050473 Case for SkyPanel X21, Yoke & Cables

L2.0050474 Case for SkyPanel X Accessories

SKYPANEL CASES

L2.0010639 Case for SkyPanel S30 - Molded Single
(88 x 16 x 59 cm / 34,6 x 6,3 x 23,2")

L2.0015848 Case for SkyPanel S60 - Molded Single US
(87.9 x 24.4 x 76.2 cm / 34.6 x 9.6 x 30.0")

L2.0013694 Case for SkyPanel S120-C - Molded, Center Mount
(146 x 53 x 29 cm / 57,3 x 20,7 x 11,2")

L2.0016354 Case for SkyPanel S360-C - Hard, Single
(166 x 54 x 143 cm / 65.3 x 21.2 x 56.1")

Orbiter CASES & BAGS

L2.0034626 Orbiter Case (Offers space for Orbiter, Yoke, Antenna, Control Panel, Protective Cap, Cables, Barndoors, Rain Cover and Skid) / Hard, empty

L2.0034624 Bag for Orbiter Open Face Optics (Offers space for 15°, 30°, 60° Open Face Optics and Protective Cap) / Soft, empty



L-SERIES CASES

L2.0005165 *Lamphead Case L7 (21"x17"x29")

L2.0009328 *Case Lamphead L10

M8 CASE

L2.0005067 *Case with wheels M8 System

COMPACT CASE

L2.0005278 Compact 4-Light Case with Wheels
(32 1/2" x 17" x 10 1/2")

SKYPANEL ACCESSORY BAGS

L2.0008309 Accessory Bag for SkyPanel S30
(for max. 4 diffusion panels or honeycombs)

L2.0008306 Accessory Bag for SkyPanel S60
(for max. 4 diffusion panels or honeycombs)

TRANSPORT CASES

L2.0005076 *Lamphead Case D12 HMI Fresnel Head

L2.0005079 *Lamphead Case AS12+, AS18, M18 Lamp Head

L2.0005064 *Lamphead Case D5 HMI Fresnel Head

L2.0005084 *Lamphead Case D25 HMI Fresnel Head

L2.0005160 *Lamphead Case D40 HMI Fresnel Head

L2.0005153 *Lamphead Case with Casters
(Drop-In AS40/25 Head)

**Denotes Special Order Only Item – Not subject to cancelations or returns*



TRANSPORT CASES

L2.0005279 Compact 3-Light Case with Wheels
(32 1/2" x 17" x 10 1/2")

L2.0005223 Heavy Duty Case with Wheels
(40 1/2" x 20 1/2" x 13 1/2")

L2.0005233 Heavy Duty Case with Wheels
(40" x 19 1/2" x 15")

BALLAST CASES

L2.0005078 *Electronic Ballast Case (575/1200/1800W)

L2.0005085 *Electronic Ballast Case (2.5/4kW or 6kW)

**Denotes Special Order Only Item – Not subject to cancelations or returns*



LAMPS

[Click here for more product related information | ARRI.com](#)



DAYLIGHT

L2.0005061	575W Single Ended HMI Lamp
L2.0005066	800W Single Ended HMI Lamp
L2.0005068	1200W Single Ended HMI Lamp
L2.0005077	1800W Single Ended HMI Lamp
L2.0005083	2500W Single Ended HMI Lamp
L2.0005147	4000W Single Ended HMI Lamp
L2.0005179	6000W Single Ended HMI Lamp
L2.0005269	9000W Single Ended HMI Lamp
L2.0004045	12000W Single Ended HMI Lamp
L2.0005193	18000W Single Ended HMI Lamp
L2.0004044	12000W DE HMI Lamp
L2.0004046	18000W DE HMI Lamp

120V TUNGSTEN LAMPS

L2.0005206	Lamp HPL, 750W, 3250K, 300 hour, AL 750 Plus
L2.0005209	Lamp HPL, 575W, 3250K, 300 hour, AL 750 Plus
L2.0005208	Lamp DXW, 1000W, 3200K, 300 hour, AL 1000
L2.0005225	Lamp FEY, 2000W, 3200K, 300 hour, AL 2000
L2.0005086	Lamp ESR, 100W, 2900K, 750 hour, FR 150
L2.0005087	Lamp ESP, 150W, 2900K, 1000 hour, FR150
L2.0005107	Lamp FKW, 300W, 3200K, 150 hour, FR 300/650
L2.0005117	Lamp FRK, 650W, 3200K, 150 hour, FR 650
L2.0005093	Lamp EGR, 750W, 3200K, 200 hour, FR 1000
L2.0005095	Lamp EGT, 1000W, 3200K, 250 hour, FR 1000
L2.0005100	Lamp CYX, 2000W, 3200K, 400 hour, FR 2000
L2.0005115	Lamp DPY, 5000W, 3200K, 500 hour, FR 5000

**220/230/240V TUNGSTEN LAMPS**

L2.0005129	Lamp DTY, 10000W, 3200K, 300 hour, FR T12
L2.0005130	Lamp KP120 (120V), 12000W, 3400K, 150 hour, FR T12
L2.0005207	Lamp HPL, 750W, 3200K, 300 hour, AL 750 Plus
L2.0005211	Lamp HPL, 575W, 3200K, 400 hour, AL 750 Plus
L2.0005210	Lamp P2/35, 1000W, 3200K, 150 hour, AL 1000
L2.0005226	Lamp FEX, 2000W, 3200K, 300 hour, AL 2000
L2.0005088	*Lamp A1248, 150W, 3200K, 50 hours, FR 150
L2.0005108	Lamp FSL CP81, 300W, 3200K, 150 hour, FR 300
L2.0005118	Lamp FRL CP89, 650W, 3200K, 150 hour, FR 650
L2.0005094	Lamp FKJ, 1000W, 3200K, 250 hour, FR 1000
L2.0005101	Lamp FKK CP41, 2000W, 3200K, 400 hour, FR 2000
L2.0005116	Lamp CP29, 5000W, 3200K, 500 hour, FR 5000
L2.0004031	Lamp CP83, 10000W, 3200K, 500 hour, FR T12
L2.0005131	Lamp KP120 (230V), 12000W, 3400K, 150 hour, FR T12
L2.0005136	Lamp BCM, 20000W, 3200K, 300 hour, FR T24
L2.0005137	Lamp KP240 (240V), 24000W, 3400K, 150 hour, FR T24
L2.0005138	Lamp KP240 (220V), 24000W, 3400K, 150 hour, FR T24

**Note: L2.0005088 fits only L1.79360.E 150W Fresnel 220V*



LENSES



[Click here for more product related information | ARRI.com](#)

LENS SETS

LK.0005829	*Lens Set for AS12+ & AS18 (Spot, Medium, Wide, Super Wide, Frosted)
L2.0005074	Lens Case for AS12 & AS18
LK.0005830	**Lens Set for AS40 & AS25 (Spot, Medium, Wide, Super Wide, Frosted)
L2.0005155	Lens Case for AS40 & AS25

**To be used with L2.77572.2 Conversion Kit only*

***To be used with L2.37385.0 Conversion Kit only*



OTHER ACCESSORIES

[Click here for more product related information | ARRI.com](#)



POWER SUPPLY

L2.0007735 Power Supply Unit for S30 - blue/silver

L2.0007886 Power Supply Unit for S30 - black

L2.0012491 Power Supply Unit for S60/S120-C - blue/silver

L2.0012492 Power Supply Unit for S60/S120-C - black

L2.0015249 Power Supply Unit for S360-C - blue/silver

CONVERSION KITS

L2.37385.0 Conversion Kit from M40 to AS40: PAR Reflector, three brackets and one top latch (Requires LK.0005830 Lens Set after conversion)

REFLECTOR

L2.37940.0 Spot reflector for ARRIMAX 18/12, 8° - 15° HPA

MISCELLANEOUS

L2.0039421 Orbiter Docking Ring

L2.0037805 Orbiter Rain Cover

L2.0034272 Orbiter Skid silver

L2.0039329 Orbiter Skid black

L2.0048935 Orbiter Accessories Protection Cap

NEW

L2.0042990 Rain Cover for S60

L2.0005247 25' Extension Cable w/ Triple Tap

L2.76306.0 Light & Flicker Analyzer

L2.0004015 Head/Ballast Cable-checker 575-4000W

L2.0004016 Head/Ballast Cable-checker 6-12-18K

**Denotes Special Order Only Item – Not subject to cancelations or returns*

DISCLAIMER OF WARRANTY



Transportation: All sales are F.O.B. Seller's plant. All shipping, insurance, freight, and other handling charges are to be borne by the buyer. Seller's responsibility ceases upon acceptance of merchandise by carrier. Damage claims must be made directly to the carrier.

Terms of Payment: Net 30 days from date of invoice with approved credit. Thereafter, a service charge of 1.5% per month will be applied.

Insurance: Unless requested by the Buyer, Seller will not secure transportation insurance. Insurance requested by Buyer is at Buyer's expense.

Acceptance: Possession of this information or other price lists, catalogs, or promotional materials is not, in itself, an offer to sell. All orders are subject to written acceptance by the Seller.

Returns: No equipment will be accepted for return unless permission is granted from ARRI INC. Returns are subject to restocking charges.

Warranty: ARRI Lighting products are warranted to be free of material and workmanship defects for a period of two years from the date of shipment. Any claim for defective merchandise, imperfect manufacture, shortage in count, or for any other defect known by customer to be existing at the time of delivery is waived by customer unless made in writing within five days after delivery.

ARRI Sales Departments: www.arri.com/en/contact

The conditions for the extended warranty can be found by clicking on the corresponding icon or via the following link: www.arri.com/lighting/extended-warranty

Photos presented may vary from actual products.

ARRI, the ARRI logo, ARRIMAX, ARRISUN, EB, **UOS**, L-Series, MAX Technology, M-Series, Orbiter, POCKETPAR, Quick Lighting Mount, QLM, True Blue, SkyPanel, SKYPANEL, Stellar, and T12 as well as the blue/silver color combination are registered trademarks of Arnold & Richter Cine Technik GmbH & Co. Betriebs KG.

© 2024 Arnold & Richter Cine Technik GmbH & Co. Betriebs KG. Reproduction and circulation in whole or in parts without prior permission is prohibited. All rights reserved.

Lighting Product Catalog V1.0 valid from August 1st 2024 until revoked



1. General; Scope

The terms and conditions delineated herein shall be the sole terms and conditions which apply to all of ARRI's current and future business transactions. Unless ARRI has approved of such in writing, any terms or conditions which conflicts with, deviate from or modify the terms and conditions delineated herein shall not be binding on ARRI irrespective of whether ARRI had prior notice of such terms or conditions. ARRI hereby expressly objects to any such conflicting, deviating or modified terms or conditions.

2. Contract Formation

2.1 Any offers made by ARRI shall be without obligation and subject to change without notice provided that the parties have not agreed to a lock-up period.

2.2 The customer is bound to its order for a period of four weeks after its receipt by ARRI. A contract is deemed to exist upon the customer's receipt of ARRI's written confirmation regarding the order or the effective delivery of the applicable goods to the customer pursuant to the terms hereof.

2.3 The scope and type of delivery for an order shall be established solely through ARRI's written confirmation relating to such order. Any errors omissions in ARRI's sales prospectus, pricelists, offer documents or other related documentation may be amended without ARRI incurring any liability for damages or compensation in relation to such errors or omissions.

3. Payment, Set-Off, Withholding

3.1 The purchase price for the contract shall be that price which is specified by ARRI for such contract and shall apply ex works, exclusive of any value-added tax; if the price is not indicated, the pricelist then in effect shall apply. If the sale has occurred through delivery to a place other than the place of performance (at the customer's request), any costs incurred for packaging, shipping, freight, customs or other related costs will be charged separately. If the customer fails to accept delivery when tendered by ARRI, it must nevertheless make payment.

3.2 In the event that the manufacturing costs for the contracted goods (including, but not limited to, wages, salaries, materials or production costs) rise subsequent to formation of the contract, ARRI shall have the right to increase the purchase price in accordance therewith.

3.3 Invoices from ARRI are due upon ARRI making the goods available to the customer and are payable without deductions within 10 days of the issuance thereof. Upon a default in payment, any overdue amounts will accrue interest at a rate of 8% above the basic interest rate. ARRI reserves its right to assert any further claims regarding damages resulting from a default.

3.4 The customer can offset its payments only if its counterclaim thereto have been judicially sustained or recognized by a declaratory judgment. A right to withholding shall only apply to counterclaims arising specifically from the contract which is the subject of such withholding.

4. Delivery

4.1 The dates for delivery and/or the making available of the goods are not binding unless a date for such has been agreed to in writing by ARRI.

4.2 ARRI is entitled to carry out advance and/or partial deliveries of the goods.

4.3 In the event that ARRI is unable to deliver or make the goods available to the customer due to events of force majeure lasting for a period of three months or more, ARRI's obligation to deliver or make the goods available shall be deemed extinguished in its entirety.

4.4 ARRI shall be entitled to postpone delivery or availability of the goods for the entire duration of the force majeure events.

4.5 Events of force majeure shall be deemed to be any events which are beyond ARRI's control and which make delivery impossible or unreasonably difficult, including, for example, strikes, lawful lockouts, war, import or export prohibitions, scarcity of energy supplies or raw materials, or the delayed delivery to ARRI of goods required for the performance of its obligations hereunder for reasons beyond ARRI's control. If ARRI is released from its obligations as described in Section 4.3 above, the customer shall be entitled to rescind the applicable contract. Compensation for damages for nonperformance can be claimed by the customer only if the default in delivery is due to ARRI's gross negligence or is intentionally caused by ARRI.

5. Transfer of Risk

5.1 The risk of loss or damage to the goods passes to the buyer as soon as ARRI has dispatched the goods from its premises (i.e., plant, factory or warehouse) or upon the surrendering of the goods to the applicable carrier or to the customer itself, as the case may be. The above shall also apply in the event that ARRI serves as the carrier for the goods.

5.2 If the forwarding or collection of the goods is delayed due to reasons attributable to the customer, the risk of loss shall be transferred to the customer upon the readiness of the goods for dispatch.

6. Defective Goods

6.1 The customer must inspect the delivered goods immediately upon its receipt of such. The customer must notify ARRI in writing of any apparent defects within one week of the goods' receipt. ARRI must be notified of hidden defects in writing within two weeks of their emergence but in no event later than one year after delivery of such goods.

In the event that the customer fails to meet the aforementioned notification obligations, the goods shall be deemed to have been accepted and the rights set forth in Sections 6.2

and 6.3 below shall not be in effect.

6.2 In the event that the customer has notified ARRI of defects in a timely manner and is thus eligible to make a claim for re-performance, ARRI shall have the right, at its own cost, either to remedy the defect or to redeliver conforming goods.

6.3 If ARRI twice fails to remedy a defect or if ARRI is otherwise unable to accomplish its re-performance obligation or fails to do so within a time period reasonably set forth by the customer, the customer shall be entitled to reduce the purchase price under the contract or to cancel the contract. Instead of seeking performance, the customer can make a claim for damages or for compensation for expenses. However, if the customer elects to rescind the contract it shall have no right to make any claim for damages with respect to the defective goods.

6.4 Provided that ARRI has not acted fraudulently, any claims of the customer regarding the goods shall become void and unenforceable one year after delivery of the applicable goods.

6.5 The prescription period of one year in Section 6.4 above shall be replaced by a prescription period of two years for goods from the product range „Light“ of ARRI that are distributed under the brand „ARRI“.

7. Liability

7.1 ARRI shall be liable for any damage hereunder caused by it intentionally or caused by its gross negligence.

7.2 In the event of simple negligence by ARRI, ARRI shall be liable only for ordinary and foreseeable damage arising from the contract, and only to the extent that ARRI has breached material contractual obligations. Further, in the event of simple negligence by ARRI, ARRI shall be liable for personal injury and/or health-related damage attributable to ARRI.

7.3 ARRI shall not be liable for consequential damages and unforeseen damages (including consequential damages resulting from defective goods) as well as loss of profits in the event it has acted with simple negligence.

7.4 ARRI shall be subject to no liability beyond that which is delineated in this Section 7.

7.5 To the extent that ARRI's liability is excluded or limited, such exclusion or limitation shall apply to any persons or entities employed by ARRI in the performance of its contractual obligations.

7.6 The limitations of liability delineated herein shall not apply to any legally prescribed strict liability, in particular any such strict liability arising from laws regarding guarantees or product warranties.

8. Retention of Title

8.1 Ownership of the delivered goods shall remain with ARRI until it has received full payment for such goods. Title to the goods shall first pass to the customer upon ARRI's receipt of all payments which are due under the current applicable contract.

8.2 Prior to obtaining title to the goods, the customer is not entitled to pledge, to assign by way of security, to process or to alter the goods. The customer is, however, authorized to sell the goods to third parties in the ordinary course of business unless a non-assignability agreement regarding the consideration exists between the customer and the third party. If a third party acquires an interest in the goods through a resale to such party, the customer agrees to assign to ARRI all of its correlating rights and claims against such third party. ARRI hereby accepts such assignment.

8.3 Any combination, amalgamation and/or processing of the goods (sections 947, 948 and 950 BGB [German Civil Code]) shall be deemed to have been made on behalf of ARRI. ARRI shall acquire title to the resulting product in the ratio of the invoiced value of the goods and services provided by ARRI to the total invoiced value of the resulting product. If the goods have been resold to a third party, the assignment of rights and claims performed in accordance with Section 8.2 above shall be valid solely up to the amount of the invoiced value of goods and services provided by ARRI.

8.4 Upon a default in payment by the customer, ARRI has the right to disclose to any applicable third party that it holds an interest in the goods pursuant to the assignment delineated above and to assert any of its claims directly. The customer is obligated to provide and deliver to ARRI all documentation required for the assertion of such claims. The customer must also make available to ARRI, completely and in a timely fashion, all information about any events that might affect the obligations described above.

9. Jurisdiction; Governing Law

9.1 The parties hereto agree that the exclusive jurisdiction for any transaction and/or contract between the parties is Munich, Germany.

9.2 The relationship of the parties hereto shall be exclusively governed by and in all respects construed in accordance with the laws of the Federal Republic of Germany with no application whatsoever of the United Nations sales law.

¹ Kaufleute as defined in the HGB [German Commercial Code]

Revision: 2nd July 2024

Registered Office: Munich

Trade Register: Municipal Court Munich, HRA 57918

General Partner: Arnold & Richter Cine Technik GmbH & Co. Betriebs KG

Registered Office: Munich

Trade Register: Municipal Court Munich, HRB 54477

Managing Board: Dr. Matthias Erb, Dr. Bernd-Michael Brunck

Chairman of the Advisory Board: Prof. Dr. Hans Joerg Bullinger

VAT No: DE 129725260



www.arri.com